hodern HOTOGRAPHY

CENTS NOVEMBER 1961

DETROIT PUBLIC LIBRARY

JAN 25 1962

FINE ARTS



EXCLUSIVE! THE FIRST OFFICIAL DEPTH-OF-FIELD TABLES FOR ALL 35MM CAMERAS & LENSES FROM 21 ALL THE WAY TO 1000MM MAXIMUM

UR AG-1 FLASH
LB MESS: HOW
CHECK BULBS
D FULLY TEST
CH FLASHGUN
R BRIGHTNESS
US BEST EVEN
VERING POWER

1



MODERN'S ANNUAL
GUIDE TO COLOR
FILMS & FILTERS
KEEP YOUR SHOTS
IN RIGHT COLOR
BALANCE IN ALL
PICTURE TAKING
TIMES & PLACES



BABES AND BABIES
THOMAS HOPKER
PHOTOGRAPHS BIG
ONES WHILE OUR
EDITORS SHOOT
THEIR OWN KIDS
USING BOTH 35MM
AND 2½ CAMERAS



THE DRY ROT IN PHOTO BOOKS & HOW TO TELL A GOOD ONE FROM A USELESS DOG PLUS A LIST OF TITLES MODERN CAN RECOMMEND

EA FOR REAL
OL EVENINGS:
AST YOUR COLPICTURES LIKE
MARSHMALLOW
EE THE WEIRD
AZING RESULTS
U CAN ACHIEVE





BIG 'NEWS' from ANSCO



NEW! The Ansco Autoset 35mm Camera

Fully automatic exposure control over a wide range of exposure conditions. Film speed settings from 6 to 1600, with shutter speeds automatically adjusted from 1/30 to 1/800 second. Optional manual control. Highly corrected Rokor f:2.8 lens. Special "freeze button" permits setting exposure close up to principal subject in backlighted scene. Constant working exposure signal in viewfinder tells in advance if light is sufficient. Combination coupled rangefinder-viewfinder is parallax corrected bright frame type – easy to use, even when wearing glasses. Semi-automatic flash exposure settings. Be sure to see this value-packed automatic before you buy any camera. Ansco Autoset is priced at less than \$90.00, with case less than \$10.00 extra.



NEW! The Ansco Regent 35mm Projector

This 500-watt, high styled projector handles all 2 x 2 slides in any type of mount. Operates automatically by remote control or at machine. Fast, "pop-up" editing. Preview projection screen inside cover. Uses low cost Ansco Tag Along* trays for continuous slide projection. Coated f:3.5 projection lens. Modern, functional design for easy carrying. Complete with one tray, less than \$80.00. Remote control accessory cord, less than \$6.00.

NEW! The Anscomatic II 35mm Projector

The new, de luxe version of the famous Anscomatic projector. New complete remote control system incorporating remote focusing, forward and reverse control, and hand-held light beam pointer. Automatic projection for all 2 x 2 slides in any type mount. Convenient single slide projection for other sizes up to 2½ square. Exclusive 2-way editing. Automatic, autotime or manual. Brilliant 500-watt illumination. A big value at less than \$140.00. The familiar Anscomatic projector still available at less than \$120.00.



See these great new ANSCO items wherever fine photo equipment is sold.

Ansco

Binghamton, N. Y. A Division of General Aniline & Film Corporation.

MODERN PHOTOGRAPHY (combined with Minicam) is published monthly by the Photography Publishing Corp., (A Geliert-Wolfman Publication) 33 West 60th Street, New York 23, N. Y. Second class postage poid of New York, N. Y., and at additional mailing offices. Yearly subscription price is 54.00 in U.S.A. and possessions, 54.50 in Canada, 56.00 in Pan-American Union and Philippines. Elsewhere, \$8.00. Single Copies U.S.A. and Canada, 40s. Elsewhere, 75c. November, 1961, Vol. 25, No. 11.

Push thre can work action wit

SNAP DETROIT PUBLIC LIBRARY JAN 25 1962 SNAP FINE ARTS SNAP

era

sure onal eeze oject al in

ame atic cked oset tra.

es in ntrol reen s for dern, tray, 66.00.

ration

Push three buttons and get a perfect picture in 10 seconds! You don't focus, yet pictures are always sharp. (In portrait position, you can work as close as 30".) No adjusting for light. The electric eye automatically selects and sets the right exposure. Even stops fast action with speeds close to 1/1000th in bright sun. It's a completely new kind of Polaroid Land Camera: the 10-Second Automatic.

SNÁPSHOT!

the only 8mm camera with a reflex sensing system that makes f/stop changes even while you zoom.

NEW BELL & HOWELL
REFLEX ZOOMATIC with
OPTRONIC EYE!

Behind the lens... continuously operating. That is the big news about the radically new Optronic Eye system. Not only does the Reflex Zoomatic's new system give you single lens reflex viewing, but the Optronic Eye continuously senses and sets for only the light entering the lens—even as you zoom! Unlike ordinary electric eye cameras, this one cannot be fooled by any light conditions outside the actual scene being captured on film. And with reflex viewing, you see exactly what you are shooting.


REFLEX OPTRONIC EYE

No other camera can give you such true exposure settings while you are shooting. Even as you zoom from wide angle to tight telephoto, the Optronic Eye makes continuous, fully automatic f/stop adjustments. As conditions demand, it can vary the adjustments from f/1.8 to f/22. You see these changes being made in the viewfinder, while you shoot.

Most important, extraneous "hot spots" and dark areas do not affect the readings.

The heart of the system is an ultra-sensitive cadmium sulfide photocell adapted to photographic needs by Bell & Howell. Because it does not *generate* energy, but only *modifies* a steady battery-supplied flow, this new cell demands only 1/100th the light that conventional selenium cells must have.

Seeing the f/stop readings change in the reflex viewfinder also allows you to use the Reflex Zoomatic as a light meter in pre-planning precise settings. This feature actually gives more flexibility than a light meter, since you can take readings of otherwise inaccessible areas simply by zooming.



Und

cally


you

locat

Focal

focus

and c



MANUAL OVERRIDE CONTROLS

Under almost all conditions, this camera will automatically give you the best possible pictures. However, every photographer sooner or later likes to "doctor" zoom speeds and f/stop settings. So not only are there two separate electrically-powered zoom speeds, but there is a manual zoom bar attachment for special speeds. The power zoom operates without transporting film, so that you can check critical focusing within a scene, and also take exact light readings for manual exposure settings in a high-contrast scene.

Fade effects are achieved with a manual override ring located at the base of the lens barrel.

4-TO-1 ZOOM RATIO

Focal lengths range from 9mm to 36mm. Entire range will focus from 3 feet to infinity. At 3 feet, you can zoom in and cover an area as small as 3" x 4".

See the new Reflex Zoomatic with Optronic Eye at your Bell & Howell Dealer's. Look at it. Try it. Get the feel of it. Whether you are about to buy an 8mm or not, you will find this one to be a truly impressive camera.



Bell ε Howell

FINER PRODUCTS THROUGH IMAGINATION

TECHNICAL DATA

Dimensions: 534" x 71/2" x 334", Weight (with batteries): 5 lbs. 3 oz. Lens: Magnesium Fluoride Coated. Speed, f/1.8 Focus range, 3' to infinity. Zoom range, 9mm to 36mm.

Optrenic Eye: Cadmium Sulfide photocell operating on resistive principle using steady current supplied by a 1.35 volt mercury battery. Control range, f/1.8 to f/22. Sets for automatic control on film ASA 6, 10, 16, 20, 32, 40. Automatically compensates for single frame exposure, 16 and 48 frames per second.

Viewfinder: Reflex-viewing through taking lens. Ground spot in center for critical focus. Eyepiece adjustable for use with eyeglasses. Iris scale visible in viewfinder.

Zoom Control: Electric power supplied by 4 penlight-batteries. Two speed. Pressure actuated. Operates independent of film transporting mechanism. Automatic motor disengagement for manual control.

Miscellaneous: Built-in type "A" conversion filter. Lens elements coated for haze filtering. Manual zoom rod stores in camera. Fade control ring located on lens barrel.


Models: Roll loading, Reflex Zoomatic 434. Magazine loading, Reflex Zoomatic 444.

BELL A HOWELL WILL MAINTAIN THIS CAMERA FOR FIVE YEARS—FREE As unique as the camera is the new assurance of quality you get with it. With the Reflex Zoomatic comes a Certificate of Excellence. For the first time, the manufacturer guarantees that, in the event it fails to function properly during normal use, for any reason, you will receive free factory service during the first 5 years of original ownership. Merely ship the camera to Bell & Howell for free service, maintenance and repair. Only batteries and film are not covered.

WATCH "BELL & HOWELL CLOSE-UP!" ON FULL ABC-TV NETWORK

MORE POWER ..PER OUNCEPER INCH **BRAUN HOBB**

ELECTRONIC FLASH UNITS famous monitor circuit keeps batteries charged longer



POCKET-PAK F-30 with Kodachrome II Guide:51. Wide-angle head so tiny you hardly know it's on the camera. Hip-pocket size pack with power of bulkier, costlier units. Exclusive monitor keeps output at maximum: drains batteries only as capacitor recharges itself. With four Eveready E93 "C" cells. \$64.30



POCKET-PAK F-60 ... with rechargeable nickel cadmium batteries that are interchangeable (you can carry a spare). Same light output as the F-30, and it weighs even less. \$79.50



SPECIAL EF-2 NC. Kodachrome II Guide:72. Special design for advanced amateur and many professional applications. Rechargeable nickel cadmium battery is permanently installed. Tiny reflector throws 60° beam. Accepts extension heads, Built-in charger, \$109.50



AUTOMATIC EF-3...Kodachrome 11 Guide:96. Exclusive push-button control of all functions: instant switchover from A.C. to storage battery, from full to half-power light and to built-in charger. Extension heads available. \$109.50

At your Leica dealer ... or write for information.

E. LEITZ INC. 468 Park Ave. S., N.Y. 16, N.Y.

modern PHOTO

EVERETT GELLERT, Publisher

AUGUSTUS WOLFMAN, Ed.-in-Chief

P	CT	UR	E	T	AK	IN	G	I D	F	A	5

HOT WAY TO REAL COOL COLOR: S. C. Valastro toasts his color slides and achieves other way-out effectsby Patricia Caulfield 72 MODERN'S BABIES: Here's how our editors photograph their children. by Patricia Caulfield 76 FAST FILM INDOORS AND OUTDOORS TOO! Thomas Hopker's pictures of pretty girls were taken in a variety of lighting situations with just one fast filmby Jacquelyn Balish

TECHNICAL ARTICLES

MAKE YOUR OWN POLAROID LAND CAMERA: Maynard Frank Wolfe redesigns the 80a ...by Herbert Keppler TOO HOT TO HANDLE: Modern answers probing technical questions from its readers DRY ROT IN PHOTO BOOKS: To help you avoid the many bad technical books on the market, MODERN lists some of good ones . 70 AG-1 SNAFU & HOW TO GET OUT OF IT: Tiny, light, powerful-but not MODERN'S GUIDE TO COLOR FILM FILTERS: A handy listing of which filter to use in which light with which 35mm color filmcompiled by Norman Rothschild 86 OFFICIAL DEPTH-OF-FIELD TABLES: A completely integrated set of tables for your general and critical photographic work with 35mm cameras and lenses from 21mm to 1000mm MODERN TESTS: An exclusive monthly appraisal of equipment 108

MOVIES

...by William Johnson 28 MOVIE VIEWER: An interview with a director MOVIE MAKER: 8mm Sound, Part IIby Myron A. Matzkin TAKE A ROOM, MAKE A MOVIE: Your own living room makes an ideal background for movies of your childrenby Myron A. Matzkin 112

DEPARTMENTS

COFFEE BREAK 8 11 LETTERS TO THE EDITOR 14 SALON CALENDAR .. BEHIND THE SCENES by Herbert Keppler 16 PICTURES IN A MOMENT: Quick & easy reloading ... by John Wolbarst 18 NEW PRODUCTS .. 19 MODERN COLOR: The FR Color Kitby Norman Rothschild 22 TECHNIQUES TOMORROW: Cameras in orbit by Bennett Sherman 24 26 NEW PHOTO BOOKS by John Wolbarst 38 35MM: A report on Ansco Hyfinol WELL TRAVELED CAMERA: Vacation accessories ... by Norman Rothschild 52 ULTRAMINIATURE: Close-up techniques, Part II by Joseph Cooper 54 LARGE CAMERA: What Eliot Elisofon uses By Andreas Feininger 64 MONTHLY CONTEST

JACQUELYN BALISH, Editor

HERBERT KEPPLER, Exec. Editor

PATRICIA CAULFIELD, Picture Ed. MYRON A. MATZKIN, Assoc. Editor PRISCILLA HERBERT, Edtl. Asst. FAY TRAVERS, Production Dir.

IRVING RICHTER, Bus, Mgr.

WILLIAM JOHNSON, Manag. Ed. DAVID L. MILLER, Assoc. Ed. BENNETT SHERMAN, Tech. Cons. A. J. PALAGONIA, Assoc. Art Dir.

W. D. BORNSTEIN, Adv. Dir.

ERNEST G. SCARFONE, Art. Dir.

JOHN WOLBARST, Consult, Ed. EDWARD MEYERS, Tech. Ed. ARLENE CASS. Edtl. Asst. PAUL M. FUCHS, Adv. Prod'n.

MILTON GORBULEW, Circ. Mgr.

Copyright

1961, Photography Publishing Corp., 33 West 66 St., New York 23, N. Y. Phone: PLaza 7-3706, Mid-West representative: The Bill Patts Company, 4761 W. Touly Ave., Lincolnwood, Ill. Phone: 677-8877. West Coast office: James K. Levitt, Suite 207, 12506 Biverside Dr., No. Hollywood, Calif. Phone: TRiangle 7-6446. Yearly subscription, \$4.06 in the U. S. A. and possessions, \$4.50 in Canada, \$4.06 in Par-American Union and Philippines. Biserwiser, \$5.00. Single copies, U. S. A. and Canada, 40c, elsewhere, 75c. Editorial contributions must be accompanied by return postage and will be handled with reasonable care; however, the publisher assumes no responsibility for return of unsolicited photographs or manuscripts.

SUBSCRIBERS: Send subscription inquiries and address changes to Circulation Manager, MODERN PHOTOGRAPHY, 33 West 66th St., New York 23, N. T. Give old and new address, including zone ampler, if any Enclose address label from last issue and allow five weeks for change to become effective.

DOUBLE-TAKE LEICINA

THE CLASSIC 35MM STILL CAMERA

PICK UP AN M-3 OR AN M-2 AT YOUR LEICA DEALER. You'll do a double-take as you react to the famous Leica "feel." It's a legend among 3 generations of photographers... the magic of Leica design that makes it a "perfect fit" for combined action of hand, brain and eye. And... as you try it, you'll see why its rangefinder is accepted as the fastest and most precise, even in lowest light levels where others fail. Yet, in just 10 seconds (with Visoflex II) the same Leica camera becomes the most accurate eye-level reflex made. A test focus in every lens range will show you why Leica is the world's most versatile 35mm camera for every kind of picture... from extreme close-up through telephoto.

FULLY ELECTROMATIC 8MM MOVIE CAMERA

PICK UP A NEW LEICINA. You'll discover that the Leica "feel" now has a double meaning as it takes its place in 8mm movie making. Exclusive 3-POINT RIGIDITY makes Leicina the first to overcome hand-held camera movement. (Without this steadiness, the finest features of any camera can't produce needle-sharp movies.) The gadget-free exterior fits snugly in your palm; eyepiece below permits forehead brace above. Pushbutton away from the camera body in fold-down handle eliminates jarring when you press. It's always ready for action at the touch of a button. From the whispering whirr of its electric motor drive to the discretely built-in automatic exposure control, Leicina is a new kind of movie camera that's built today, for tomorrow.

Leica

E. LEITZ, INC., 468 PARK AVENUE SOUTH, NEW YORK 16, N. Y Distributors of the world famous products of rost Leitz G m b H. Wetzlar, Germany Ernst Leitz Ganada Ltd CAMERAS - LENSS - PROJECTORS - MICROSCOPES - BINGCULARS

LEIGINA





and automatically you get perfect movies

NIKKOREX 8

new, fully automatic, by Nikon

Absolutely the quickest, easiest way to get perfect movies! It's a camera you can have with you at all times—tucked away in your breast pocket—always ready to shoot. Or if you're thinking of someone to whom most cameras are "too complicated"—remember the automatic Nikkorex-8 takes perfect movies by simply pushing a button.

NO EXPOSURE SETTINGS Cadmium Sulphide electric eye automatically sets diaphragm, or you set it manually, if you choose.

NO DISTANCE SETTINGS Fixed-focus f1.8 Nikkor is sharp from 3 feet to infinity—accepts 2X magnification f1.8 telephoto lens attachment.

NO SPRINGS TO WIND Electric motor runs camera on 4 standard penlite batteries.

The new Nikkorex-8 is smartly attractive and attractively priced. Slim, compact—it slips easily into pocket or handbag—goes



with you everywhere. Costs you less than \$80 at your photo dealer. For your Free copy of Perfect Movies Without Knowing How, write to Dept. MP-11.

NIKON INCORPORATED 111 FIFTH AVE. N. Y. 3

Coffee Break with the Editors

THIS MONTH'S COVER . . .

The square in the top left-hand corner of our chessboard represents depth of field (or the lack of it), and the official tables on pages 91 through 106 will tell you, among many other things, precisely at what distance, with what aperture and with what 35mm camera lens you could get the king and queen to look sharp. Moving right one square and down one square, some AG-1 bulbs are caught by Myles Adler in the act of sympathetic flash-for more about that and AG-1's in general, turn to page 80. Now right one and up one square to some filters, introducing our annual guide to color film filters on page 86. Right one and down one to some photo books that Modern's editors rate as sound, page 70. Left one and down one to an indoor portrait by Thomas Hopker, taken with a Leica M2 and 90mm Summicron at f/2, 1/60 on old Tri-X; for more of Hopker's girl pictures, see page 82. Finally, left one and down one, what looks like a Cubist painting is actually a sandwich of two slides-one of a tree, another of a quilt-by color experimenter S. C. Valastro. For more about this and his other experiments, see page 72.

ON THE ROAD: BACKTRACKING . .

In the September "Coffee Break" we ran a report on executive editor Burt Keppler's travels as a speaker on photography ("On The Road"). Being dazzled by the speed of his movements, we omitted to mention that the Asilomar Photojournalism Conference was sponsored by the American Society of Magazine Photographers.

. . . AND ONWARD AGAIN . . .

While we're on the subject of MODERN editor/speakers, note that movie editor Mike Matzkin spoke or is speaking (it depends how early you got this issue) at the PSA Convention in New York, 27 to 30 September, in the special Four-Day Course in Advanced Film Making. Matzkin's talk is on "New Possibilities for 8mm."

DEPUTED TO COMPUTE IT . . .

Although many members of Modern's staff were embroiled in proofreading our new depth-of-field tables (the sea of figures between pages 91 and 106), and although Modern's technical consultant Bennett Sherman had the job of furnishing the equations and circle-of-confusion dimensions on which the tables are based, the actual chore of

calculation was done by an outside editorial assistant called IBM 7090.

This chap is an incredibly fast and accurate worker, but he does need a lot of guidance and supervision—which in this case were given him by Charles G. Cooper of Computer Applications, Inc. For one thing, IBM 7090 doesn't understand English, so his instructions—or program—for computing our tables had to be put into a language called FORTRAN, which is short for "formula translation." This



Charles G. Cooper prepares our depthof-field formulas (on board) . . .



EDWARD MEYERS

It is a

media

soar f

Rapid

F. No

the ci

user f

enable

expres

- pict

The m

Batter

remote

. . . for IBM 7090, one of this bank of electronic computers.

job took about three days. The program was then fed to IBM 7090 to see if he made sense of it, which he did. This job took 7 minutes.

Now that IBM 7090 had his instructions on how to work, all he needed was the information to work on, which was keypunched onto IBM cards. Here we'd better let Mr. Cooper do the explaining. "The information consisted of some 23 aperture numbers which we've identified in the equation (see page 92) as parameter E," he says. "The focal length in mm was punched as 29 distinct values, and this served as parameter A in the equation. There were 14 numbers for the distances (D) and 2 for the blur distance (M)." (As we point out in the introduction on page 92, the complete tables incorporating all those values will be published separately: to allow space for other

(Continued on page 10)

automatic fire power!



exemplifies the almost unlimited versatility of the Nikon F

It is a mistake to think of the Nikon Electric Motor Drive as an accessory to the Nikon F. For, when the two are joined, an entirely new medium emerges - a medium that endows its user with an ability to soar far above the commonplace in photographic expression.

Rapid sequence photography, time-lapse and motion study are among the more obvious applications for the motor-equipped Nikon

F. No less dramatic is the new scope it brings to the creative aspect of photography. It frees the user from the mechanics of camera manipulation, enables him to capture split-second action, fleeting expressions, unpredictable momentary occurrences - pictures he could not have otherwise obtained. The motor-equipped Nikon F is an incredible tool. Battery-powered, it can be operated in-hand or

remotely, or it can be fired by radio control, inter-

valometer, photo-cell relay or other triggering device. It advances the film, winds the shutter and makes the exposure, automatically. It can be set to shoot singles or bursts, or to fire continuously through an entire load of film - at any rate, up to 4 exposures per second.

Even if you have no special, immediate need for the electric motor drive, you cannot but be impressed by the skill and ingenuity evident

in its design. You cannot but marvel at the stamina of the Nikon F - its ability to withstand the continuous action of the motor for thousands of exposures, and continue to perform and respond with the smooth, impeccable precision that marked its performance with the very first roll of film.

See the motor-equipped Nikon F at your Franchised Nikon Dealer today. For complete details, write to Dept. MP-11.



h e d

h e s.

ed

1)

n

0-

ed



COFFEE BREAK

(Continued from page 8)

features in this issue, we had to make a practical selection of values.)

IBM 7090 grasped all this far more quickly than we ever could, and within five minutes he'd rattled out pairs of near and far distances for every one of the 14 focusing distances at every one of the 23 apertures for every one of the 29 focal lengths. Of course, he gave this information in his own language, but it was a fairly simple matter to run it through a special machine that translated it into English. Including the time it now took for Computer Applications to tidy up all the results, the whole procedure lasted about one week. As you can see, things would really be speeded up if someone could teach IBM 7090 English.

FROM THE HOUSE OF TIME . . .

In our August issue we published a group of symbolic photos by Clarence John Laughlin and invited readers to tell us what they thought of them. Among the many letters we received for and against Laughlin (see page 11 for a selection), there was one from J. L. Cap Beckley of Houston, Texas, who remembered having met Laughlin in New Orleans way back in 1935 and enclosed a picture he had taken of the



Laughlin at work, 26 years ago.

young photographer at work (above). We noted with interest that Laughlin was then shooting in the same cemetery that he returned to in 1956 for his picture Mars in the House of Time (page 62 in the August issue). In photographing the same place across a span of 21 years, Laughlin demonstrates that "the mystery of time" is indeed (as he wrote) one of his "constant themes and preoccupations."

YOU HAD A PREVIEW . . .

In the April 1961 MODERN we ran a six-page feature on how amateur movie maker Ernst Wildi shot and edited Water's Edge. We also mentioned that it had won a number of amateur festival awards. Well, the movie has now attained professional success. It's been blown up from 16 to 35mm and is currently at neighborhood theaters. It's being distributed by George K. Arthur.-THE END

urst guarantees top-color results thro BUILT-IN FILTER DRAWER

DURST 606 offers more advanced design features for your money than any competitive enlarger. Take the built-in filter drawer, for example. On the DURST 606, this is located where all top-performing filter drawers should be...between the light source and the negative carrier. This means you filter the light, NOT the projected image...you don't project dust and scratches. Result... superb enlargements, both color and black and white. Then there's the exclusive selfmasking negative carrier... makes the DURST 606 ideal for all sub-

miniature to 24" x 2¼" sizes and lets you crop at the negative stage. What other enlarger offers these two features plus double condensers, adjustable lamphouse, exceptional compactness and a rotatable head for extra-large prints by floor or wall projection 5 995 (less lens) ...all at * Reminder: Don't forget to send for free DURST booklet

DURST (USA) INC.

1140 Broadway, New York 1, N. Y., Dept. MP-11 Send FREE Durst Enlarger Booklet

-State -

MODERN PHOTOGRAPHY

LETTERS TO THE EDITOR

More Far-flung Readers

I am enclosing photographs taken and printed by me. May be they are not so nice enlargements to take place in your columns. But my second-hand enlarger—better to say twenty-second-hand—can do only these. I hope you would kindly give me an answer, or at least an advice, like "Please leave to take photographs as soon as possible."

Batman, Turkey Ismail Kafescioglu



We certainly don't advise Mr. Kafescioglu to leave off taking photos! Incidentally, his caption to the picture above reads: "Charged with stealing jam from the kitchen; and sentenced to jail for two hours, at home, by her honor the Mother, during the playtime. Taken with an old model of Leica, borrowed from a friend, which I couldn't remember the type. With 1/3.5 lens, at 1/50, and f/8 on Kodak Plus-X film, in the near evening, in Jerusalem, Israel."—ED.

Where, Oh Where?

or

ed

ers

nd

ter

on

ck

lf-

he

2.11

Liked the picture of the baseball spectators pages 74 and 75 of your September issue—but, like, who took it? I couldn't find the photographer's credit anywhere.

New York, N.Y.

Jay Herbert

That's because it was, like, nowhere. The shot was made by New York free-lance Len Gittleman as part of an assignment for the New York Times Magazine. Our heartfelt apologies to all of the readers who have written in to inquire; and to Mr. Gittleman.—ED.

Laughlin: Lauded and Lambasted

In your August issue you ask readers to report their reactions to the photography of Clarence John Laughlin. These are wonderful pictures. There is as much difference between these

(Continued on page 12)

NOVEMBER, 1961

What's the Big difference





FUJICA's picture window viewfinder is built like a fine lens. The scene you preview is bigger, brighter and flicker-free. You can keep both eyes open without squinting and if you wear glasses, you don't have to take them off. Check this against the most expensive movie cameras at your dealer.

The Big difference in the electric eye.

Compare the size of FUJICA's electric eye with any other automatic movie 8. It is larger . . . generates extra power. This automatically opens up or closes down the lens opening faster as you follow the action from a sunlit scene into dark shade. No more over exposed or under exposed film.

The Big difference in the ZOOM lens.

The FUJINON f/1.8 ZOOM lens is based on advanced optical principles. The internal lens elements ZOOM, not the outside housing. Result . . . every scene you shoot is in sharp focus . . . this is automatic at all of the infinite number of ZOOM positions. The lens housing is sealed. No dust or dirt can ever rough up the smooth action when you ZOOM from wide angle scenics to telephoto closeups. In addition, the speed of the FUJINON f/1.8 enables you to take most indoor movies without special lights. A built-in "Stop and Go" signals when there isn't enough light.

What else does a FUJICA have that helps make your every movie in professional show... push button switchover from fully automatic to manual. Full automation at 16, 24 and 32 F.P.S. Single frame exposure for titles, trick and stop-motion effects.

- Your camera dealer will be pleased to show you the Big difference in the new fully automatic FUJICA.

Less than \$130

Write for FREE booklet, "FUJICA ZOOM movie cameras and projectors."



FUJI PHOTO OPTICAL PRODUCTS INC., 111 Fifth Ave., Dept. A-59. New York 3, N. Y In Canada: FUJI Precision Cameras of Canada Ltd., 5385 Pare Street, Montreal 9, P.O. There has never been an 8mm movie camera like it...

your assurance of getting the most wonderful pictures in the world!



outclasses...outperforms...outdates all other 8mm movie cameras.
Fabulous Angenieux F1.8 Zoom lens gives 7½mm to 35mm Zooming range!
Consistent 16mm quality with all the advantages of 8mm.
Carena's fully automatic electric-eye is powered by latest mercury battery-resistor circuit... most reliable system today... see your dealer and be convinced.
Ask for colorful brochure. \$30950

EXAKTA CAMERA COMPANY, 705 Bronx River Road, Bronxville, N. Y. In Canada, 579 Richmond St., West, Toronto, Ontario

LETTERS

(Continued from page 11)

pictures and the ordinary documentary or meaningless "gimmick" shot as there is between the original Mona Lisa and a postcard copy. . . . Bloomfield, Iowa Mrs. W. C. Adrian

. . . Frankly, I cannot for the life of me see why any publication should waste time and paper on such stuff. I think it is awful!

St. Petersburg, Fla. W. L. McFarland

. . . It is reassuring to those of us who regard photography as an art form to see work of this stature published in a commercial magazine. It is to be hoped that this is the beginning of a trend.

Kingston, Ontario, Canada J. E. Bain

. . . It's all very well for a person to be different, but when the layman can't understand their intent, then there is a void. He and Dali should get together, they'd have a ball.

Globe, Ariz. A. W. Linn

. . . The black-white photographs and text regarding the brilliant work of Clarence John Laughlin constitute one of the most courageous and intelligent features ever presented in a photography magazine in this country. To serious amateurs and professionals, it is a veritable oasis in the desert. Chattanooga, Tenn. J. Carter

is busy, over-studied and static, in short, archaic. Trick photography, and that is what it is no matter how sincere, seldom comes off. In this case it does not.

Brownsville, Tex.

P. Langworthy

And many more. . . . Well, we asked for it. One thing is certain, Mr. Laughlin can arouse controversy.—ED.

Of CdS and Cells


To explain some electronic processes in the layman's language is trying at times. For example: your article *Three Movie Electric Eye Systems*, page 92, July 1961, states, "The more light, the greater the resistance, and the smaller the amount of electricity that flows. . . ." This isn't quite correct.

With light, CdS cell resistance decreases and current increases. In the dark, resistance is high—current drain on batteries is low. CdS is a photoconductive device, in reality a light-controlled resistor. Putting more voltage on the cell—within the capability of the cell to dissipate heat and resist voltage breakdown—more current may be "conducted" through the cell to actuate meter movements or relays. Instead of microamperes (one-millionth amp), current as high as tenths of amperes could be controlled by a suitable CdS cell.

Geneva, Ill. A. E. Toht Cetron Electronic Corp.



A NEGATIVE IN 20 SECONDS





Now, a further advance in 4 x 5 picture-in-an-instant photography: new Polaroid Land Type 55 P/N film pack develops both print and negative. In just 20 seconds. Outside the darkroom.

Simply load Type 55 P/N film into your Polaroid 4 x 5 Film Holder (fits all press and view cameras with Graphic, Graflok and similar backs) and shoot as usual.


Negatives are superb in quality, with resolution in range of 150 lines per mm. Enlargements possible up to

25 times original size with virtually no grain. Positive prints meet professional standards for contrast, fine grain, long scale.

Pack after pack can be inserted and exposed without removing holder. Development takes place <u>inside</u> the pack, <u>outside</u> the holder. Positive and negative can be separated in light. Easy washing process (in room light) rinses fully-developed negative.

Both print and negative developed in 20 seconds: new versatility, new opportunity for the 4 x 5 photographer.

OUTSIDE THE DARKROOM



50mm NIKKOR f2.5 LENS OFFERS **QUALITY THAT WILL ASTOUND YOU**

If you want to see really sharp, big prints and color slides that sparkle with detail-shoot a roll of black-and-white or color film with the new Nikkorex-35. The new 50mm f2.5 Nikkor is an extraordinary lensprobably the sharpest, most fully corrected lens you have ever used. It can actually resolve smaller detail than the finest grain film you can buy. Try it, and see.

Here are some of the features of the new Nikkorex-35:

EXPOSURE METER COUPLED TO DIAPHRAGM AND SHUTTER with indicator needle visible both in finder, and in window on camera (ASA 10 to 1600).

50mm f2.5 NIKKOR focuses as close as 24 inches without any auxiliary lens attachment-M-X synchro shutter, speeds, 1 sec. to 1/500th, 'B' and self-timer. AUTOMATIC STOP-DOWN DIAPHRAGM lets you focus and view with lens wide open-automatically stops lens down to 'taking' aperture for exposure. PORRO-MIRROR REFLEX FINDER SYSTEM with convenient off-side eye-piece, fresnel type screen and split-prism rangefinder.

SINGLE-STROKE LEVER advances film and exposure counter, resets shutter, returns mirror and reopens diaphragm.

OTHER FEATURES INCLUDE: fold-down hi-speed rewind crank, auto-reset exposure counter, accessory shoe, and hinged back.

The new Nikkorex-35 accepts a host of versatile accessories-including wide angle and telephoto conversion lenses, flash unit, close focusing attachment, filters, lens hoods and eveready case. focusing attachment, filters, lens hoods and evereacy case. \$11950 Arrange to see the new Nikkorex-35 at your dealer today! For descriptive literature, write to Dept. MP11, Price is only



NIKON INCORPORATED • 111 FIFTH AVENUE • NEW YORK 3, N. Y. In Canada; Angiophoto Ltd., Montreal 8, P.Q.

SALON Calendar

*13TH PITTSBURGH ALL-COLOR EX-HIBIT, Pittsburgh, Pennsylvania

Closes: October 11 Exhibit: October 28-November 12 Fee: Prints, \$2; Slides, \$1.25 Sponsor: The Natural Color Camera Club of Pittsburgh

Entry Forms: T. C. Wetherby, 116

Ave. L, Pittsburgh 21, Pa.

*17TH SALT LAKE COLOR SLIDE EXHI-BITION, Salt Lake City, Utah

Closes: October 14 Exhibit: November 2-3, 9 Fee: \$1.25 Sponsor: Salt Lake Photochrome Club, and Ext. Div. Univ. of Utah Entry Forms: Glenn E. Casey, 1469 Ken Rey, Salt Lake City, Utah

*4TH NEW YORK INT. STEREO SALON, New York City, N. Y.

Closes: October 21 Exhibit: November 10 Fee: \$1.25 Sponsor: Metropolitan Stereo Club of New York Entry Forms: Richard Jefferson, 10 E. 138 St., New York 37, N. Y.

11TH SALON OF PHOTOGRAPHIC ART, Barreiro, Portugal

Closes: November 1 Exhibit: December Fee: \$1 Sponsor: Grupo Desportivo da Cuf Entry Forms: 11th Salao de Arte Fotografica, Grupo Desportivo da Cuf, Barreiro, Portugal

ALLAHABAD INT. SALON OF PHOTOGRA-PHY, Allahabad, India

Closes: November 25 Exhibit: January 1962 Fee: \$1 for four prints or slides Sponsor: Photographic Society of Allahabad Entry Forms: Hon. Secretary, 74 Yahiapur, Allahabad 3, India

*4TH HELSINKI EXHIBITION OF PHOTO-GRAPHIC WORK, Helsinki, Finland

Closes: December 9 Exhibit: January 26-February 4 Fee: \$1 Sponsor: The Association of Finnish Camera Clubs Entry Forms: Allan Gronvall, Au-rorank. 15 C 28, Helsinki, Finland

*17TH CHICAGO INT. EXHIBITION OF NATURE PHOTOGRAPHY, Chicago, Ill.

Closes: January 15 Exhibit: February 4-25 Fee: \$1 for four prints or slides Sponsor: Nature Camera Club of Chicago Entry Forms: Frank Pfleger, 2347 S. Harvey Ave., Berwyn, Ill.

*Uses standard PSA practices

eff

RFI

sho

clos

FOC

f1.8

tan AU1 SETTING NEW STANDARDS OF EXCELLENCE AND VALUE THROUGH CREATIVE ENGINEERING



all-new, all-automatic, all-time camera values!



HORIZON 12 REFLEX AUTO-ZOOM with Feather-Touch Power Control. Here, in a beautifully styled, compact body, is the camera that brings the beginner every professional movie effect — automatically, with utmost simplicity.

REFLEX "THROUGH-THE-LENS" FINDER. Shows exactly what camera shoots, eliminates parallax error even while zooming.

FEATHER-TOUCH POWER CONTROL. Exclusive fingertip control power-zooms you smoothly from panoramic shots to telephoto closeups . . . and back.

FOCUSING EYEPIECE for comfortable, sharp viewing.

1.8 FOCUSING ZOOM LENS. 9 to 27mm range. Zooms in focus. Distance focusing ring assures pinpoint focus from 6 ft. to infinity. "Universal" focus setting.

AUTOMATIC ELECTRIC EYE SYSTEM. "Sees" light changes . . . adjusts lens instantly, continuously.

MANUAL EXPOSURE CONTROL for dramatic lighting effects and "fades." Manual zoom control. Built-in "A" Filter.

PISTOL GRIP with synchronized internal trigger. Optional extra on Less than \$210.*

HORIZON 16 AUTO-ZOOM with Feather-Touch Power Control. Similar to Horizon 12, with lens-coupled zoom viewfinder instead Less than \$190.* of reflex finder.

HORIZON 8 MANUAL ZOOM. Similar to Horizon 10, with manual zoom control knob instead of power zoom control.

With f1.8 focusing lens (Horizon 8 De Luxe)....Less than \$150.* With f1.8 fixed-focus lens (Horizon 8C)......Less than \$140.*

FULL-YEAR GUARANTEE registered in your name on all Keystone cameras. For free booklet, write Dept. F-69, Keystone Camera Co., Inc., Boston 24, Massachusetts.

*See your dealer for exact retail price; Slightly higher in Canada

BEHIND THE SCENES

New concept for electronic flash may bust field wide open—The amazing Glanz monocular at a glance—A survey of other choice and sundry topics.

The portable electronic flash market may be ready for an earthshakingly new concept-a unit with no battery. Under development right now is an electronic flash unit powered by a piezo crystal. The crystals act similarly to the ceramic phonograph cartridges which generate a small current from the phonograph needle vibrations. The piezo crystal under development, however, will produce 10,000 volts when hit three times with a small hammer. Three squeezes of the trigger produces three strokes of the hammer. You then have enough of a charge for a 200-wattsecond flash unit. (Compare this with today's bigger portable units, which approach a 100-watt-second capacity.)

Associate Editor Mike Matzkin, who saw the piezo crystal in action, reports that the pressure on the trigger is negligible, light enough for any child to operate easily. How long is recycling time? Depends on how fast you can pull the trigger. A leading flashtube manufacturer is reported to be working on a special tube for the piezo. The price of the possible future flash units may be amazingly low.

Don't hold up on your purchase of present units, however. You will probably be shooting pictures with battery-powered units for at least two Christmases to come—if the thing really works, that is.

The all-purpose monocular?

Monoculars have enjoyed a big vogue among single-lens reflex owners. And whereas leaf-shutter camera owners may be limited in maximum accessory lens focal length to lenses of 135mm, a monocular of 7X gives them an equivalent focal length of 350mm. Performance is quite acceptable and the prices of the monoculars are reasonable. At present, the SLR owner can choose between a good variety of units in varying strengths—all made for (or adapted to) photographic use.

The Glanz Micro Tele Monocular may show the monocular system in its ultimate versatility. Basically, it's a 14%-oz. 7X 35 monocular with focusing mount on the objective end. Turn




You start with a 7X 35 monocular that will fit almost any SLR . . .



. . . and you can add a special zoom adapter that will fit almost any focalplane shutter SLR. . . .

SETTING NEW STANDARDS OF EXCELLENCE AND VALUE THROUGH CREATIVE ENGINEERING

all new... all



... With monocular and adapter on this microscope stand you can take ...



... a 400X shot of a fly's eye.

the eyepiece clockwise and a threaded adapter mount extends. Adapter rings for various SLR's are available. There's also a unique zoom adapter which can be used only on focal-plane-shutter reflexes with interchangeable lenses. The zoom adapter allows you to reach a final focal length of 1000mm at f/30. This may seem like a rather small aperture, but check the size of a regular tele lens of this length. And check the price too.

For macrophotography and photomicrography a special micro stand is available. Besides extreme close-ups approaching 1:1 image size, magnifications of 400X are possible with this rig when you use a special close-up lens. However, the makers have roused some purists to heights of indignation with claims of 1200X. Seems they took a 400X picture, enlarged the negative 3X and cropped the print.

In any event, if and when this unit and accessories hits the U. S. markets, expect the monocular to sell for about \$40 with the zoom adapter and microscope stand costing just about the same amount each.

Zooms are on way

Despite the views of many optical experts that the day of the practical, adequately sharp, moderately priced zoom lens for 35mm single-lens reflexes is not yet at hand, expect a flood of tries within 6 months. Various


German and Japanese factories are hard at work on preproduction samples. There are two divergent views as to what focal-length range is most practical.

One group insists on 35 to about 85 or 100mm. The other feels that camera owners won't want a zoom lens in which at least one point (50mm) duplicates the focal length of the original camera lens. They point to two additional disadvantages. The call for wide-angle lenses, they claim, is slowly dying while the demand for longer tele lenses is increasing. In addition, there's some doubt as to whether owners of SLR's will be satisfied with preset diaphragms in this range. Since each zoom lens will be designed to fit a number of different SLR's, incorporating varying auto diaphragms to accommodate each separate camera's auto diaphragm system is out of the question technically and financially.

From 85 to 200mm or so, the alternate range, preset lenses rather than automatics have been the standard anyhow. In addition, the long zoom would answer increased consumer demand for long lenses.

Most zoom lenses will be made with a single barrel but will be adaptable to any SLR's with a series of interchangeable threaded adapters. Designers are trying to hold the list prices down to under \$200.

(Continued on page 45)



PROJECTA-VIEWER. Exclusive power editor. Single-knob control channel film at reduced wattage onto big bright editing screen. Notcher mark unwanted frames. Viewer swings asid for full-screen projection. Edit, splice with Mylar tape splicer.

ULTRA-FAST 11.2 ZOOM LENS. Zoom picture to fit screen from 11 to 20 feet away. Zooms in focus for dra matic close-ups.

AUTO-THREADING. Threads film auto matically in 6 seconds.

ULTRA-BRIGHT SUPER TRU-FLECTOR LAMP. Brighter, cooler than 750 watts Low voltage.

SELECTROMATIC CONTROL. One knol controls forward, reverse, still, stop fast rewind. Speed control.

HANDSOME, LOW-SILHOUETTE STYLING. Compact, durable die-cast aluminum body and cover. Fully geared reel arms,

OTHER FEATURES: 400-ft. reel (32 minute show) * Swing-out film gate * Precision focusing knob * Room light socket * Tilt control * Lifetime lubrication.

tion. Less than \$160. See your dealer for exact retail price.

FULL-YEAR GUARANTEE registered in your name. For free booklet write Dept. F-66, KEYSTONE CAMERA CO., INC., Boston 24, Mass.

IN FIRST PLACE!



POST SENSITIVE WIDEST RANGE EXPOSURE METER

Introduced a few short months ago, the Gossen LUNASIX Electronic has been acclaimed around the world! No other exposure meter so effectively measures the extremes of light—from faintest moonlight to blinding sunlight! Try the Gossen LUNASIX Electronic yourself—for an adventure into new photographic horizons!

EVER MADE!

NERE'S WHY THE LUNASIX HAS WON PRAISES FROM STILL AND MOVIE PHOTOGRAPHERS EVERYWHERE!

Measures reflected and incident light with (built-in hemispheric diffuser) ⊕ 30° light acceptance angle ⊕ Twe-button brightness range system ⊕ Automatic needle lock ⊕ Built-in battery tester ⊕ External zero adjustment ⊕ Smooth one-hand operation ⊕ Computer range: ASA 6/1° to 12,000/12°; f/1 to f/90; 1/4,000th sec. to 8 hours; Cine: 8 to 128 frames per sec.; EV −9 to EV+22; .014 to 14,000 foot-candles ⊕ Weight 7 ounces.

Another famous GOSSEN meter

Sixticolor temperature of color temperature meter light source (in de-



color temperature of light source (in degrees Kelvin). Filter required for correct color balance . . . with ANY type of color film. Calibrated in "decamired" filter scale adapted by leading camera and filter manufacturers. Complete with leather everready case and goldmetal chain.

See the entire Gossen line at better camera stores.

PHOTO CORPORATION
257 PARK AVENUE SOUTH, NEW YORK 10, N. Y.

PICTURES in a MOMENT

by JOHN WOLBARST

With 10-second development, film goes fast. Here's a quicker and easier way to reload your camera.



Reloading any camera becomes a real chore if you don't have a table or other convenient place on which to rest it. And with the standard method of loading film into a Polaroid Land

camera it's even more of a problem, since you have to close the front of the camera before you can lay it down on anything, if some support is available.

Quite awhile ago I worked out a system for reloading my camera which eliminates most of the nuisance. Now, with 10-second film I find I can work very rapidly, if necessary, and if my supplies of film and money hold out.

Ordinarily, it's possible to set the opened camera down for a moment in order to tear open the package of film. However, if that's not desirable or possible, I find it fairly easy to hold the camera by the strap with three fingers, while tearing open the film package with thumb and forefinger. Now, on to



1. If there's no place to set your camera down, hang it from three fingers while opening film package.



2. Now for loading, Grasp camera firmly in left hand, as shown. Hand must go under carrying strap. the actual loading, which is shown in these photos.

There's only one point at which you need to be extra careful. That's when closing the outer back. Hold the camera so the outer back doesn't slam shut on your fingers—it can give you a nasty nip if it does. Instead, let the back close slowly.



3. Unlatch back, open outer and inner backs, hold camera so film chambers are up and fairly level.



in fin so de to wi ru co \$30 EX

ting pus incl

lid e

Oth

pen

Vers

sells

45-0

And

Push

Nove

4. Take unwrapped film in right hand, flip leader open, insert larger (positive) roll into larger chamber.



5. Carry smaller (negative) roll across camera, unwinding paper leader, to smaller film chamber; insert roll.



6. Smooth out leader so it lies flat across back of camera. Don't break seal on negative roll (arrow).

(Continued on page 60)

NEW products

Information and specifications for the products here described are supplied by the manufacturer, and do not constitute tests by MODERN PHOTOGRAPHY.

Electric Eye on Carena Zoomex



The Carena Zoomex 8mm autozoomex 8mm automatic electric zoom camera has a 7½ to 35mm f/1.8 Angenieux lens, which focuses down to 2 ft. Viewing and focusing are through the lens. The camera has five operating speeds of 1.8 ing speeds of 1, 8, 16 and 32 frames

per second, plus single frame. Film runs 8 ft. on one winding. The built-in electric-eye exposure meter has an ASA scale 10 to 400. Other features: insufficient light indicator in the view-finder; cable release socket; tripod socket; safety lock to prevent accidental shooting; hand grip which turns to wind the motor; warning chime to wind the motor; warning chime which rings 3 sec. before the spring runs out; automatic resetting footage counter. The Carena Zoomex costs \$309.50. Write:

EXAKTA CAMERA COMPANY 705 BRONX BIVER ROAD, BRONXVILLE, N. Y.

DeJur "Push-Button" Dyna-Zoom



The DeJur "Push - Button" Dyna-Zoom electric eve movie Bausch & Lomb 9½mm to 29mm f/1.9 zoom lens, focuses as close as 5 ft. and has a universal focus

versal focus set-ting. The vari-zoom lens is operated by push buttons for automatic zooming but includes an adjustment for manual zooming. E.I. range on the exposure meter is from 10 to 40. A stainless steel lid covers the photocell when not in use. Other features: continuous run and Other features: continuous run and mingle-frame operation; back light compensation control; built-in color conpensation control; built-in color conversion filter; and sprocketless loading. The DeJur "Push-Button" Dyna-Zoom sells for \$199.95. Write:

DEJUR-AMSCO CORPORATION 45-01 NORTHERN BLVD. LONG ISLAND CITY 1. N. Y.


Another Polaroid Electric Eye



The J33 is a pocket-sized camera (7½ x 4½ x 3-in. when closed) which produces wallet-sized pictures (2½ x 3½) with 10-second 3000-speed film. 3000-speed

Push the four successively numbered

(Continued on page 20)



Why are there 19 electrical resistors in the new fully automatic electric eye FUJICA 35EE

Shown here, enlarged twice actual size, is one of the reasons for the consistently correct exposures you get AUTOMATICALLY with the New FUJICA. Instead of having gears or cams that might be affected by temperature or physical shock, there are 19 electrical resistors. These control the infinitely small AUTOMATICALLY

In addition, the tremendous light gathering power of the world-famous FUJINON 6 element f/1.9 lens gives you perfectly exposed shots at light levels so low, other cameras require flash. A "Close-up Light-Lock" enables you to expose properly for a specific part of your subject, no matter how bright or dull the side or background light

The fastest action poses no problem. You have 11 shutter speeds from one meter. A built-in Stop and Go Signal tells you when to switch to a slower shutter speed for a particular light situation

Overall operation is quite simple. FUJICA's natural thumb position rear focusing enables you to shift and pinpoint your focus quickly and smoothly from closeup to middle shot to infinity without finger fumbling. An extra large view finder window "previews" your picture in the exact size you want without confusing crop lines. .

FUJICA's price? Surprisingly low! . . . With FUJINON 6 element f/1.9 lens and speeds up to 1/1000th.

Less than \$120

Visit your camera store for FUJICA's 5 minute demonstration or write for FREE booklet today





FUJI PHOTO OPTICAL PRODUCTS INC., 111 Fifth Ave., Dept. A-58, New York 3, N.Y. In Canada: FUJI Precision Cameras of Canada Ltd., 5385 Pare Street, Montreal 9, P.Q.

BIGGEST SELLER IN 35mm SINGLE LENS REFLEX CAMERAS!

all new

THE ANSWER TO MILLIONS WHO **WANT TO OWN A PRECISION** SINGLE LENS REFLEX CAMERA



reated by the makers of the worldfamous Exakta, the Exa II is setting new sales records! People who want an Exakta, but cannot afford to pay for one, are glad to become proud owners of an Exa II because it embodies most of the advantages of the celebrated Exakta. Every Exakta owner will find the Exa II to be a welcome fulfillment of his wish for a second camera for himself, or as a gift for his family or favorite friend. The Exa II takes all Exakta lenses of high resolving power from a 24mm wide angle to a 1000mm telephoto!

The new Exa II focal plane shutter offers a high range of 9 speeds, 1/2, 1/4, 1/8, 1/15, 1/30, 1/60, 1/125, 1/250, and Bulb. Most lenses for the Exa II have automatic lens diaphragms. There are many, many features in the Exa II as: one-stroke lever wind, built-in MX flash synchronization, built-in eye-level prism viewfinder, automatic film counter, film-led indicator, auto film counter, filmload indicator, auto film counter, hinged back and more—yet the Exa II is modestly priced for everyone to buy and

Exa II with eye-level prism view finder and f/3.5 Zeiss Tessar	
(preset)	\$ 79.50
1/2.8 Zeiss Tessar (preset) 1/3.5 automatic Meyer Primetar	99.50
f/2.8 automatic Meyer Domipian	85.00
lens	109.50
1/2.8 automatic Zeiss Tessar lens	119.50
Exa II, camera body only with eye-	
level prism viewfinder, no lens 35-mm, f/4.5 Meyer Primogan	69.50
Wide Angle	39.50
135-mm, f/4.5 Telephote	39.95
135-mm, f/2.8 isco Telephoto, preset	100.00
Leather Eveready case for Exa II	9.95
Write for new colorful brochure.	

EXAKTA CAMERA COMPANY

705 Bronx River Road, Bronxville, N. Y. In Canada: 579 Richmond St. West, Toronto, Ontario

NEW PRODUCTS

(Continued from page 19)

buttons, as outlined on the back of the camera, and you have your picture. The electric eye, controlled by a selenium cell exposure meter, has shutter speeds ranging from 1/15 sec. to 1/1000 sec. While the normal aperture is f/32, a lighten-darken control can be used to adjust the aperture. A low light level indicator signals when the AG-1 flashgun, built into the front of the camera, is required. Current for firing flash is provided by constant voltage akaline cell, either Eveready No. E91 or Mallory No. Ma 1500, each said to last approximately 2 years. Provision has been made for the camera to accept a slower color film when it becomes available. The Polaroid Electric Eye Model J33 sells for less than \$75.00. Write: POLAROID CORPORATION CAMBRIDGE 39, MASSACHUSETTS buttons, as outlined on the back of the

16mm B & H Sound Projector



Bell & Howell's Model 535 Filmo-sound 16mm mo-tion picture pro-jector, with 2-in. with 2-in. f/1.6 Super Proval lens, uses a 1000-watt Proximity lamp with built-in reflector in a swing-out hous-ing. Either 750- or 1200-watt lamps

may also be used. All controls are on a vertical panel which is illuminated during projection. A single knob controls the on-off, forward, reverse and rewind operations, and another, double knob controls sound volume and tone. Other features of the projector, which weighs 29 pounds, are: screw-on zoom lens attachment; swing-out gear-driven reel arms; adjustable three-tooth shuttle; room lamp cut-off when projector is running; sealed lubrication; 10° elevation; and 400-ft. reel capacity. Model 535 Filmosound projector is priced at under \$600. Write: BELL & HOWELL 7100 MCCORMICK RD., CHICAGO 45, ILL.

Small Monojet Flash Unit



The rectangular Ultrablitz Monojet SP electronic

specification of the second of 300 PARK AVE. S., NEW YORK 10, N. Y.

Rollakit for Film Processing

Cormac's Rollakit permits black-andwhite film processing in roomlight in about 15 min. The Rollabath single-solution developer and fixer, one com-ponent of the kit, is an improved version of Cormac's Unibath CC-1. Also part of the kit are a film loading compartment, special processing tank, and two film clips. For instant film drying, Rolladri will be available. Rollakit sells for \$12.95. Write: .s. PHOTO SUPPLY

6478 SLIGO MILL RD., WASHINGTON 12, D.C.



AUTOMATICALLY PERFECT with

PUSHBUTTON DACORAMATIC 4D

Portraits? Figures? Groups? Landscapes? Just push ONE button! Nothing else to do! Exposure and Focusing are set automatically. There's nothing like it!

It's simple! SEE it at your dealer It's unique! or write for literature

VOSS PHOTO Corp., Yonkers, N. Y.

HICO-LITE electronic flash f/METERat the AMAZING LOW maker-to-you

MULTI-USE MAKES IT INVALUABLE TO ALL SERIOUS **PHOTOGRAPHERS**



7 x 35

C

· IN

NOVEMBE

- Gives electronic flash guide numbers
- Measures light distribution
- Checks strobe performance
- **10 DAY TRIAL** No external triggering
- Insensitive to ambient light
- MONEY BACK GUARANTEE

200 HICO-LITE Model K \$19

- 130-200 w.s. shots/chg. Nickel-cod. B.
- Exclusive full charge indicator
- 4-way power
 Built-in charger & AC

FREE CATALOG

HICO CORP. 73A Coolidge Hill Rd., Watertown, Mass.

GET MORE THAN "A DEAL" AT HABER & FINK

Buy with Confidence

Haber & Fink is one of America's largest independent, exclusively photographic stores dedicated to serving the hobbiest, advanced amateur, and professional alike.

Haber & Fink, franchised Leica, Zeiss, Bolex and Eumig dealers — where you can receive expert advice and attention. Large assortment always on hand. Write us your specific needs. You will receive our typical low, low" quotation by return mail.

Kindly include postage with orders. Excessive amounts will be refunded.

BRAND **OLYMPUS**



ACE 35MM CAMERA

2.8 interchangeable lens, coupled range finder, MX shutter, speeds counter, single stroke special price special price special price special price special price special special price special spe 1-1/500 sec., auto reset

YASHICA 8mm MOVIE EDITOR Single crank forward and re-

35mm F2.8 wide angle 37.50

wind action, notching device, all metal, 400' capacity, tape \$7095 splicer included. Our Special Price

BRAND NEW KEYSTONE 8mm K98 **AUTOTHREAD PROJECTOR**

Reverse, Still, High-speed Rewind, f1.6 magnascope lens. 400' capacity, Room Light Plug, \$
Geared Reel Arms, Variable
Speed Control. Our Special Price

USERS SAY "THE BEST" WARREN BINOCULARS

IMPORTED - INDIVIDUAL FOCUS

6 x 30 14.49 8 x 30 15.49 7 x 35 19.49 7 x 50 20.49	PREE! Deluxe Leather Case —Finest Quality SUPER WARREN
10 x 50 24.49 16 x 50 24.49 7 x 35 B&L TYPE 24.49 For Central Focusing	7 x 35 CF 89.50 45.00 7 x 40 CF 94.50 50.00 8 x 40 CF 99.50 55.00
Add \$1 plus F.E.T.	7 x 50 CF 109.50 60.00 plus 10% F.E.T.

SPECIAL PURCHASE — BRAND NEW BAUSCH & LOMB ANIMAD MOVIE LENGES

IN FOCUSING MOUNTS)LQ
DISCONTINUED MODELS	Our
1" F1.9 16mm C Mount 1" f2.7 8mm D Mount	Price 22.50 17.50
11/2" f3.5 8mm D Mount 14mm f1.9 8mm D Mount	9.95
15mm f1.5 8mm D Mount Free lens conversion adap Please specify	24.50 oters



TERRIFIC BUY! ACT NOW!

AIREQUIPT MAGAZINES

3 for 4.29 Minimum Order 3 **Carrying Case** with 12 Mag. 19.95

SPECIAL



THE FIRST SUPER SLIDE SINGLE LENS REFLEX CAMERA KOMAFLEX-S

- Speeds 1 sec. to 1/500 Automatic Pre-Set Diaphragm
- Big Picture Slides 65mm Prominar f 2,8 Uses 127 Film

Sold only Wy carrying case add 7.24

MIRANDA D

SINGLE LENS REFLEX

f 1.9 autom. lens. Penta Prism Viewfinder, instant return mirror, sync. shutter to 1/500, etc.

Sold only with case 10.95 Add.

MIRANDA D

Accessories

35mm F2.8 Preset Soligor	\$52.50
35mm F2.8 Automatic Soligor .	69.50
135mm F3.5 Automatic Soligor	69.50
Waist-level Finder	10.95
Extension Tube Set	9.00
Leica, Exacta or Practica	
Lens adapters	7.50

SPECIAL PURCHASE - BRAND NEW



REVERE STEREO CAMERA

F3.5 Lenses Coupled Range Finder MFX Synchronized Shutter Speeds 1/2 to 1/200 sec. LIMITED QUANTITY

CAMERA

\$48.50 Case 6.50

Viewer 9.00 AC transformer for the viewer \$4.95



REVERE 48X

16mm Projector 750 Watt — Still — Variable Speeds — 2" 1.6 Projection Lens Clutch Operated — 400' Capacity AC-DC

ONLY \$78.50

Case Available 7.95 Shipped Express Collect



SPECIAL SLIDE TRAYS AND CASE

COMPLETE 6.94

12 UNIVERSAL TRAYS Fits TDC - B & H Viewlex -AO Executive & Keystone Projectors. Carrying Case. Add'l trays 4 for 1.79

BRAND NEW EXAKTA VXIIA

35mm reflex, with pentaprism. Range finder, speeds to 1/1000 sec. MX synchronization, inter-changeable lenses. W/1.9 Westrocolor automatic or F.2 Zeiss Biotar automatic. \$19950

Brand new VXIIA body only,

. . \$98.50 no lens or finder ...

Accessories

Case for above	10.00
135mm preset 2.8 Tele-Coligon .	39.50
35mm preset 4.5 W/A Primagon	30.00
Extension Bellows	14.95
Microscope adapter	14.95
Slide duplicator	
Waist-level finder	8.95
Pentaprism Range Finder	

ROX-COMBI GENUINE LEATHER GADGET BAG



ROX 8 71/4x33/4x7 23.95 ROX 1 71/4x33/4x7 24.95 w/pocket ROX D 121/2x41/2x8 38.50 ROX 111 121/2x41/4x8 39.95

IT'S REVOLUTIONARY!
THE NEW "DO-IT-YOURSELF"

You design and make the compartments to sail your requirements! Whether you own a miniature comera with a variety of accessories, or a twin ions reflex. Additional inserts — 1.00 per set. All Bogs Fitted With Adjustable Flexible Inserts.

SEND FOR FREE ILLUSTRATED BROCHURE



12 WARREN ST., NEW YORK 7, N. Y.



AT DISCOUNT PRICES!

KODACHROME 1& 1-8-16 \$100

8r 16	mm Magazine (with mag.)
K	ODACHROME 1& T • EKTACHROM • ANSCOCHROME 35mm \$100
15 28 82 12	NY: 20 exp. slide mtd
	KODACOLOR SNAP SHOT FILM
7-	127 – 120 – 620 \$239 8 exp. dev. & print
De	ODACOLOR 35 mm — 19 - 20 exp. ev. & 2x (21/4x31/4) prints

Do Not Send Separately! (No stamps or C.O.D.'s)

ACADEMY AWARD WINNING "MAGNASTRIPE" 8mm SOUND STRIPING Lowest Prices

2½¢ PER FOOT (200 Ft. or more per ree Full Details upon request

Send for

FREE

FILM MAILERS JUST MENTION SIZE OF FILM USED! WE WILL ALSO SEND YOU

OUR BIG, NEW FREE CATALOG

- FILM and PROCESSING
- SPLICERS TITLERS SCREENS VIEWERS ACCESSORIES
- MANY OTHER ITEMS

ALL AT LOW DISCOUNT PRICES!

SOLAR

CINE PRODUCTS, Inc. 4247 S. Kedzie DEPT. MP Chicago 32, III.

moderncolor

Home color processing kit promises a new easy way of color printing. But how easy is it?



Since the advent of color, manufacturers have been offering "do-ityourself" kits supposedly suitable for the average amateur to use in bathroom, kitchen or other home darkroom

setup. Such processes as Ansco Printon and Kodak Ektacolor Print Paper do produce acceptable results, though they involve lengthy processing and relatively complex filtration.

The FR Corp. and Agfa Inc. each promise a new color processing kit that will greatly simplify home color printing. The glowing descriptions in their news releases indicate a color printing technique almost as easy as black-and-white. This column is devoted to the FR Color Kit. The Agfacolor Kit will be discussed later.

The FR Color Kit, it's promised, will sell for \$12.95 and contain 20 sheets of 3½ x 5-in. paper; red, green and blue additive exposure filters; an exposure calculator; an infrared filter for use with Kodacolor negatives; color developer; color fixer; a safelight filter and instructions. (Except for the exposure calculator, this kit resembles the British Pakolor Kit.)

Since the FR kit is not yet in production, we were given a sample which contained custom-mixed chemicals and a hand-made calculator. The manufacturer assured us that the packaged kit will be similar to this sample.

Supplied with the kit is a small square sheet of translucent acetate diffusion material which is placed in a filter holder attached to the lens. (The holder will also be supplied as part of the kit.) This serves to scramble the colors in the negative during the test so that no image is recorded on the paper, and an overall exposure and color balance can be approximated. The exposure calculator used in making the test has numbers from 1 to 48 representing exposure times. Alongside the column of figures are three series of small gray rectangular blocks graduated in tonal density. Each series is covered with a red, blue or green piece of gelatin.

To make a test print, place the Kodacolor negative in the negative carrier of the enlarger, insert the infrared filter in the holder below the lens and with the lens wide open focus the image on the easel to fill the 31/2 x 5-in. print size. Turn the lights out and place the exposure calculator on the easel over a piece of paper 2 x 21/4-in. Expose for 30 sec. under the olive green safelight. Place the exposed test strip in paper developer for 5 min. at 70F, rocking the tray now and then. Rinse for 30 sec. and fix for 1 min. The lights can now be turned on.

Here's how the test strip tells you the approximate exposure times. Remember that the scrambled colors of your negative passed through a red, green and blue filter covering the graduated gray blocks of the exposure calculator. Thus, the colors on the test strip will also be graduated, ranging from very pale to dense tones. The number opposite the first fully formed block in each column tells you the amount of exposure time necessary through each filter.

Lights on sooner than ever

Before making your first print, remove the acetate diffuser from the enlarger. Expose the negative three times, once with each of the red, blue and green filters, for the length of time indicated on the test strip. After exposure, place the paper in the color developer for 5 min. at 70F, rinse in water for 1 min., fix for 3 min., wash for 5 min., place in the bleach for 10 min., and give a final 15-min. wash. Lights can be turned on after the paper is in the fixer for 1 min. You can't see the final color at this stage, but with experience you can tell how far you're off in exposure and color balance. Color can be judged generally after 3 min. in the bleach. You'll almost certainly have to make a second and perhaps a third print. So for final correction in color balance and print density, consult the table supplied with the kit.

I made test prints for MODERN using a Leitz Focomat enlarger equipped with a 150-watt 212 enlarger lamp. Exposure through the red, green and blue filters for an average Kodacolor negative ran 60, 40 and 120 sec. respectively with the lens wide open at f/4.5—a total of almost 4 min. for a print only 31/2 x 5. If larger papers should become available, exposure times for such sizes as 8 x 10 and 11 x 14 using the 3-filter additive method would be impractically long.

For consistent results, you must maintain the developer temperature at 68F to 75F. However, my tests

(Continued on page 43)

an

wh

plu



YASHICA twin-lens reflexes

in the past two years than all other makes combined

10 1e Kor in

h 10 er ee

th re or

n.

ly

8

in

it.

ng

ed

p.

or

·e·

at

rs

re

nd

ve

ıg.

ıst

sts

HY

Why? Because you can't beat Yashica when it comes to de-

livering value. See for yourself how much quality Yashica puts into these cameras-and how incredibly little they cost.

There are seven twin-lens reflex models to choose from. And you can be sure the one you select to fit your picture needs also fits your purse. Prices start at under \$30.

- 1. YASHICA-MAT 21/4-square reflex automatic crank advances film and sets shutter; f3.2 viewing lens and f3.5 Yashinon taking lens in M-X synchro shutter, speeds: 1 sec. to 1/500th; thumb wheel selectors for speed and aperture; bayonet lens mount; fresnel-type viewing screen; magnifier; sportsfinder. Under \$76.
- 2. YASHICA MAT-LM 21/4-square reflex same as Yashica-Mat above plus sensitive, built-in exposure meter. Under \$80.

- 3. YASHICA D 21/4-square reflex Yashikor f3.5; M-X synchro shutter, speeds: 1 sec. to 1/500th; auto-stop film wind; thumbwheel speed and aperture selectors; bayonet lens mount; fresnel-type viewing screen; magnifier; sportsfinder. Under \$50.
- 4. YASHICA 635 21/4-square reflex with complete conversion kit for 35mm film. Other features same as model D. Under \$70.
- 5. YASHICA A 21/4-square reflex Yashikor f3.5; synchro shutter to 1/300th; magnifier; sportsfinder; exposure window. Under \$30.
- 6. YASHICA 44LM small-size reflex built-in exposure meter; f3.5 Yashinon in M-X synchro shutter, speeds from 1 sec. to 1/500th; auto-stop film wind; thumb-wheel speed and aperture selectors; bayonet lens mounts; fresnel-type viewing screen; magnifier; sportsfinder; takes super-size color slides. Under \$60.
- 7. YASHIGA 44A small-size reflex Yashikor f3.5; flash-synchro shutter with speeds to 1/300th; magnifier; sportsfinder; exposure window; takes super-size color slides. Under \$30.

See your photo dealer for exact retail prices.

TECHNIQUES TOMORROW

by BENNETT SHERMAN

The orbiting astronomical observatory—an achievement in developing cameras for use in space.



In some recent columns I've been reviewing photographic progress in space. Now I'd like to tell you about two ambitious plans to study the stars and nebulae of space from satellites. The first is

the Orbiting Astronomical Observatory, known by its initials "OAO."

The astronomical activities of this

project are supervised by the Smithsonian Astrophysical Observatory, in association with Haward University. The Smithsonian is most famous for its work in tracking and computing the orbits of man-made satellites. Its scientists decided that the best use of the observatory can be made by restricting it to the far ultraviolet. The near UV, the visible, and some of the near-infrared parts of the spectrum can be seen from the ground. The far UV can give us new information about the stars.

Now then, how are the astronomers going to get back the orbiting observatory data? Photographs would have to be recovered, meaning a complex rocket system for return to the surface of the Earth. The Discoverer rocket program is experimenting with

this very difficult process. The OAO may not be able to contain such a complex system as this. Instead, the Smithsonian scientists have selected the remote TV method that was outstandingly successful with Tiros.

Let's look at the optics chosen for the telescopes in the OAO. In order to insure adequate collection of the UV light from the stars, an all-mirror telescope design was selected. A moderately wide-angle telescope free from all of the common aberrations, consisting of only two mirrors, was first developed over 50 years ago by Schwarzchild, one of the most famous European optical physicists of his day. This telescope uses concave mirrors, arranged in a way needed to reduce the aberrations to desired values. In order to give good reflectivity in the far UV, these mirrors will be coated by a special process.

The "picture" takers will be the most difficult and amazing part of the telescope "camera." These are UV-sensitive television tubes developed by Westinghouse. They possess the ability to store up the picture information somewhat in the same way that the photographic film can store up the picture by a long exposure. When the satellite is over one of several ground stations to be constructed for the purpose, the TV camera will transmit the stored picture to the ground. Special electronic techniques are being con-

This is full-time exposure control







1.

You know exposure's correct for the picture because the meter needle is centered in the brackets in the viewfinder of your Kodak Retina Reflex III Camera.

2.

But as you move to another viewpoint and the lighting of your subject changes, the needle swings off center, you see you need a quick exposure adjustment... 3

You make it Instantly. You recenter the needle without taking the camera from your eye—without losing your framing. And it takes but a split second.

Kodak

sidered by the Smithsonian scientists for getting the picture back clearly. On the ground the picture may be videotape-recorded, or displayed on a TV set and photographed for permanent record. Four telescopes with a main-mirror diameter of around 12 in are planned.

Another, more ambitious astronomical satellite has been suggested by Dr. Aden B. Meinel of the Kitt Peak National Observatory near Tucson, Arizona. He studied the shape of the nose-cones of large rockets and decided that a 60-in.-diameter mirror telescope could be designed to fit into the allowed space. He envisages a fast Cassegrain-type telescope—that is, a reflecting telescope in which the primary mirror is concave, as it normally is, but the secondary mirror is convex instead of flat, thus giving greater magnification. The "picture" taker would again be a TV camera.

Holding the "camera" steady

One of the most serious and difficult problems in both of these satellite-observatory projects is the stabilization and aiming of the telescope. One of the best methods being considered is the gyroscopic or inertial-guidance platform. The advantage of this kind of control is that it establishes a fixed reference in space without connection with the Earth. This means that the telescope can be pointed and the aim

maintained accurately for relatively long periods of time without complicated ground control. Any extra control equipment which can be eliminated means that the experimental part of the satellite can be enlarged.

Photographic film is recognized as one of the best means of recording data about the universe around us. It is, however, just a gelatinous mixture of chemicals, and when it is taken out into space many unpleasant things happen to it. High-energy atomic particles cause exposed streaks; the cold of space causes changes which affect the gelatin and the chemicals; finally, in a vacuum, the moisture in the emulsion boils out and causes bubbles.

Still, because photographic film is so useful, it is being studied very carefully for space applications. Experiments are being conducted in methods of protecting the film against the atomic particles and the cold and vacuum of space. Special surface coatings, and specially designed capsules, are being tried to permit using and retrieving the film from space. Photographic film may yet become one of the main ways to get pictures in space and bring them back for study and analysis. As our rocket engineers produce launching vehicles of greater payload capabilities, larger and more complex photographic equipment will be used in tomorrow's space- and Earth-study programs.—THE END

DO IT, DO IT, DO

GET SHARP ENLARGEMENTS. Here's a handy method of getting precise focus with your enlarger. Measure the diameter of the enlarging lens, then cut a piece of masking or adhesive tape a little longer than one-third this distance. Place the tape over the center portion



of the lens mount. With the lens wide open, project the negative on the easel. If it's out of focus, you'll see a double image. Adjust the enlarger, and when the two images are brought together, the negative will be in focus. Remove the tape from the lens mount and make the exposure. (If you own a twin-lens reflex camera, you can achieve the same split-image focusing effect on the ground glass by placing the tape over the viewing lens mount. Here, the tape can be left in place.)

The Kodak Retina Reflex III takes you as close to perfect pictures as a camera can

Right down to the last split second before you trigger the shutter, the needle in the viewfinder of this new Kodak Retina Reflex III Camera tells you whether exposure's right or wrong.

This "checkup" needle is centered when exposure's right. If it flicks off center because the light changes, you can recenter it for perfect exposure without taking your eye from the viewinder. Here's how it works:

The viewfinder meter needle operates in tandem with the precision automatic electric-eye meter needle in the camera top. Center the up-top needle, and your aperture's correct for the shutter speed you've selected (10 in all, up to 1/500).

Exposure's automatically right—

Exposure's automatically right and it stays right even if you switch shutter speeds. For aperture and shutter controls are coupled.

from ming.

With the camera at your eye, a glance at the needle in the viewfinder

tells you if exposure is still correct. If the needle is off center, you can recenter it without lowering the camera—without losing critical framing.

Through the viewfinder of the Kodak Retina Reflex III you see what the lens sees. Never a worry about parallax! You view on full-area ground glass. So, as you focus, the entire picture becomes sharp—not just a central fragment. A split-image rangefinder in the center of the ground glass lets you focus on critical details, even in dim light.

Automatic pointers show you depth of field at every ffstop. Shutter release on the front of the camera gives you a rock-steady grip. A new, larger view-finder eyepiece means more convenient viewing, even if you wear glasses.

With f/1.9 lens, less than \$250. With f/2.8 lens, less than \$215. A complete system of photo aids, including wide-angle and telephoto interchangeable lenses, is available to

let you explore fascinating byways of 35mm photography. See your dealer for exact retail prices.

Prices subject to change without notice.



The more you know about photography... the more you will count on Kodak

EASTMAN KODAK COMPANY, Rochester

New Photo Books

MAKE YOUR OWN COLOR PRINTS, by Robert Bagby, 168 pages, numerous illustrations. McGraw-Hill Book Co., Inc., \$4.50*

Robert Bagby is Associate Professor of Photography at Rochester Institute of Technology. His professional color shooting experience dates back to the early 1930's. He uses his vast store of knowledge to put together a thorough yet very easy-to-read book.

The main emphasis is on the making of color prints on Ektacolor paper (Type C) from Ektacolor and Kodacolor negatives. Also included are chapters on producing color transparencies from color negatives on Ektacolor Print Film, and the making of color prints from transparencies using Anscochrome Printon.

Logically enough, Mr. Bagby starts with a general discussion of color photography and the materials available on both domestic and foreign markets. This is followed by chapters on shooting and processing Kodacolor and Ektacolor negatives. Once having

grounded you in how to get a really printable negative, he introduces you to the use of Ektacolor paper. Full explanations cover exposure, filtration, dodging and printing-in, processing, drying, retouching, mounting and finishing. Special techniques, such as creative and composite printing, as well as the making of quality blackand-white prints from color negatives, are treated in a separate chapter. A valuable table is the one on p. 166, which gives processing times for Ektacolor paper in a range of temperatures from 73 to 87 degrees. For those of us who don't have adequate temperature controls, this table will be found extremely useful. Numerous black-and-white illustrations show how to handle the materials and equipment used in color printing.

My only carp is that the book contains only two, rather dull, pictorial color illustrations. These are poorly reproduced. It would have been nice to have included instead a number of how-to shots in color. The high cost of

color reproduction probably precluded this, however. Despite this last short-coming, Making Your Own Color Prints is easily worth the \$4.50 asked for it.

——NORMAN ROTHSCHILD

HAND COLOR YOUR PHOTOGRAPHS WITH OILS AND DYES, by Kitty West, 124 pages. Chilton Company, \$1.95

This undoubtedly is the finest text on the hand coloring of photographs available—clear, well-written, nicely organized. Sources of materials are analyzed and various techniques are explained fully. The cost of including color plates has cut the full color illustrations to four pages and these can hardly be called useful. How can you teach hand coloring without sufficient step-by-step color illustrations?—H.K.

PHOTO MAXIMA IV, Variety and Vision in Photography, founder-director Hope Saunders, 80 pages. Arco Publishing Co., Inc., \$5.95*

The total effect of this year's annual—dull lifeless pictorials, coupled with humdrum snapshots—is all one could possibly expect given the ingredients used. Only photographs from those photographers paying a \$3 entrance fee were considered. (Far from requiring a fee, most annuals welcome all entrants and pay for each picture printed even if the payment is only a small token.) The printing of the



photographs is quite poor. The inclusion of Alexander King as one of the three judges is in questionable taste. It has been many years since King has given serious thought to serious photography.

The caption accompanying the pictures of the judging itself, however,

does bear partial quoting:

"Today this house was full of tigers. The concentration of dynamic personalities was so great that one could practically feel their pulse in the walls... The mood of this meeting changed

... The mood of this meeting changed momentarily from hysterical laughter to sober silence to active enlightening discussion and so on."

We can understand the sober silence. Feeling anyone's pulse in the walls is apt to bring it on.—H.K.

THE JAPANESE FILM: ART AND INDUSTRY, by Joseph L. Anderson & Donald Richie, with a foreword by Akira Kurosawa, 456 pages, illustrated. Charles E. Tuttle Co., \$7.50*

The Japanese movie industry produces 500 films a year, three times as many as Hollywood. Not surprisingly, a large number of these 500 are at best routine, churned out to schedules whose demands would frighten the most hard-bitten Grade B director. But there are still many more good Japanese movies than the number we see over here would suggest. According to Messrs. Anderson and Richie, it's

the Japanese themselves who refuse to release their films, largely in the belief that foreigners cannot appreciate anything truly Japanese.

This is one of the many startling features of the Japanese film world that help to make the book as entertaining as it is instructive. The first section presents a detailed history of the Japanese cinema, and right on the third page we're introduced to the benshi or narrator, a carryover from the classical theater who affected the whole development of the Japanese silent film. Moving up to the present, in the section that describes the techniques of Japanese film making, we learn that the cinematographer, unlike his counterpart in the West, also operates the camera, and would not dream of letting an assistant do so.

In the historical section, which occupies about two-thirds of the book, the authors do at times bog down in the task of describing so many films, but the wonder is that they manage to sustain our interest in a subject where they can assume no knowledge at all on the reader's part. They become even more readable in the second section, which covers the content of Japanese films; technique, including production methods; directors; actors; theaters and audiences.

Messrs. Anderson and Richie, who have both lived in Japan, know and love their subject. Anyone who reads this book will probably share their love as well as their knowledge. They will certainly have made an enjoyable excursion through a world where top directors have more power than any producer, and the rest may have less power than any others in the world; where audiences take their films with tremendous seriousness; where featured players may appear in as many as 30 movies a year, thus earning as much as a star; and where even the film titles have an exotic allure, from The Men Who Tread on the Tiger's Tail to Uproar over the Aphrodisiac Dumpling.-W.H.J.

FAMOUS PORTRAITS of famous people by famous photographers, edited by L. Fritz Gruber, 159 pages. Ziff-Davis Publishing Co., 510

Certainly this is one of the most carefully edited, well chosen and catholic compilations of portraits ever gathered between covers. Photographers range from Adam-Salomon, born in 1818, to Bert Stern, just past his thirtieth birthday. There are 120 portraits in all, well reproduced on good-sized pages. Few if any portrait giants are left out and many fine European artists not generally known here are represented. Here is Arnold Genthe's Isodora Duncan swathed in mystical, romantic, infuriating fuzziness directly across the page from Karsh's almost

(Continued on page 44)

-sounds and music to make movies by

comes with every Kodak Sound 8 Projector

You can liven up your 8mm movies with a sound track you make yourself when you own a Kodak Sound 8 Projector—and, to make that track sound smoothly professional, a special 33½ long-play album of musical backgrounds and sound effects now comes with every Sound 8 Projector.

Want a sizzling march to back up scenes like a holiday parade? A whimsical melody to underscore shots of the kids? A dog's bark? Laughter? All are on the record, and more, too!

You shoot your 8mm footage as you always do. Then have it processed and magnetically striped. (See your dealer for Kodak Sonotrack Coating.) To add your own sound on film, you simply project your movies on a Kodak Sound 8 Projector and record. It's as easy as using a tape recorder.

Use the microphone to record narration. Add music or sound effects by hooking your phonograph to the projector with the phono connector cord provided with every Kodak Sound 8.

You can record music and sound at the same time or separately—erase and re-record until you get the blend just right. The sensitive Alfenol recording head of the Kodak Sound 8 Projector, combined with a balanced amplifier system and speaker, gives you a finished 8mm sound track of top-flight fidelity.

And when you get ready to put on a show with your Kodak Sound 8, you'll see and hear up to 400 feet of sound movies on a reel—movies that stay sharp and brilliant even when projected up to five feet wide.

But learn for yourself how easy it is

to bring the extra enjoyment of sound to your 8mm movie screen by looking at (and listening to) the Kodák Sound 8 Projector at your dealer's.

And imagine—with your Kodak Sound 8 Projector you can show professionally produced 8mm sound films. You can bring a whole new movie world of comedy, drama, travel, and education right into your own living room—whenever you want it!

The Kodak Sound 8 Projector with speaker, microphone, phono connector cord, and the long-play sound and music album, all in a single case, costs less than \$350. See your dealer for exact retail price. The album can be obtained separately by sending \$2.95 to: Editor, Kodak Movie News, 343 State Street, Rochester 4, N. Y.

Prices subject to change without notice.

The more you know about photography... the more you will count on Kodak

MOVIE VIEWER

An interview with J. Lee Thompson, director of "Tiger Bay" and "The Guns of Navarone."



"I'm delighted whenever I can cut a line of dialogue." This was said to me by a director who, surprisingly, entered motion pictures by way of the theater and began his movie career as a writer and

dialogue director. But J. Lee Thompson has long since learned that movies must generally move, and the crackling pace of *The Guns of Navarone* (written and produced by Carl Foreman) depended largely on his willingness to eliminate scenes or parts of scenes that seemed fine in themselves.

"The first cut of The Guns ran for 3 hours, 10 minutes," he said. "This looked pretty good, but we felt it was too long for what was meant to be a rapid-action movie. So we reduced it by 35 minutes, bringing the final cutthe one you see in the theaters—down to 2 hours, 35 minutes. We did this partly by trimming the beginnings and endings of scenes-for example, just by cutting out an average of five seconds from every minute, we could get rid of a total of over 15 minutes. And partly, of course, we had to cut out whole scenes from the movie. Stanley Baker (who plays Brown, the bearded soldier with the knife) suffered the most from this: he's still in a lot of scenes, but has far less to do or say. I think it's a pity, but something just

"Of course, it's always possible to cut out too much. That's what attracts me about the suspense-thriller movie: it's a constant challenge. You have to hit the right balance between letting the action go slack and overdoing the crises." Thompson then described one minor choice between too little and too much suspense in the scene in *The Guns* where the detonator of an explosive charge has been fastened to the elevator well in the German gun emplacement. When the Germans first descend, the elevator doesn't quite reach the detonator—as is shown in a close-up. "I wanted to include four elevator descents before the explosion," said Thompson, "but Carl Foreman insisted that three would be enough. He was probably right."


As far as American audiences are concerned, The Guns of Navarone reinforces a reputation that Thompson first established in last year's Tiger Bay. But English-born Thompson has been directing movies since 1951, when he asked to direct his adaptation of his own play, Murder Without Crime.

"Did this first experience give you any particular difficulties?" I asked.

"Oh no. For one thing, I'd done some stage directing; and as for the technical side, don't forget that I'd been working in movies on and off for 15 years. I'd been through all the departments—watched directors and photographers on the set, worked in the cutting room, and so on."

"As a director, do you concern yourself with photographic technique?"

"Yes indeed! For example, the photographer may be going to use a 50mm



lens for a scene and I ask for a 75, because I want the leading lady in a nice close-up. Of course, I always listen to what the photographer says—after all, he knows more about the job than I do. But the director must know what the camera can do and what the results will look like on the film."

"Do you know any preference between color and black-and-white?"

"No: it all depends on the movie, Tiger Bay, with its settings in the gray Cardiff dockland streets, was a natural choice for black-and-white. The Guns, with its high adventure in fairly exotic settings, was an equally natural choice for color. But there's an added hazard with color: the photographer can break his back trying to get good quality, with proper matching from scene to scene, only to see it all ruined in the prints. We were horrified when we saw the first prints of The Guns—I knew the care Ozzie Morris had taken."

"The Guns is in CinemaScope: do you like this format (2.66:1 ratio)?"

"Frankly, no. I worked with it before, you know, on Flame Over India, but there's just too much space to fill. I prefer the normal format (1.66:1)."

"Do you concern yourself with other technical details besides photography—editing, for example?"

"Yes, I do. I always try to plan the editing in advance and shoot with it in mind. I know of one director who shoots off the cuff, choosing camera

angles, etc. for each scene as he comes to it, but I couldn't do that. It's too risky, for one thing: you could find yourself with two successive scenes that just can't be matched together. And of course, even though this particular director is used to working that way, he ends up shooting about three times as much footage as anyone else.

"After the shooting is finished, I indicate where I'd like the cuts to go—even at what word in a line of dialogue the image should cut to a different angle—and then I discuss every cut with the editor. But since I spent only six months in the cutting room, the editor's suggestions are often better than what I planned."

The sound needs direction too

"I've noticed some interesting uses of sound in your movies, Mr. Thompson. In Tiger Bay, for example, there's the quarrel scene between the Polish sailor and his woman, with the little girl spying on them. Their dialogue is in Polish when the camera is showing them from the little girl's point of view, but cuts to English for the close-ups. I found that this device successfully created the impression that I understood Polish!"

"I'm glad you liked it—I wasn't sure how it would come off. Yes, as far as sound is concerned I always try to supervise the dubbing of the track."

"How about the stereophonic sound

in The Guns? Here again, I was particularly struck by its use in the scene where a German spotting plane is searching for Gregory Peck and his team: you don't see the plane, but you hear it circling right overhead."

"Well, there's a story behind the stereophonic sound in The Guns. We'd originally planned to use quite a lot of it, but we had to finish the track in a hurry for the Royal Command Performance in London, and we only had time for a few stereophonic scenes. We smiled to ourselves when the critics praised us for its restrained use! By the way, we deliberately made the sound track of The Guns very loudbut here we're at the mercy of the projectionists. They're supposed to follow the sound charts that are sent out with every movie, but some of them don't bother; or else someone in the audience complains about the noise and they turn it down. I saw The Guns at one theater where the sound was turned down and it quite spoiled the effect.'

"A lot of scenes in both Tiger Bay and The Guns were shot on location. Do you find any particular problems in location shooting?"

"I certainly do. There are technical problems, for a start: by the time everything's set up for shooting a scene and you've finished rehearsing it, the photographer tells you that the

(Continued on page 30)

open 1 box of Kodak Polycontrast Paper

Here are 12 negatives—some flat, some contrasty, some average. To get fine prints from all 12, you'd need many boxes of regular paper . . but only one box of Kodak Polycontrast Paper.

You could print negatives 1, 2, 3, and 4, which are of average contrast, on Kodak Polycontrast Paper just as it comes from the box. No filter needed.

For those contrasty, soot-and-white-wash 5th, 7th and 11th negatives, slip a No. 1 Kodak Polycontrast Filter in your enlarger. The print you make will be rich, full-scale, as if you had used a "soft" No. 1 paper.

Negatives 6 and 10 are soft and flat. The No. 4 Kodak Polycontrast Filter will let you print rich blacks and sparkling whites even though the negative promises very little.

Number 8 negative is almost normal, but just a little contrasty. Using regular grade 2 paper could leave you with blocked up whites. Grade 1 might be a trifle too soft.

Negative 12, on the other hand, needs a subtle contrast boost. More than grade 2 paper can offer, less than grade 3.

Answers to both problems: half-grade Polycontrast Filters—No. 1½ for negative 8, No. 2½ for negative 12.

In all, every sheet of Kodak Polycontrast Paper gives you seven contrasts—including half-grades 1½, 2½, 3½, not available in regular papers.

Selective contrast control. Polycontrast Paper's selective contrast control is very handy for the likes of negative 9, in which the foreground is very contrasty, the background very flat.

Just expose the contrasty area through a No. 1 filter while dodging the other area. Then expose the flat area through a No. 4 filter for a print as normal as blueberry pie.

Kodak Polycontrast Paper has the warm-black tone and ample speed of Kodak Medalist Paper. Kodak Polycontrast Rapid has cooler blacks and



high speed similar to Kodabromide Paper. Kodak PolyLure Paper has the perfect-for-portraits warm-brown tone of Kodak Ektalure Paper.

For your next printing session, buy a 100-sheet box of a Kodak Polycontrast Paper instead of four 25-sheet packages of regular paper. Save up to \$1.40 in 8 x 10 size! Or make that a 500-sheet box and save up to \$14!

The cost of your Kodak Polycontrast Filters is a one-time investment in darkroom convenience and print quality.

The more you know about photography... the more you will count on Kodak

EASTMAN KODAK COMPANY, Rochester 4, N.Y.



It happens to all of us occasionally...We have our hearts set on owning a certain product. Then for one reason or another we end up by buying something "just like it"... something "just as good." And we frequently regret it. For the "just as good" turns out to be only a shadow of the ideal we had in mind.

Take cameras, for instance. There are cameras like the Contaflex SUPER. They have lenses that are similar ... coupled rangefinders... coupled light meters, etc. In fact a mere recitation of their features can be quite

But here's something to remember. The Contaflex Super in the hands of knowing photographers has performed so outstandingly that it is a pronounced favorite -not only in America but throughout the world.

We think the reason can be found in its overall design -a design that results in surpassing performance under

a wide variety of picture-taking conditions. And there's the traditional optical and mechanical perfection which stems from Zeiss Ikon's long experience in making the finest photographic equipment. Such qualities manifest themselves when you put a camera to work-and they become more greatly prized as time goes on.

So, if you have your heart set on owning a Contaflex Super, don't settle for something "just like it." Get the "real thing" and be satisfied for keeps.



Contaflex Super is fitted with the world-famous CARL ZEISS TESSAR f/2.8, 50mm lens

Available accessories mid-Pro-Tessar wide-angle and tele component lenses, and 8x Carl Zeiss monocular attachment. ilable accessories incl

At leading dealers

Write for Contaflex booklet



Jontaflex 5 TLILEI

CARL ZEISS, INC., 485 Fifth Avenue, New York 17

MOVIE VIEWER

(Continued from page 29)

sun has moved round and would you mind doing it over here instead! And then, of course, it's almost impossible for actors to do an intimate scene well amid all the crowds and distractions of location shooting. No, I prefer working in the studio, where everything's under control."

"Do you find any special problems in directing the actors?"

"There's a fairly common idea that screen actors don't know or think about what they're doing; that they just stand there dreaming of orange pudding or something like that. It isn't true. What is true is that the screen actor knows he can often achieve a better effect by keeping his body and his features still than by trying to show a reaction. On the other hand, stage actors tend to force their reactions, and I have to bring them down. The most effective way of doing this is to show them the rushes, so that they can see for themselves how false and exaggerated the camera can make them look if they try to act too hard."

"What's next on your slate, Mr. Thompson?"

"My next directing job will be Taras Bulba, based on the story by the Russian writer Gogol and starring Yul Brynner and Tony Curtis. But right now I'm going back to Hollywood to supervise the editing of Cape Fear, which I recently finished directing."

Cape Fear will probably be released at the end of the year—all the stronger, no doubt, for the loss of several lines, scenes and minutes of screen time.


Around the releases

In this month's batch, technique is on a higher level than content. In Paris Blues (dir., Martin Ritt; phot., Christian Matras; b & w), the story of an American jazz musician in Paris is played against a half-dozen dissonant themes. Except for some blatantly artificial Paris backdrops, the movie is well enough photographed and crisply enough edited for you to enjoy it more than it deserves.

Mysterious Island (dir., Cy Endfield; phot., Wilkie Cooper; color) is the latest special-effects assault on Jules Verne. Here, too, the backdrops are the weakest spot; but the trick sequences involving a monstrous crab, etc., are well handled, being enhanced with quick-cut close-ups and blurred pans of the humans' reactions. In devoting such care to camera angle and movement, the director neglects the cast-but that's no calamity in this kind of fun.

In Purple Noon (dir., Rene Clement; phot., Henri Decae; color), the director of Forbidden Games expends his talent on the story of a murderer so cold-blooded and a murder plan so full of holes that only the sheer efficiency of its telling and the magnificance of its photography hold one's

(Continued on page 43)



The slide projector with ears! This brand-new Airequipt Superba Sonic cuts the cord that has bound the remote control to the slide projector. It's equipped with electronic "ears" that hear the commands of a unique 4-way wireless remote control. Now you can run your slide show from virtually anywhere in the room—not just at the end of a cord. Just press a button on the simple remote control, and you can change slides forward and reverse, and even focus. You can't see it, feel it, or hear it work, but the remarkable new Superba Sonic obeys instantly. Ask your dealer to let you try "the slide projector with ears.". The Airequipt Superba Sonic

Under \$220*



kyet

n a d v e s,

0

al at

0-

on ps ck

ed

nd he

nis SO



CANON VI-T ith 11.8 Hi-speed, 6-element lens Coupled Rangefinder
Variable focus viewfinder
Single diel shutter, 1/1000
FP & X Flash Sync.
Rapid advance lever

BRAND NEW

IMPOSSIBLE

Exposure Meter AND case add \$15.00

IMPOSSIBLE **ROLLEIFLEX 44**

- Xenar F:3.5 lens MXV Synchro-Comput shutter
- Takes 4 x 4 Superstides

BRAND 6850 NEW 68



German Import

BRAUN

AUTOMATIC

35mm Single Lens Reflex

- Speed-coupled Exposure Meter
- F2.8 interchangeable lens
- MXV Synchro-Compur Shutter
- Speeds from 1 1/500
- Built-in Selftimer
- Rapid Advance Lever Case 9.50

BRAND NEW .





POLAROID CAMERA #800

Picture in 10 seconds Postcard size pictures

IMPOSSIBLE

Used

10 year guarantee

BRAND

BUY THE COMPLETE OUTFIT AND SAVE EVEN MORE! POLAROID 166, latest, used. 67.50



IMPOSSIBLE

4 x 5 PACEMAKER CROWI

> \$395.00 \$ 85.50 \$129.50

- GRAFLEX RANGEFINDER
- GRAFLEX RANGELITE
- 135mm XENAR f4.7 lens
 Syncho. Compur MX shutter
 Graflock back

BRAND NEW

4 x 5 Cut film holder \$3.33 4 x 5 Film pack adapter \$5.50

IMPOSSIBLE CONTAFLEX SUPER

- Zelss Tessar F:2.8 Built-in Exp. Meter
- Interchang, lenses MXV Synchro-Compur
- shutter Single-stroke lever advance

11250 USED

IMPOSSIBLE KOMAFLEX-S

Single Lens Reflex


SLV Seikosha shutter

- F:2.8 pre-set lens MXV synchron-ization
 - Takes 4 x 4

BRAND NEW 4650



LENSES FOR SINGLE-LENS REFLEX



REVERE Special

IMPOSSIBLE

Electric Eve Movie Cameras

ID NEW 3650

Revere CA-4 3-lons turret 5450

Revere CA-8

STEREO CAMERA Matcheu F:3.5 len Internal



16mm Projector 750 wat BRAND NEW 7850



STERITAR



Stereo **Attachment BRAND NEW**

2450 for Contaffex III, IV Rapid & Super 3950 & Super for Contaflex Alpha, Beta, Prima and Contina 2450

Zelss TelesKep eriginal Telephoto for Contaffex I or II IMPOSSIBLE

ZEISS TESSAR 2.8 CERTO "6"

● 2¼ x 2¼ roll film Autom. Film transport

MX synchronization

Coupled Rangefinder

Zeiss Tessar f2.8 lens

BRAND NEW



LINHOF

Excellent Condition

RCA 400, 750W, 1600' ree B & H 202 magnetic & opt Victor 40, 12" speaker Victor 40, 12" speaker Ampro stylist, single unit Ampro Premier, 12" speak B & H 179, 1000W B & H 285 C, single unit Kodak Pageant, one case Mevlemite, built-in speake	\$ 85.50 \$129.50 ker \$ 99.00 \$139.50 \$225.00 \$148.00
21/4 x 31/4 Super Technika, Xenar 3.5 Angulo 8, Tele-Xenar 5.6, MX synch. all rang finder-coupled	29750
finder-coupled	39850
Dianar F-2.8 anatomical grip	4 0050
Xenar F:4.7 coupled rangelines F:4.5,	17850
cam - coupled	34800
anatomical grip	
revolving back revolving back multiple viewfinder, parallax corrected Rollex Rollholder for all models Deluxe compartment case	58.50
Delaye combana	

IMPOSSIBLE VISTASCOPE

WIDE SCREEN LENS Gives you cinemascope effect
 Same lens used for Projection

Increases picture by 50%

BRAND NEW

8mm VISTASCOPE ... 12 95 16mm VISTASCOPE . . . \$36.50

IMPOSSIBLE I TRANSISTOR TAPE RECORDER



 Weighs only
 2½ lbs.
 Built-in speaker Records & plays over 1 hour with tape, earphone & mike

prete with tape, earphone & mi ord, Rewind, Playback & Erase

BRAND NEW 2950

TECH COLORMAT Ready-matic changer BRAND-NEW

No trays to buy 300 WATT, blower

IMPOSSIBLE Slide Prejector

IMPOSSIBLE

B&H 134TA 3-Lens Turret 8mm

- 1/2" F1.9 Speed Lens
- Thru-the-lens focusing
- Optical Individual Viewfinders
- 16, 24, 32, 48, 64 speeds
- Governor controlled motor
- Single Exposure



INCOMPARABLE

PROFESSIONAL

- VIEW CAMERAS All swings & tilts
 Quick release back
- Lightweight metal Precision monorail
- Rigid locking 2½ x 3½ Peco Jr. \$145.00 4 x 5 Peco Jr. \$235.00 4 x 5 Peco Supra \$220.00 5 x 7 Peco Universal \$25.00 0 x 10 Peco Universal 111 \$485.00

OLDEN 1265 RROADWAY NEW YORK CAMERA ርበ

does the IMPOSSIBLE

35mm CAMERAS		REFLEX & ROLLFILM	Smm MOVIE
Agfa Optima Auto Agfa Charconas Fr.2 synch, Rddr. Alpa GB. Switser 1.6. Switser 1.6. Alpa GB. Switser 1.6. MK. Alpa GB. Switser 1.6. MK. Alpa GB. Switser 1.6. MK. Argus C3. Fr.2.5. synch. Mddr. Argus C3. Fr.2.5. synch. Mddr. Argus C4. Fr.2.6. synch. Mddr. Argus C4. Switser Fr.1.6. synch. Exakts VX. H1.4. Meyer Fr.1.9. synch. Exakts VX. Fr.1.9. Canoniser Fr.1.8. suito, inst. mirror return. Contax H1.6. son. meter. synch. Hddr. Contax H1.6. synch. Synch. Mddr. Contagex I Tess 2.8 MX. Contagex Super. Exp. Meter. LVS. Contagex I Tess 2.8 MX. Contagex I Tess 3.8 MX. Contagex I III. Contagex I Tess 2.8 MX. Contagex I Tess 2.8 MX. Contagex I III. Conta		Grafiex Photo Record camera	BAH Sportster, 134V, Fig. 5, excellent used BAH 172A, Turret Mag. Fig. 5, excellent used BAH 172A, Turret Mag. Fig. 5, excellent used 15.0 BAH 172A, Turret Mag. Fig. 5, excellent used 15.0 BAH 200m Electric Eye, 3 lenses used 15.0 BAH 200m Electric Eye, 5 lenses used 15.0 BAH 200m Electric Eye Fil. 5 MEW 119.5 BOlsey 8, Fil.8, var. speeds, still used 13.0 Belletter Eye Zoom used 25.5 Electric Eye Zoom used 26.5 Electric Eye Zoom used 26.5 Fairchild Sound Camera used 26.5 Fairchild Sound Frojector used 18.5 Fairchild Sound Frojector used 18.5 Kodak Mag. 8, Fil.9 foc. mount used 18.5 Kodak Mag. 8, Fil.9 Selectric Eye, Fil.9 MEW 26.5 Konlos 200m, battery-drive 6, Fil.9 Lenses E. Eye. used 18.0 Konlos Zoom, Electric Eye, plaid grip used 18.0 Konlos Zoom, Electric Eye, plaid grip used 26.5 Konlos 200m, Electric Eye, plaid grip used 26.5 Wollenase 23. Turret. Mag used 26.5 Wollenase 23. Turret. Mag used 26.5 Konlos 200 projector week 26.5 Konlos 200 projector week 26.5 Konlos 200 projector forw reverse, case used 26.5 Konlos 200 projector forw reverse, case u
Argus C3, F:2.5, synch. Rfdr. Argus C4, F:2.8, synch. Rfdr. AutoTerra Super F:1.8, Rfdr. synch. B&H Foton, Rapid Sequence F:2	used 11.50 used 19.50 used 19.50 used 165.00	Auto Rolleiflex, Tessar 3.5, Compuruused 38.59 Auto Rolleiflex, Tessar 3.5, MX synchused 69.50 Auto Rolleiflex 'T. LVS. used 97.00 Auto Rolleiflex 'T. LVS. used 324.00 Auto Rollei 3.5 G, F:3.5 LVS, Exp. meterused 324.00	B&H Zoom Electric Eye F:1.8. NEW 2.19.5 B&H 4:4P. Power Zoom El. Eye. used 134.5 Bolsey 8, F:1.8, var. speeds, atill. used 13.9 Camex 8 with Pan-Clonz Zoom lens. used 139.5 Canon Zoom 8, Refex, Exp. Meter F:1.4 used 139.5
Exakta VX IIA, Biotar F:1.9 Exakta VX IIA, Biotar F:2 pre-set Exakta II, Biotar F:2, synch. Exakta VX, F:1.9 Canonfex F:1.8 auto., inst. mirror return	NEW 127.75 used 49.50 used 68.50 used 167.50	Rolletcord III, Xenar 3.5, MX. used 36.50 Rolletcord V, Xenar 3.5, LVS used 54.50 Rollet Magic, Tess 3.5, fully autom. used 118.00 Zelss Rollet Duonar telephoto used 29.00	DeJur Embassy, Mag., F;2.5, var. speed NEW DeJur Electra, 3 lenses, El. Eye used Elmo 85, Electric Eye Zoom used Eumig C3, Electric Eye, F;1.9 used Fairchild Sound Camera used 24.5
Canon VT deluxe, F.2, synch. Contax II or Contax III, Sonnar F.2, Rfdr. Contax IIIa, Exp. meter, synch. Rfdr. body Contafex Rapid Tess. 2.8. Contafex Super, Exp. Meter, LVS.	used 48.95 used 48.95 used 68.00 NEW 114.75 used 112.50	Auto Rolleiflex 2.8E, Exp Mster used 142.00 Auto Rolleiflex 3.5F, latest used 148.00 Bronics F2.8 auto. used 248.50 Kalimar Single-lens Reflex F:3.5 used 48.50	Fairchild Sound Projector used 188.5 Kodak Refiex Zoom 8 used 109.5 Kodak Mag. 8, Fil.9 foc. mount used 15.0 Konica Zoom, battery-drive used 88.5 Revers 84. Turret. Fil.9, roll, var. speeds used 88.5
Contagex I Tess 2.8 MX. Tele & W.A. set for Contagex I & II. Contagex, latest, Exp. meter cpid. Exa Reflex, F:2.8, MX synch. Exa II, latest, Tess. 2.8 prism finder	NEW 19.50 used 284.50 used 24.95 used 49.50	Minolta Autocord, autom. F:3.5.5 used 39.50 Mamiyafex Pro C, F:2.8 MX used 88.50 Optika Reflex, F:3.5 used 109.50 Primo Jr. 4x4, F:3.5 ctd. synch. used 22.50 Yashica 44 F:3.5 synch. used 22.50 Yashica 44 F:3.5 synch.	Revere CA-1 or CA-3, Electr. Eye, F:1.9 NEW 38.5
Helland Pentax H-2, Auto F:2.2. Kodak Ekira, Ekira F:1.9, aynch. Rfdr Pentacon F Zeiss F2 Auto. Konica IIIM, F:1.8, latest Leica G, F:2 ctd. Rfdr. 1 sec. to 1/1000	used 79.50 - used 74.00 - used 68.50 - used 45.00	Yashica Mat, F.3.5, synch. autom. used 36.85 Zeiss Ikofex II, Tess. 3.5 synch. used 28.50 Rolleinar-Rolleipar I set NEW 4.95	Sekonic Zoom, Electric Eye, pistol grip
Leica III, Summar F:2. Rfdr Leica III Summar F:2. Rfdr Leica IIIF, Rfdr. 1 sec. to 1/1000 body on Leica IIIF, Summitar F:2, Rfdr. synch. Leica M-2. Elmar F:3.5	used 39.50 y_used 36.50 used 84.75 used 182.00	SLIDE PROJECTORS NEW 48.78	Wollensak Power Zoom NEW 89.5 Sankyo-Movimat El. Eye Turr. NEW 40.5 Argus 500 projector NEW 49.5 DeJur Ambassador projector NEW 49.5 Eumig FS Crown, synch, to Tape Rec. uses 48.5 Sekonic 30C projector forw, reverse, case, uses 48.5
Leica HIG. Summitar F:2, par. Rfdr. Mercury II, F:2.7, synch. single frame. Minolta SR, Refex, F:1.8 autom. Miranda D. Reflex, autom. F:1.9, ctd.	used 148.00 used 13.50 used 108.00 _used 89.00	B&H Robomatic, 500W, case used 48.50 Quick-set 303, autom, 300W NEW 27.50 Revere 388D, 500W, autom. Timer NEW 78.50	Keystone K100, forw. reverse, discontinued NEW St. Okystone K110, built-in Editor used 12.5 Zoom lens for Smm projectors NEW 12.5 R&H Monterey 500W
Nikon S., Rfdr. synch, body only Nikon S-2, Lever-wind, body only Nikon S-2, Nikkor F:1.4 Nikon SP, latest, Nikkor F:1.4 Nikon Refex F. Nikkor F:2	used 24.50 used 88.00 _used 112.98 _used 198.00 _used 187.98	Sawyer's 500W. Autoused 32.50 TDC Duo, 21/4x21/4 & 2x2, blowerused 38.80	LENSES FOR 8mm MOVIES 6.5mm Wollensak F:1.9 W.A
Praktica FX3, Auto-Tessar F:2.8, MX. Praktina FX, F:2 autom. MX. Retina IIA, Xenon F:2, Rfdr. Retina IIIC, Xenon F:2, Rfdr, MX, Exp. Mt Retina III S, F:2.8, Exp. Meter Rfdr.	used \$4.50 _used \$4.50 rused \$9.75 rused \$9.75 NEW \$3.50	600 m	6.5mm Wollenask Fr.1.0 W.A. NEW 14.7, 12, 12, 13, 14, 15, 16, 16, 16, 17, 16, 17, 17, 17, 17, 17, 17, 17, 17, 17, 17
Retina Reflex 'S,' F:2.8, LVS, Exp. Meter- Retina Reflex S, F:1.0, Exp. Meter LVS- Retina Reflex III, laiest- Betina Reflex, Kenon F:2, MX, meter- Rebut Star, Kenon F:1.9, synch.	NEW 108.50 NEW 133.95 NEW 148.50 Used 86.50	EUMIG C3R	Vistascope Wide Screen lens 7.80 PRESS, VIEW & ROLLFILM CAMERAS
Robot Royal 36, Zeiss F:2 Rfdr	used 107.50 used 34.50 _used 84.50 _used 46.50 er_used 117.50	Continental	SEE LINHOF SPECIAL ON OPPOSITE PAGE!
Voigti. Vitessa T, F:2.8, Exp. meter	C. 750	6950 - Built-in Electric Eye Three-lens Turret Automatic Changing Finder	24/x814/k Busch Press, Fr.4.5. used 31.0 24/x816/k Ann. Speed Graphic, Tess, 4.5. used 36.0 34/x416/k Speed Graphic Tess, 4.5. used 36.0 34/x416/k Pacomaker Graphic Fr.4.7, Ridr. used 45.5 455 Ball Press Fr.4.5 used 45.5 455 Ann Breed Graphic, Fr.4. used 46.0 455 Pacemaker Speed Fr.4.7, Ridr. used 46.0 48x10 Ball Ylew Camera. used 118.0 485 Calumet View Camera. used 478.0 485 Calumet View Camera. used 32.8
LENSES FOR NIKON, CON 21mm Biogon F:4.5 Super W.A.	TAX used 106.50 used 28.50	BRAND Automatic Changing Finder F:1.9 standard, Tele & W.A. S shutter speeds: 8,12,16,24,32	4x5 Super Graphic F:4.7, electr. shutterused 188.5 4x5 Pacemaker Speed F:4.7, Rfdrused 118.0 8x10 B&J View cameraused 4x5 or 5x7 View Cameraused 4x5 Calumet View Cameraused 82.5
LENSES FOR NIKON, COM 21mm Blogon Fi-4.5 Super W.A. 28mm Tessar W.A. 28mm Mikhor Fi-8.5 Super W.A. 28mm Mikhor Fi-8.5 W.A. 35mm Nikhor Fi-8.5 W.A. 35mm Zeias Sonnar Fi-1.5 35mm Zeias Sonnar Fi-1.5 35mm Zeias Sonnar Fi-1.5 35mm Zeias Sonnar Fi-8. (ele- 135mm Zeias Tonnar Fi-8. Suph Mikhor Sonnar Fi-8.	NEW 29.50 used 46.50 used 97.50 used 42.00	discontinued • Continuous lock run MISCELLANEOUS	Omega 120, F:4.7, synch. Rfdr. used 188.6 Plaubel Makins. F:2.9, Rfdr. used 58.5 Polarold 150, Rfdr. synch. NEW 4.9
Somm Nikkor F: 1.1 high-speed 85mm Nikkor F: 2, telephoto for Contax 85mm Zeiss Sonnar F: 2, tele- 105mm Nikkor F: 2.5, for Contax	used 162.00 NEW 69.50 used 49.50 NEW 79.75	Beseler 23 enlarger used 79.50 Solar 425, 5x7 enlarger used 42.75 Alpex clip-on Exposure Meter NEW 4.75 Alpex clip-on Exposure Meter NEW 11.95 Norwood Super Director w/case NEW 11.95 G.E. Golden Crown, Exp. Meter, latest used 15.50	Medalist II, Ektar S. S. synch.
135mm Zeiss Sonnar F:2.8 with Refi. hag. 135mm Nikkor F:3.5 telephoto 135mm Sonnar F:2.8 with Refi. hag. 250mm Nikkor W. Refiex hag. 300mm Zeiss Tele for Contax.	used 48.50 used 148.00 used 223.00 used 68.00	Gossen Lunisix Exp. Meter	Steinhell Tomm Air Camera 3" lons
Zeiss Contax filters, all colors— Contameter for Contax LENSES FOR LEICA, CANON 21mm Super Angulon F: 4.5 W.A.	used 1.75 used 19.50 , Etc.	Rapid-Wind for Lelca, Contafee: NEW 1.05 Leits Focasilde copying attachm. used 24.50 Extension believs for S.L. Refex. NEW 13.05 Kodak Sterco, F.3.5, spr.ch. NEW 25.00 used 14.95 Wollenask Sterco, F.2.7, Kidr. spr.ch. NEW 69.50 Viewmaster Sterco camers. used 39.50	LENSES FOR PRESS & VIEW Prontor synchro shutter
28mm Nikkor F:3.5 W.A. 33mm Summaron F:2.8 W.A. 33mm Summaron F:3.5 W.A. 35mm Summicron F:2.5 W.A. 35mm Nikkor F:2.5 W.A.	NEW 58.50 	Viewmaster Stereo camera Used Minox IIIS, Fis.5, synch. Used 47.78 Minox B, built-in Exp. Meter Used 42.78 Minlocot Refex George Fis. Used 42.80 Copy-stand for Leics, Canon, etc. NEW 32.00 Self 1750 Tape recorder Used 32.00 Self 1750 Tape re	Prontor synchro shutter
50mm Summitar F:2 50mm Summarit F:1.5, screw or bayonet. 50mm Steinheil Quinon F:2 Ctd. cpl. 50mm Canon F:1.8 50mm Elmar F:3.5	used 32.50 used 48.00 NEW 29.95 used 34.50 used 18.50	Beh 175G Tape recorder used 52.00 Mohawk, portable Tape recorder used 52.50 Ricelman, Transistor Tape recorder used 52.50 Ricelman, Transistor Tape recorder used 52.50 Ricelman, Transistor Tape recorder used 65.50 Ricelman, Transistor Tape recorder used 52.50 Ricelman, Transistor Tape recorder use	5" Goers Dogmar 4.7 Rapax NEW 38.00 10" Commercial Exter F.6.3 synch. used 328.91 90mm Angulon F.6.8 w.A. Compur. used 328.91 120 Angulon F.6.8 w.A. used 38.51 10" Wollensak F.5.0, Telephoto. used 38.51
50mm Summilux F:1.4 73mm Hektor F:1.9 55mm Steinheil F:2.8, coupled to Rfdr 85mm Summarex F:1.5 90mm Summicron F:2, screw or bay.	used 118.00 used 29.50 NEW 24.95 used 118.00 used 169.50	Minoita 18 Subminiature	180mm Tele-Renar F:5.5 synchro shutter NEW 49.56 12" Redar F:4.5 Betax shutter used 59.54 15" Wollenask F:5.6, Telephoto used 20" Zeiss F:5 lens used 39.72 20
90mm Elmar F:4 collapsible for M2 & M: 90mm Elmar F:4 rigid	used 74.95 used 38.75 used 108.50 NEW 59.95 used 87.50		
200mm Telyt F:4.5, for Visonex I or II 200mm Telyt F:4 pre-set. 200mm Komura F4.5 RF. 400mm F:5, for Visonex I or II Universal Viewinder	used 168.50 NEW 79.50 used 154.50 used 8.50	IMPACCIPI	LOW DDICEC
Lenses For Leica, Canon 2 ism Super Asgulon Fr4.5 W.A. 2 ism Super Asgulon Fr4.5 W.A. 2 ism Summaron Fr2.8 W.A. 3 ism Summaron Fr2.5 W.A. 3 ism Summaron Fr2.6 W.A. 3 ism Summaron Fr2.6 W.A. 3 ism Summaron Fr2.6 W.A. 3 ism Summaron Fr2.8 Super or bay. 4 ism Summaron Fr2.8 Super or bay. 5 is	used 24.95 used 2.50 NEW 4.95	IMLO22IRTI	LOW PRICES
16mm MOVIE Arriflex, Turret, electric motor. B&H 70DA, 3-lens Turret F1.0 B&H 70DB, F1.9 , optical finder B&H 70DB, F1.9 , optical finder B&H 70DB, F1.9 , optical finder B&H 740EB, F1.9 , 100 DI. El. Eye B&H 240EB, 100 DI. El. Eye DI. El. El. Eye DI. El.	used 14.50 used 188.00 used 19.50 used 114.00		CAMERA & LENS CO., INC.
B&H 240EE, 100' roll, El. Eye	used 148.75 used 118.00 used 138.50 used 272.50 used \$8.00	IOIDE	1265 Broadway at 32nd St
Kotak, Mag. 16, Fi.9, 100' roll	used 19.00 used 128.00 used 138.50 used 136.50	AFRE	Tel. MU 4-4285
B&H Statesman, 750W projector, Latest	used 118.50 used 48.00 used 69.50 used 92.00	ALL CAMERAS SHIPPED 10-	DAY MONEY BACK GUARANTEE
LENSES FOR 16mm MOVII 18mm Wollensak F: 1.5 W.A. 17mm Kodak F: 2.7 W.A. 18 Bd. F: 2.7 lens.	Used 36.50	Please ship	SEND CATALOG
13mm Wollensak F:1.5 W.A. 17mm Kodak F:2.7 W.A. 17mm Kodak F:2.7 W.A. 17mm Kodak F:2.7 W.A. 18mm Kodak F:2.7 W.A. 18mm Kodak F:2.8 W.A. 18mm Kodak Ektar F:1.9 hi-speed 18mm Kodak Ektar F:1.9 hi-speed 18mm Kodak F:2.7 telephoto. 28 Belia A. Howelh F:4. Cid. 29 Belia A. Howelh F:4. Cid. 20 Belia W.A. Selephoto. 20 Wistanopa W.A. Selephoto. 20 Wistanopa W.A. Selephoto.	used 36.50 used 17.00 NEW 4.50 used 19.50 used 19.50 NEW 49.50 used 12.95 used 12.95	NAME	Over 500 illustrations
	ALC: N	ADDRESS	CITYSTATE
A			

SAVE MONEY!

E

S KER WN HIC ER

TA

75

MAIL COUPON TODAY!

"Send By Mail . . . SAVE By Mail"







Simply shoot your pictures -

nen "post to POST

POST, the midwest's finest color photo finishing service featuring the newest in advanced electronic automated film processing ... now, permits you to save more than ever and still offer the highest quality photo finishing. POST assures fast, efficient service. Your photos mailed direct to your door.

KODACHROME **PROCESSING**

8mm Roll, 25-ft. Double, Movie 35mm, 20 Exp. Rolls (Mounted)

EKTACHROME PROCESSING

35mm, 20-Exp. Roll (Mounted)

120mm, 12-Exp. Roll (Mounted) 620mm, 12-Exp. Roll (Mounted)

127mm, 12-Exp. Roll (Mounted)

ANSCOCHROME PROCESSING

8mm Roll, 25-ft., Movie 35mm, 20-Exp. Roll (Mounted)

LOWEST PRICES - HIGHEST QUALITY **Color Photo Finishing**

PRE-PAID Processing MAIL

MOVIE PROCESSING KODACHROME

MOTIL I ROCESSIILO ROCALII	
8mm Roll, 25-ft. Double	98c
8mm Magazine, 25 ft	75c
16mm Roll, 100-ft	\$2.25
16mm Magazine, 50-ft	98c

5% OFF ON QUANTITY ORDERS

On any order of 10 or more <u>Processing Mailers</u> listed—you deduct the ecial 5% OFF DIS-

35mm Processing KODACHROME **Developed And Mounted**

36-Exposure Roll-POST L-O-W Price.....

Any flast

com

oper perfe cells only

choo

newe

The I

Lens

zippe

no me

Write

Divisi

5



Original Factory Packaged Film . . . FRESH DATED

35mm KODACHROME

with processing included

All Film Mounted

Daylight or Type F (Specify)

3 ROLLS 10 ROLLS

KODACHROME (Same price applies for Ek- tachrome and Anscochrome.)	\$7.50	36 EXP. 11.95	20 EXP. 23.00	36 EXP. 35.00	
STEREO KODACHROME	\$9.00	28 pair 15.00	15 pair 27.00	28 pair 45.00	

Please Include 5c Postage Per Roll

order or cash with film. Please do not send your remit-tance separate

Please include post-age; excess is re-funded.

We sell only Fresh KODAK FILM, packaged by East-man Kodak. Note: We do not sell re-perforated,



Original Factory Packaged Film . . . FRESH DATED

KODACHROME MOVIE FILM

with processing included

We sell only Fresh KODAK FILM, packaged by East-man Kodak. We do not sell re-perforated, outdated, short length or substandard film.

	3 ROLLS	10 ROLLS
8mm Roll, 25-ft., Dbl.	\$ 8.95	\$28.95
6mm Roll, 100-ft.	25.00	81.00
8mm Roll, 100-ft. (For Bolex)	28.50	89.00
8mm Magazine, 25-ft. Dbl.	12.00	37.50
6mm Magazine, 50-ft.	18.00	58.00

Please Include 10c Postage Per Roll



SAVE MONEY "Direct-by-Mail Way"

PRE-PAID MAILERS

Here's What You Get: JUMBO SIZE COLOR PRINTS and FILM DEVELOPING

Developing and Printing

KODACOLOR

127, 620, 12-Exp. Rolls \$2.48 | 20-Exp. Rolls, 35mm with wallet-Size Prints

COLOR



THE FIVE

FACES OF THE

FUTURAMIC II

STROBONAR ELECTRONIC FLASH



Bounce lens

Wide-angle lens

Standard lens

Kodacolor lens

Neutral density lens

Any way you look at it, the Futuramic II is the most versatile flash unit you can use.

Small (9½ inches high), and lightweight (only 28 ounces, complete with batteries), it is the only one-piece unit that operates on readily available size C photoflash batteries, high-performance E-93 batteries, rechargeable nickel-cadmium cells, or standard household current (110V.). It is also the only unit that can be custom-fitted to all popular cameras by choosing the proper Honeywell bracket and cord. Now the newest feature of the Futuramic II is this accessory kit that

The Futuramic II Accessory Lens Kit in compact zipper case is no more than \$8.95.



Write for illustrated folder to Minneapolis-Honeywell, Heiland Division, 5222 E. Evans, Denver 22, Colorado.

makes interchangeable lenses for electronic flash available for the first time.

The four lenses (shown above) are: a lens which provides bounce flash effect without removing unit from camera; a wide-angle lens to spread the light evenly for all but extreme wide-angle camera lenses; a color-correcting lens to give proper balance indoors with Kodacolor film; and a neutral density lens to make closeups possible even with maximum-speed films. The retaining ring slips over the unit's standard lens—makes changing lenses quick and easy.

Ask your Honeywell dealer for a demonstration of the Futuramic II, available now at no more than \$59.95, plus batteries, clamp, and shutter cord.

Honeywell



U. S. Color Photo offers you:

You can now save more than ever before and still enjoy the highest quality photo finishing from the largest independent color photo processor in the world. We invite price comparisons.

U. S. Color Photo has plants from coast-to-coast and satisfied customers in all fifty states and most foreign countries. Your film is developed by skilled craftsmen on the most up-to-date electronic equipment.

* All work is Guaranteed. If you are not completely satisfied, your money is promptly refunded.

* Fast Service. Your photos are delivered by mail to your door. We pay return postage.

KODACHROME • EKTACHROME • ANSCOCHROME DEVELOPED AND MOUNTED

35 mm, 20 Exp. 35 mm. 36 Exp.

COLOR PRINTS from transparencies

Kodachrome, Ektachrome, Anscochrome . . . Printed on new Kodak Ektachrome paper.

JUMBO prints.....

WALLET SIZE prints

5 x 7 COLOR ENLARGEMENTS

from your favorite KODACOLOR negative or TRANSPARENCY . .

Developing and Printing from KODACOLOR Film

8 exp. roll dev. and JUMBO prints......\$1.98 12 exp. roll and JUMBO prints......\$2.48

20 exp. roll, 35 mm, with WALLET-SIZE prints......\$3.25

SAVE MONEY ON

with processing included! Kodachrome · Anscochrome · Ektachrome

We sell only fresh Kodak film, packaged by Eastman Kodak. All processing is guaranteed by U. S. Color Photo. Add 5c per roll for postage and mailing, 10c per roll for movie film.

FILM	10 01	4.9	1-3
LICIAL	more rolls	rolls	rolls
35 mm, 20 exp	\$2.30 ea	\$2.40 ea	\$2.45 ea.
Ektachrome			
35 mm, 20 exp	2.45	2.55	2.70
35 mm, 36 exp	3.60	3.75	3.85
8 mm, 25' Roll	2.80	2.90	3.05
8 mm, magazine	3.80	3.90	4.00
16 mm 100/ roll	9 15	0.40	0 65

MOVIE PROCESSING KODACHROME

8 mm roll, 25'.... \$1.10 8 mm magazine, 25' 85c 16 mm roll, 100'.. \$2.50

16 mm roll, 50'.... \$1.35

16 mm magazine, 50' \$1.10

Reprints from KODACOLOR Film

JUMBO Size.....19c WALLET Size......15c (from 35 mm only)

BLACK and WHITE **Developing and Printing**

8 exposure roll developed & enlarged to JUMBO Size 50¢ 12 exp. roll...... 70¢ 16 exp. roll..... 90¢ 20 exp. roll...... 1.25 36 exp. roll..... 2.00 REPRINTS, JUMBO Size.

Ther

admi

qualit

lenses is avai

Th

the int

Write f Divisio

W fine g tion, 1 is add

T

Service from Coast-to-Coast

Send film to city nearest you . . . Enclose cash, check or money order . . . Minimum Order \$1.00

IMPORTANT: Write Dept. H on envelope

Boston, Mass., P.O. Box 774 New York, N.Y., Canal St. P.O. Box 42 Washington, D.C., P.O. Box 1001 Cleveland, Ohio, P.O. Box 5190 Dayton 2, Ohio, Walnut St. P.O. Box 127 Detroit 31, Mich., P.O. Box 704

Chicago, III., P.O. Box 8413 La Crosse, Wis., P.O. Box 199 Minneapolis, Minn., P.O. Box 926 St. Louis, Mo., P.O. Box 7090 Atlanta, Ga., P.O. Box 230 New Orleans, La., P.O. Box 1466 Dallas, Tex., P.O. Box 5622 San Antonio, Tex., P.O. Box 91


Denver, Colo., P.O. Box 1231 Seattle, Wash., P.O. Box 2004 San Francisco, Calif., P.O. Box 447 Los Angeles, Calif., P.O. Box 5891



THE MANY FACES OF THE

HONEYWELL

PENTAX SYSTEM



1000mm, f/8.0 len:

500mm, f/5.0 lens

135mm, f/3.5 ler

35mm, f/3.5 lens

55mm, f/1.8 lens, bellows

There are many satisfactions to owning a Honeywell Pentax.

The smallest and lightest of all single lens reflexes, it is admired by professional and amateur alike for its handling ease, mechanical perfection, and most important, the new quality it gives to their 35mm photography.

When you invest in a Pentax—for yourself or for a really fine gift—you do so with the confidence that this camera will not only perform magnificently in almost every picture situation, but will also grow in value as other Pentax equipment is added to your system. Five of the thirteen interchangeable lenses are shown above and a variety of other accessories is available.

The Pentax camera system will lead you all the way from the intimate world of the micro-photograph to the wide-open adventures of imagination-inspiring tele-photography. In the meantime, you know you have the finest camera in the world at its price, with automatic diaphragm, Pentax-invented instant-return mirror, positive, brilliant focusing, smooth shutter release, and a host of other features designed to help you take better pictures.

Choose a Pentax H-1 or H-3 according to your individual preference. Each one is a fine product of precision manufacturing—each has an individual personality.

The Pentax is now available at your Honeywell dealer. The H-1 is no more than \$149.50; the H-3, \$199.50.

Honeywell



Write for illustrated folder to Minneapolis-Honeywell, Heiland Division, 5222 E. Evans, Denver 22, Colorado.



ACME PHOTO LAB Announces Lower Prices

To SAVE You MONEY

SLIM LINE CHRISTMAS CARDS from KODACOLOR NEGATIVES OR COLOR SLIDES

All Cards with envelopes .\$ 3.95 50....\$ 9.75 25.... \$ 5.25 100 \$18.75 200....\$36.00

DELUXE LINE PHOTO **GREETING CARDS**

All Folders with prints & envelopes

15....\$ 4.30 50....\$11.25 25....\$ 6.00 100....\$21.75 200....\$42.00

Imprint service available on all cards.

Write for Free 4-Color illustrated folders.

Also equally low prices for black and white Christmas Cards.

Fast Service!

KODACHROME, EKTA-CHROME & ANSCOCHROME **PROCESSING**

These prices include Fresh Roll of Film. 120, 127 or 620 Processed & Mtd. plus Fresh Roll of Film \$2.20

35mm (20 Exp.) Processed & Mtd., plus Fresh Roll of Film \$2.60 35mm (36 Exp.) Processed & Mtd., plus Fresh Roll of Film.....\$3.60

KODACHROME MOVIE FILM . 8 MM and 16 MM

8mm-25 ft. roll-plus a Fresh Roll of Film. 8mm-25 ft. Mag.-plus a Fresh Roll of Film\$4.00 16mm-50 ft. roll-plus a Fresh Roll of Film.....\$5.95

WRITE TODAY for our complete price list and Free mailing package. Free First Class Return Service.

ACME COLOR PHOTO LAB BOX 6025-X MINNEAPOLIS, MINN.

BY JOHN WOLBARST

At last, Ansco markets Hyfinol, a really remarkable new developer, and I get off the hook.

In my Master Chart of 35mm & Roll Films & Conventional Developers, which appeared in the March 1961 issue of MODERN, I included considerable information about Ansco Hyfinol, a new film developer. Apparently I was a bit ahead of time, for Ansco has just now announced that this product is coming on the market. However, its characteristics have not been changed, so my previously published data on Hyfinol still apply. Perhaps now readers will stop beating me over the head with letters asking why I sent them walking through five camera stores looking for something that doesn't exist.

Anyhow, Hyfinol is quite a developer. It's a fast-acting, energetic but soft-working formula designed to give a combination of high film speed, reasonably fine grain, and better image sharpness than ordinary fine-grain developers. It seems to be somewhat similar in performance to Ethol UFG and Acufine, but it has its own distinguishing and exceptional characteristics and advantages.

From good to outstanding

Hyfinol was designed specifically for Ansco films and, in particular, for Super Hypan. This film/developer combination is, in my opinion, a spectacularly successful one. It seemed to me that the results with Super Hypan were the best I've had with that film.

Hyfinol also gave good results with Kodak films. However, in terms of image quality it appeared to offer no advantage over the results I had been getting with Kodak films and other developers. Exception: It seemed to me that Hyfinol was the best formula I had ever used with Kodak Royal-X Pan, a film that has been notably unresponsive to almost anything but Kodak DK-50.

Ansco makes some rather big claims for the performance of Hyfinol. I found them to be pretty reasonable, in comparison with the results I got. Here's a summary of my impressions.

Film speed: Exceptionally good with Super Hypan and also with Agfa Iso-(Continued on page 40)

Is There A **Doctor In** The House?

MEDICAL PHOTOGRA-PHY, RADIOGRAPHIC AND CLINICAL is the only comprehensive book on medical photography ever published. By T. A. Longmore, ARPS, MSR, it belongs in the libraries of doctors, dentists, hos-pitals, clinics, medical schools, and general pho-tographic practitioners.



This valuable book covers cameras, mate rials, processes for taking and development. how to organize a clinical photographic department. Tells how to photograph various parts of the body. Takes in photography of the skin, dental photography, external and internal photography, photography of gross specimens, etc. Deals with such techniques as x-ray, fluorgraphy, seriescopy, stereoscopy, simple photomicrography, color work, electrocardiography, medical photography with 16mm movie cameras, etc. 992 pages. 324 diagrams. Many illustra

Medical Photography, Radiographic and Clinical at Camera and Book Stores, or Direct from Amphoto.

Add 3% sales tax on N.Y.C. orders.

AMPHOTO

space age hobby

BUILD-YOUR-OWN ELECTRONICS FOR MODERN LIVING



it's fun...it's easy with knight-kits

featured in the 444-page

tee ALLIED **ELECTRONICS** CATALOG

tronics now! See more than

70 exciting Knight-Kits: Stereo hi-fi, including new Multiplex Stereo FM and

all-transistor amplifiers, short-wave radios, inter-















tronics, se	nd for your FREE
444-page	ALLIED Catalog
today!	-
	FREE
ADIO	Catalog
	Catalog
78-L1	

Ele

At la

extr

a bu

fram

NOVE

ALLIED RA ALLIED RADIO, Dept. 1 100 N. Western Ave., Chicago 80, III. T Rush FREE 1962 ALLIED Catalog

Name		
PLEASE PRINT		
Panner Filler		
Address		

City____



Electric-Eye RICOHMATIC 35mm CAMERA

At last . . . a fully automatic 35mm camera with all the advanced 'extras' you've hoped for! Perfect exposure is as simple as pushing a button . . Sharp f2.8 lens . . . speeds to 1/200 second . . . Brightframe range/viewfinder . . . automatic flash guide . . . trigger advance . . . rapid rewind . . . self-timer and many more deluxe features. Less than \$70.00.*



with the All-Electric

RICOH Auto Zoom 8mm Camera

Now...enjoy the convenience of automatic controls PLUS the

advanced features you've always wanted to give you really fine movies! Ricoh Auto Zoom 8mm has them all...at an amazingly low budget price! The Ricoh electric-eye adjusts the lens for perfect exposure...and it's under your control at all times to give you any special effect you may want.

Tiny flashlight batteries power not only the camera motor but also the lens zoom action through an exclusive gear drive. At the touch of a button, the sharp f1.8 lens zooms from 10mm wide angle to 30mm telephoto in 4 seconds. While filming, you sight right through the lens itself by means of an ingenious, flickerfree reflex system. That means no more viewing errors, whether you are shooting a flower just inches away or a distant scene. A precision governor keeps the camera speed constantly accurate. A battery condition indicator lets you check them with a glance at any time. When you reload, with low-cost spool film, the footage counter resets itself automatically.

Yes, Ricoh Auto Zoom 8mm is quite a camera. See if you don't find it irresistible at less than \$140.00.*

YOUR DEALER WILL GIVE YOU EXACT PRICE IN YOUR AREA

ALLIED IMPEX CORPORATION 300 PARK AVE. SO., NEW YORK 10, N.Y. CHICAGO 10, DALLAS 7, LOS ANGELES 16

35MM

(Continued from page 38)

pan Record and Kodak Royal-X Pan. Any developer which exploits fully the inherent sensitivity of a film as fast as Super Hypan is giving you a lot of film speed. However, this is no invitation to use highly inflated and unrealistic film-speed settings for your meter with the Super Hypan/Hyfinol combination. I found that an exposure index of 500-650 in daylight, using an incident-light meter or a reflectedlight meter against a gray card, produced almost perfect negatives. I might add that I have never used any developer with Super Hypan which produced more real film speed than Hyfinol did, with comparable image quality. Promicrol, for example, appears to give much more film speed than Hyfinol, but the images lack the excellent definition and sharpness that Hyfinol gives.

Contrast: The recommended development produced negatives of moderate contrast which printed easily. There was beautiful separation of

IN NEXT MONTH'S MODERN

Giant guide to new cameras!

tones throughout the entire range from shadows to highlights, with no tendency for the highlights to block up. With Super Hypan, extended development produced only moderate increases in contrast. So, if you believe in "pushing" development (I don't) this is a good combination.

Fog level: Hyfinol produced very little fog with normal development. Negatives were clean and crisp-looking. This applied even to Royal-X Pan.

Graininess: I wouldn't call this an ultra-fine-grain developer, but it certainly is in the fine-grain category and seems to be at least a match in this regard for other products of the same general type, and superior to some more expensive, highly touted ones.

Sharpness: Apparently much better than anything I have been able to achieve with any previous Ansco developer, and quite on a par with the results produced by similar energetic developers. There is an excellent compromise between low-graininess and maximum sharpness. After all, Super Hypan is a very fast film and no matter what you do with it the negatives won't be as grainless and sharp as if you'd used Adox KB-14. Despite this, my Super Hypan negatives produced prints which looked very sharp, even when greatly enlarged.

The most unusual claim for this developer has to do with its working life and keeping qualities. I quote: "Without replenishment, and with no increase in processing times, Hyfinol

(Continued on page 42)

"NYI earned me a Texas-size reputation as a professional photographer"





An article in *Professional Photographer* magazine reveals the amazing success story of Luis Perez and his own studio. But his story is typical of NYI graduates' successes. In his own words, Luis Perez says, "New York Institute offers students an extensive background in photography and teaches all the fine points of the profession."

Take a tip from a real pro... and take NYI's home-training course! Learn all the tricks of the trade in your spare time, right at home, as you prepare for your choice of photography careers:

- exciting free-lance assignmen
- exciting free-lance assignments
 a studio of your own
- · a secure, well-paid position
- extra spare-time income

START RIGHT AWAY...MAIL COUPON TODAY!

ONLY NYI GIVES ALL 6 IMPORTANT EXTRAS!

- "Free-lance Photographer's Handbook,"

 1. with 1100 active picture markets,
 syndicates and agencies for selling
 your pictures.
- "Authorized NYI News Card," admitting
 2. you to many events as a working
 cameraman.
- Actual negatives and prints for study, 3. for comparison, for your own personal files.
- Exclusive NYI texts—well-bound and
 4. illustrated for permanent reference,
 which you keep.
- Individualized coaching by seasoned

 apperts on a personal basis, throughout
 the entire course.
- Detailed, point-by-point analysis of 6. your picture output—both during the course and after your graduation.

MI training helped put me in the photography business"





Says Graduate Luis Perez, Owner of Photographic Associates, El Paso, Tex.

Leaving his job at the El Paso Chamber of Commerce, Luis Perez journeyed all the way to New York City to take NYI's professional photography course. And it sure paid off for him. Within one short year he had his own studio and soon became El Paso's leading commercial photographer and a correspondent for AP and UPI.

YOU, TOO, CAN GET PERSONALIZED INSTRUCTION—WITHOUT LEAVING YOUR HOME OR JOB!

Right in your own home, you can gain the professional photography knowhow that pays off in spare-time or full-time profits. You can receive intensive photography training from top-notch pros. You avoid all the hitor-miss fumbling as you Learn-by-Doing through NYI's exclusive home-training method. Best of all,

you don't lose a minute's time or a day's pay while you prepare for your fabulous photography future!

Just mail the coupon to NYI's New York School and you'll get complete information—FREE! Plus NYI's beautifully-illustrated 52nd Anniversary Photography Book—also FREE! No obligation; no salesman will call. But you'd better hurry. Do it right away!

America's Oldest and Largest
Photography School
LEADERSHIP SINCE 1910
Approved by New York Stole

ALL NYI INSTRUCTORS LICENSED BY THE NEW YORK STATE DEPARTMENT OF EDUCATION.

Department of Education

ENROLL ANYTIME . NO ENTRANCE REQUIREMENTS . NO PREVIOUS TRAINING NEEDED

NEW YORK INSTITUTE OF PHOTOGRAPHY

The FIRST Photography School ACCREDITED by the N.H.S.C.



Dept. 117, 10 West 33rd Street, New York 1, N. Y.

RESIDENT TRAINING COURSES

Visit, write or phone our Resident School If you prefer On-the-Spot-training. Your choice of five regular courses or special short-term courses, failored to your individual requirements. Complete facilities include 14 studios, 18 streamlined labs, glamorous models, all types of cameras and the finest up-todate Speedlight and Color equipment. Day and night sessions.

Easy Payment Plan

Free Placement Service

VETERANS: Both Resident and Home-Study Courses



NEW YORK INSTITUTE OF PHOTOGRAPHY Dept. 117, 10 West 33 St., N. Y. 1, N. Y.

Please send me FREE information on NYI. (No obligation, no salesman will call.)

Home Study Course

Resident Training

Address

Cita

Wanna Chanta



LEARN TO EARN AT BROOKS!

Here, where towering mountains meet a sparkling sea, is the 7-acre Brooks campus overlooking picturesque Santa Barbara. Here is where *your* career in professional photography begins. At Brooks Institute you learn by doing—just as successful Brooks graduates in all parts of the world have done for nearly 20 years. You work in modern studios, laboratories and classrooms—under the supervision of an internationally recognized faculty.

EARN YOUR B.P.A. DEGREE...

At Brooks you work toward a diploma in professional photography...a Bachelor of Professional Arts degree (B.P.A.)...or completion of special short courses. And soon you're ready to join other successful Brooks graduates serving in industry, television, motion pictures or operating their own studios!

CHOOSE FROM THESE COURSES...

- 28-month course leading to diploma or degree in Professional Portraiture or Illustrative Photography, including Color Printing and Motion Picture Production.
- 2. Custom Short Courses
- 3. Motion Picture Production Course

Coeducational • Approved for Veterans • Approved by U. S. Government for students from abroad • Approved by California State Board of Education • Professional Placement Service

START YOUR CAREER IN PROFESSIONAL PHOTOGRAPHY TODAY!

Course outlines and other descriptive material are yours free of obligation or cost. Brooks counselors help resident students meet housing and part-time employment needs.

MAIL THIS COUPON NOW!

BROOKS II	NSTITUTE
Dept. 411 2190 Alston Road	
Santa Barbara, Ca	
Please send me interested in:	complete descriptive literature. I am
T 00	FR 14
Short Cou	rse (still photography)
Short Cou	rse (still photography)
	course Motion picture course (still photography)
NAME	course
STREET	

35MM

(Continued from page 40)

will develop far more film than existing developers of its type. Under controlled conditions, Hyfinol will develop over 100 8 \times 10 sheet films or 120 rolls per gallon."

Since a gallon of Hyfinol costs only \$1.65, this must be potentially one of the most economical developers to use. I say "potentially" because I'm not exactly sure what Ansco means by "controlled conditions." Your own operating procedures might be more wasteful of developer or might cause more rapid deterioration.

I did not develop 120 rolls in one gallon of Hyfinol, and I did not conduct the precise sensitometric tests needed to ascertain that the results with the last roll exactly matched those achieved with the first roll. But I did develop enough rolls to be impressed by the exceptionally long life and outstanding keeping qualities of Hyfinol. Roll after roll went in and came out looking just dandy. It was obvious that Hyfinol's abilities in this direction were unique.

There is also a replenisher (\$1.65 per gallon) which is said to give consistent results. I didn't test it, since there are many developers which can be replenished successfully and there was nothing unusual about this.

Summed up, my experience with Hyfinol was that it was not cranky, needed no special handling, proved to be extremely reliable, and just kept turning out A-1 negatives for an amazingly long time.

Here are some developing times in minutes for 35mm and roll films, based on a temperature of 68F, with agitation 5 sec. every 30 sec. An "x" indicates what I consider to be a particularly successful combination.

Ansco	All-Weather	Pan	6-7	x
Ansco	Super Hypan		7-9	x
	sopan Record			x
Kodak	Plus-X Pan .		4-5	
Kodak	Tri-X Pan		5-6	
Kodak	Royal-X Pan		8	x

Development of Royal-X Pan can be extended to 12 or 16 min. for maximum film speed with low contrast subjects, but with some loss of quality.

Hyfinol is also designed for use with sheet films, but that's outside the boundaries of this column.—THE END



us

MODERN COLOR

(Continued from page 22)

showed that a developer temperature variation of as much as 1½ to 2 degrees still produced prints of good quality. The developer can be stored unused from 4 to 5 weeks before it should be discarded. According to the manufacturer, FR paper can be stored in room temperature.

n-

q

ls

lv

of

ie.

ot

by

p-

re

se

ne

n

sts

lts ed

ut

m-

ife

of

nd

RAT

his

.65

on-

ice

an

ere

ith

ky.

to ept

an

in

ms.

rith

"X"

x

X

x n be

axi-

vith

ND

APHY

It is too early for us to draw a final opinion of this new color process. Remember, we worked with just a sample kit. The present paper is made in England, but a faster, U.S.-made paper, possibly having different characteristics, is promised at a future date. And there might be other changes.

Undeniably, the process does simplify color printing. It certainly takes less time to make the test strip and first print than the standard method. It doesn't involve an endless number of filters. Lights can be turned on at an earlier stage. You can make several prints in one evening and correct color balance and exposure as you go along.

How did our FR color prints compare with regular Kodacolor prints? They were lower in contrast and colors were softer and less saturated. Prints of good quality can definitely be made. The neophyte may find it necessary to make 2 or 3 pilot prints before achieving an acceptable one. As in all color printing processes, experience will play an important part.—THE END

MOVIE VIEWER

(Continued from page 30)

attention. Decae conjures striking color out of everything from street scenes at night to extended sailboat scenes in brilliant sunlight, with interiors cunningly planned in cool whites, blues and oranges to match the Mediterranean exteriors.

Scream of Fear (dir., Seth Holt; phot., Douglas Slocombe; b & w) sets out to horrify, and is pretty success-



Purple Noon: murderer and victim.

ful. The plot is over-ingenious, the treatment (apart from some self-conscious framings and camera movements) superb. Among many achievements, Slocombe gauges the precise lighting and exposure to make an ordinary white car look sinister or lead us to gradually perceive a corpse in a shadowy armchair.—THE END



BESSAMATIC captures holiday houseful

Why Bessamatic? To get those one-chance shots . . . yet be free to enjoy the shooting. The single-lens reflex Bessamatic gives you parallax-free viewing, accurate composition, focus and exposure – all at one glance, and without calculations. You can shoot quickly, confident of your composition . . . sure of your exposure. Both split-image and ground-glass focusing. Takes seven interchangeable Voigtlander lenses. Just \$209.50* with f/2.8 Color-Skopar, or \$272.50* with seven-element f/2.0 Septon lens. It's a modern classic!



 Manufacturer's suggested list prices.
 See your dealer for his prices.

VOIGTLANDER

SINCE 1756

SOLE AMERICAN IMPORTER, H. A. BOHM & CO., 2814 W. PETERSON AVE., CHICAGO 45, ILL.



Pinpoint readings with fixed cell aperture of pinhead size permit precise lens setting, which is instantly signaled by bright neon indicator. Determines proper paper grade and exposure. Eliminates irritating and wasteful test prints.






ROCHESTER
INSTITUTE
OF TECHNOLOGY

SCHOOL OF PHOTOGRAPHY

- Applied Photography
- Industrial Photography
- Illustrative Photography
- Photographic Science
- Photography in Engineering
- Photojournalism
- Professional Photography

For bulletin and Careers in Photography, write

The Director of Admissions Rochester Institute of Technology 65 Plymouth Avenue South, Rochester 8, New York





V-M 'tape-o-matic'® Portable Tape Recorder—Model 730— Records and plays-back 2-track monaural tapes. Plays all three popular tape speeds —7½, 3¾, 1½ ips. Simple Push-Button Controls. New 3-position Microphone for use as a hand, table-top, or lavalier type with neck cord. Weighs only 21 lbs.! Beige with Gold-Plated Trim.

\$169⁹⁵

V-M 'tape-o-matic'® Portable
Tape Recorder—Model 722—
Records and plays-back
stereo or monaural tapes.

'`ADD + A + TRACK''®
feature allows recording on
one track while listening to
another track. Hear both
tracks simultaneously on
play-back! Push-Button Controls and Twin Microphones.
Two-Tone Brown.

\$259⁹⁵



Slide films come to life with exciting drama when you add narration and music to them! A V-M Tape Recorder, and Model 1412 Synchronizer and your Slide Projector unite sight and sound for thrilling new slide show experiences!



V-M Tape Recorder Remote Control Slide Projector Synchronizer—Model 1412—Add synchronized sound and commentary, automatically! On playback, slides change at previously selected times! May be used with most popular brands of remote control slide and strip film projectors.

\$4995

Slightly Higher West

ASK YOUR V-M DEALER FOR A DEMONSTRATION TODAY!



V-M CORPORATION . BENTON HARBOR, MICHIGAN . KNOWN FOR THE FINEST IN RECORD CHANGERS, PHONOGRAPHS AND TAPE RECORDERS

NEW BOOKS

(Continued from page 27)

too sharply delineated Martha Graham and Hugo Erfurth's Mary Wigman (the last would give retouchers a field day, and they'd ruin it, of course).

Gruber has made quite clever use of just such juxtaposition to let the pictures make their own editorial points. Naturalist Alexander von Humboldt photographed by Biow in 1847 shows the same deep-set, world-weary, knowing eyes as Philippe Halsman's Albert Einstein of 1949; Arnold Newman's sharply chiseled, sparkling J. Robert Oppenheimer contrasts markedly with the graying 1958 Oppenheimer of John Vachon. Newman's great classic double portrait of Alfred Stieglitz and Georgia O'Keeffe with its simplicity of line and clarity of detail faces a wildly stunning Erfurth double portrait of Marc and Bella Chagall.

Besides the capsulated biographies of the subjects and photographers, Gruber has written a masterfully concise introduction covering the history of portraiture, where photography stands in it and how portraits have changed through the years.—H.K.

ROME FOR OURSELVES, by Aubrey Menen, 151 photographs, 244 pages. McGraw-Hill Book Company, Inc., New York, \$15*

Besides being a highly caustic, witty raconteur of facts, whimsies and rumors about a city in which he had lived for years, Menen has a taste for visual excitement. This magnificent, over-sized Romantic rhapsody bounces along with a great variety of trends including ancient paintings in full color, 18th Century paintings of contemporary Roman life (including an absolutely dazzling double-page spread of the Piazza Navone flooded with water) and photographs. And what photographs! Menen has assembled truly exciting pictures of Roman statuary, monuments and buildings-the same tired ones shown a million times from the same tired angles take on new impact when seen through new eyes. The eyes are those of Italian photographers up to now unknown to this reviewer.

It would be untrue not to admit that a goodly number of dullish scenics were included. However, they are mercifully small in size (and only these are small, all the good photos are big).

The book is beautifully bound and splendidly designed.—H.K.

KIPPY THE KOALA, pictures by George Leavens, words by Crosby Newell, 32 pages. Harper & Brothers, \$2.50

A lovable animal is mistreated by very inferior picture reproduction and a large percentage of photographs whose blur and lack of separation of the main subject from the background make them unsuitable for a child's book.—H.K.

*These and other books are available through AMPHOTO, 33 W. 60 St., N. Y.

in

BEHIND THE SCENES

(Continued from page 17)

Curiouser & curiouser

Every once in a while a slew of fairly peculiar equipment is manufactured in Japan which leaves us (and many Japanese too) slightly puzzled. You may remember the ultraminiature camera jutting from the front of a dummy Colt 45 pistol which loaded up with flashpowder shells, and the camera built into a pencil (or was the



Surely it's a twin-lens reflex? . . .

ıd or t, n-0-0 of r)

0-

X-

y, ne

m

n-

he

rs

er.

at

ere

ci-

re

nd

ge 32

by

and

phs

of

and

ld's

ble

PHY



. . . Oops, it's a slide projector!

pencil built into a camera?). The Ramera, of course, is a combination radio and camera.

This month we feature the Flexlide 35 twin-lens-oops, we mean slide projector. When closed it looks like a twin-lens reflex. Twist upward on the "viewing lens" and voila! (or Japanese equivalent) we have a small manual 35mm slide projector. The "taking lens" of the dummy twin-lens reflex is really the top of the lamp housing.

No, we do not know if, when, where or by whom this unit will arrive here.

New ways for 8mm sound

Magnetic striping of 8mm movie film hasn't completely overcome the idea of using a tape-recording machine with a standard projector. The German electrical giant, Siemens & Halske, who make a great portion of the professional movie projectors in Germany, have just introduced an interesting unit. The 800 Siemens Projector has an independent tape unit built right onto

(Continued on page 46)



DYNAMATIC meets new love

Why Dynamatic? Because this unique automatic camera gives you the most thorough light reading of all. It balances the values from its "three-eye" system - instantly determines proper exposure. And it continues to adjust for any perceptible light value changes right up to the moment you shoot. No other automatic camera is quite like it. See the Dynamatic with f/2.8 Voigtlander lens, just \$104.50°; Dynamatic II, with coupled rangefinder and free choice of manual setting when desired, \$139.50*.



Manufacturer's sug-gested list prices. See your dealer for his prices.

VOIGTLANDER SINCE 1756

SOLE AMERICAN IMPORTER, H. A. BOHM & CO., 2814 W. PETERSON AVE., CHICAGO 45, ILL.

Congratulations to you. You have made a wise decision. Your selection of a single-lens-reflex Camera opens an opportunity in photography the potential of which is fantastic.

You can achieve overwhelming success with the proper choice of lenses. Lenses by their very nature, can make or break your photo-graphic enjoyment. Therefore, great care must accompany your purchase of lenses.

A high quality lens is priceless. However, price alone does not determine quality. The inherent ability to produce razor sharp pictures, in both color and Black and White, is the final con-sideration.

Now is the time to increase your knowledge on lenses for Single-Lens-Reflex Cameras. We shall be glad to send you informative facts and recommendations on "How to select lenses properly." RUSH COUPON MOW.

TO ROBERT'S

Home of Fine Photography, 56-AA Bennett Avenue, New York 33, N. Y.

own a Single-Lens-Reflex amera. (insert camera & model)

() Close-up Work () Long Telephoto Lens

LESS THAN

MARSHALL'S AMAZING PHOTO OIL COLORS IN PENCILS & TUBES

Save the high cost of color film and evelopement! Use fascinating Marshall's Photo Colors to obtain thrilling natural color on photos napshots and Polaroid Land prints. Save money! Make money! Find out how.

Write now.

Complete sets with easy, step-by-step instructions from \$1.78 to \$29.98

JOHN	G.	MARS	HALL	MFG	CO.,	INC.	
Bent s					Banaklas		ai .

Marshall's New 1960 Coloring Manual \$.75

■ 1 box of Photo-Oil Color Pencils \$1.98

1 Learn to Color Set of Photo Oil Colors \$3.78
"Photo Oil Coloring for Fun or Profit" \$3.95
(a professional book)

FREE Color Chart

ADDRESS,

New Light Ends Harsh "Flash" Contrast!







At your dealers or write for new Sun-Ring story.

HERSHEY

A Division of Simpson Electric Company



SUN-RING

853 Dundee, Ave. • Elgin, Illinois

BEHIND THE SCENES

(Continued from page 45)

the side of their projector. It's synchronized sufficiently well, the makers claim, to deliver full lip synchronization. Advantage over 8mm film strip-



New 8mm sound system?

ing? Better sound and higher fidelity because of the wider tape.

This coupling of tape machine and projector isn't a new one. Siemens already has done it in 16mm. Don't hold your breath until it arrives here. No Siemens products have been officially imported for the amateur market since before World War II.

Zoom plus meter

Right after the first zoom lenses appeared built into 8mm movie cameras, enterprising lens makers introduced zoom lenses to convert older non-zooming cameras into up-to-date models. Then came the through-the-lens finder cameras—again lens makers gave us auxiliary lenses with similar finder systems. In like manner automatic exposure electric eye cameras were followed in short order with inter-



Zoom plus reflex plus meter.

changeable lens-meter units for those who refused to part with their older cameras.

Next in the build-up-your-owncamera line is a combination zoom lens with through-the-lens finder plus coupled exposure meter.

This unit, the Chinon 8mm Reflex Zoom lens, is not fully automatic. It uses a matched-needle setting system but the needle is conveniently visible right in the finder. Other details: f/1.8 maximum aperture, 10 to 30mm zoom range, ASA indexes 10 to 40.

Now how about a completely automatic camera body for those of us who want to keep our old lenses?

New Topcon SLR

A new Topcon R single-lens reflex will soon be announced by the maker, Tokyo Optical Co., Ltd. The new R model, which resembles the present C, retains all the well-known features and general body design but has a single non-rotating shutter-speed dial and provision for a clip-on exposure meter which couples to the shutter-speed dial.

Minolta enters 8mm

Minolta will enter the 8mm movie field with the Minolta Zoom 8, a fully automatic electric eye camera with a 10 to 30mm f/1.8 Rokkor lens, electric motor powered by four penlight cells



By radio control, too!

contained in the pistol grip. Interesting features: split-image rangefinder in the viewing system, provision for radio remote control.

Faster glass

y

't

e.

ß-

ed.

n-

ls.

er

118

er

X-

re

r-

ler

n-

us

lex

It

em

hle

1.8

om

to-

ho

HY

The old trend toward superfast lenses has not been completely discouraged by the introduction of faster color and black-and-white films. While waiting patiently for production of the Canon 50mm f/.095 rangefinder camera lens, we hear that Komura is adding an 85mm f/1.4 to their line for eye-level reflex cameras.

Color in 20 sec.?

Like to have full color pictures in less than a minute? Well, you can. It only takes a Kelvin & Hughes Rapid Processing Photographic Projector 20 seconds to deliver a perfectly dry transparency with the new Ilford Bi-Pac reversal recording film. Before you ditch your Polaroid Land camera and all your Kodachrome film, we should explain that the processing unit is sufficiently portable to carry around with you if you have your own good-sized pick-up truck. You may not be completely happy with the film either. Oh, its color is all right-red, white and green on a purple background. Before you try to decide what subjects you know are red, white and green and would look good against purple, we should explain that the film and processing unit are available only for cathode ray photography. The color does not represent the true color of the subject, but it's only color differentiation that's needed in cathode ray work. Still, someday. . . . H. K.



VITO·CL extends shore leave

Why Vito CL? So you can enjoy looking as you enjoy shooting. Big one-to-one viewfinder lets you shoot with both eyes open. Your mind is free of technical problems because exposure is set by coupled exposure meter. Fast, Voigtlander lens gets what you see, moving or still, indoors or out. Finger-tip shutter release smooths clicking action . . . avoids blurring due to camera movement. Has Voigtlander f/2.8 lens, shutter to 1/500. Vito CL is built to an expert's standards . . . priced to a sailor's pay.



\$72.95, manufacturer's suggested list price. See your dealer for his price.

VOIGTLANDER SINCE 1756

SOLE AMERICAN IMPORTER, H. A. BOHM & CO., 2814 W. PETERSON AVE., CHICAGO 45, ILL.





MAGNETICALLY PRE-STRIPED



KODACHROME FOR

The 8mm FAIRCHILD SOUND CAMERA

and any 8mm silent camera where sound is to be added later.

MAGNETICALLY PRE-STRIPED

PRICE LIST :: SERVICES

KODACHROME MAGNETICALLY PRE-STRIPED All Prices Include Processing

,		1 Roll	3 Rolls	6 Rolls
SO' Double 8mm KODACHROME TYPE AProc.	Incl.	\$11.00	\$27.00	\$52.80
* 50' Double 8mm KODACHROME DAYLIGHT _Proc.	Incl.	11.00	27.00	52.80
† 25' Double 8mm KODACHROME TYPE AProc.	Incl.	5.50	13.50	26.40
† 25' Double 8mm KODACHROME DAYLIGHT _Proc.		5.50	13.50	26.40

BLACK & WHITE FILM MAGNETICALLY PRE-STRIPED All Prices Include Processing

	1	Roll	3 Rolls	6 Rolls
*				
	KODAK HIGH SPEED REVERSAL (ASA-200).	6.60	\$10.00	\$31.bU
	50' Double Smm KODAK FINE GRAIN			
	REVERSAL (ASA-80)	6.60	16.00	31.60
+	25' Double 8mm KODAK HIGH SPEED	2 50	10.00	18.00
		3.30	10.00	10.00
. *	25' Double 8mm KODAK FINE GRAIN	2 50	10.00	19 00
	REVERSAL (ASA-80)	3.30	10.00	10.00
	Black & White Film may	pe bn	rchased, F	rocessing
	For Fairchild Camera			

For Fairchild Camera
Can be used in Fairchild Camera for shorter films or
in any silent 8mm Camera where sound is to be
added later. COMPARE WITH POST-STRIPING PRICES.

POST-STRIPING

20	E4	proc	62	3	"	4	THE	•	9	,		m	87	•		\$1.50
																2.75
																5.00
400	Ft.	Roll														9.00

Any Ismm Film, B. & W. or Color, Positive or Negative can be reduced to 8mm and Sound track added. If original has sound, sound will be added at time of printing, otherwise prints will be returned with stripe ready for sound to be added.

BLACK & WHITE REDUCTION PRINTS (16mm to 8mm)

.....per finished 8mm ft. \$ 0.075 COLOR REDUCTION PRINTS

(16mm to 8mm) \$ 0.10.....per finished 8mm ft.

FRESH FILM KODAK, BOXED, FACTORY FRESH

8mm	25' Double\$3.0	0 Roll
8mm	Mag. 25' Double	0 Roll
	Black & White Processing Included	
	201 D	Roll

8mm	25'	Do	uble	Tri-)	(ASA	200		Rol \$2.50
8mm	25'	Do	uble	Plus-	X AS	A 80		2.50
8mm	25'	Do	uble	Mag	. Tri-l	X or	Plus-X	3.00
100'	Bole	x 8	OF	16mm				7.50
						-		

All orders \$10.00 or more shipped prepaid

CINEMAGNETICS INC.

Roselle, III

Magnetic Sound Specialists
Inventors of the Magnetic Sound Camera

the MOVIE MAKER

by MYRON A. MATZKIN

Sound, Part II: How the human voice can be used to give your films a sense of reality and presence.



We're immersed in sound every minute of the day. Everything we see and touch has a sound of its own-a hammer striking a nail, a musical instrubeing ment played, an air-

plane in flight, a child taking a fall or the movement of someone's lips. A totally silent film has an unreal quality that makes us terribly conscious that what we see on the screen is nothing more than an illusion.

How much of all this sound do you need in your films? And how much can you use? The type of sound that most often springs to mind in connection with movies is the human voice, particularly the matching of speech with image that's known as lip-synchronization. Obviously, there's a tremendous sense of realism when people actually talk on the screen.

Right now, only one 8mm camera, the Fairchild Cinephonic, records both image and sound while you shoot (called single system). The sound is recorded on pre-striped film and is synced to lip movement.

Frankly, anything but single-system lip sync is bound to be fantastically difficult for the amateur. Exact postsynchronization-where sound and image are recorded separately-is extremely difficult and tedious.

You're not sunk without sync

However, you can achieve what appears to be but actually is not lipsynchronized sound. There are no technical difficulties: you merely need a tape recorder in addition to camera and 8 or 16mm magnetic sound projector. Image and sound are recorded separately, then joined on one strip of magnetically striped film. The impression of lip-sync will depend on what you shoot and record.

If you saw The Little Fugitive, a film by Morris Engel and Ruth Orkin, you

(Continued on page 50)

\$\$#\$\$\$#\$**#\$**\$\$\$\$\$\$\$\$ BEST RESULTS EVERY TIME! n 55 50 15 45 40 MODEL 168 ALL PURPOSE DARKROOM TIMER SYNCHRONOUS ACCURACY IN SECONDS for outomatic enlarger switching control... IN MINUTES for film processing. PLUS ALL THESE FEATURES IN ONE TIMER! Range from 1 second to 60 minutes in seconds . . . Giant 8" luminous dial . . . Automatic buzzer alarm . . . Bependable electric motor . . . Ideal for color film. SEE IT AT YOUR PHOTO DEALER TODAY! DIMCO-GRAY COMPANY DAYTON, OHIO

SOSON COOR CO What Has CADMIUM SULFIDE Got to Do with CONTROL IN ENLARGING?

Technicians know that enlarging exposure is the most difficult control problem in photography. You must measure spot areas of an image at extremely low light levels, with extreme accuracy. Then you must measure to match the density range of each negative to the proper paper contrast.

The camium sulfide photo conductive cell gives a means of meeting the problem. It is thousands of times as sensitive as other photo-electric devices. Some of the finest new cameras are using cadmium sulfide for exposure control. It is so sensitive that it can operate a signal light under an enlarger image without an amplifier! To this we've added our exclusive variable area mask which gives completely calibrated automatic readings for paper exposure, paper contrast, and direct density figures. Spot-O-Matic II actually outperforms elaborate easel densitometers selling for more than \$700.00! You can buy more knobs and hardware, but you can't buy greater accuracy—you can't buy as much convenience as in Spot-O-Meter II.

A word of caution: We use an RCA cadmium sulfide cell, hermetically sealed in glass and metal. RCA engineers tell us that unprotected cells, or cells encapsulated in plantic are certain to fall it inthe because even traces of humidity turn cadmium sulfide into a worthless salt!

End your enlarging exposure problems now—end them forever—with a Spot-O-Matic II. For black and white or color.



KINNARD co. 03 W. Nort

FULL ONE-YEAR GUARANTEE \$1850 COMPLETE

100-130 volts AC-DC

... Smallest, Complete Unit!

Use it anywhere in the world.

Power is supplied by sealed-in, permanent nickel-cadmium batteries or by 110V or 220V
AC, in U.S.A. or abroad. One overnight battery charge will store up enough power for more than 70 flashes . . . a full day's shooting.

... Easiest To Operate!

requires no filter.

Built-in exposure guide dial makes figuring unnecessary, shows correct lens setting instantly. Fast 1/1300 sec. fiash 'freezes' any action, even with slow shutters. Monojet SP delivers perfect light for all daylight color films,

... High Uniform



Light Output!
Unique all-transistor
monitor circuit re-

stores power after each flash in just 10 seconds to same full level as before. You are ready to shoot again as soon as the faintly audible hum stops and the signal light glows. Power input is 40 watt-seconds for a guide number of 32 with Kodachrome ASA 10 film.

... Save Money Each Shot!



No more flashbulbs or batteries to buy...ever. Your flash shots cost less than a penny for an entire roll of film! Complete with AC charger cord, dual mounting shoe bracket and PC shutter cord. Less than \$75.00.*


... Fits All Cameras!

You can mount it vertically or horizontally with the universal shoe bracket.



Either way, the special reflector gives wide angle 65° coverage, without hot spots. Monojet SP weighs less than 17 ounces, including batteries. There's no bulky handle, no separate power pack. Even the shutter cord is stored inside. You pull out the length you need.

Ultrablitz*
MONQET



YOUR DEALER WILL DETERMINE EXACT RETAIL PRICE IN YOUR AREA ALLIED IMPEX CORP., 369 PARK AVE. SO., NEW YORK 10 . CHICAGO 10 . DALLAS 7 . LOS ANGELES 16

You can fit more than 25 cameras with any 1 Kilfitt Basic Kilar

Minimum Cost, Maximum Versatility

Any Kilfitt Basic Kilar will fit the following cameras with a simple change of adapter or flange:

35-mm. still Alpa Canon* Consol* Contax* Edixa Reflex Exa¹ Exakta* Hexacon* Leica* Miranda Nikon Pentacon* Praktica Praktiflex* Praktina Rectaflex Topcon 21/4 x21/4 still Hasselblad 10005 16-mm. and 35-mm. movie Arriflex Bell & Howell Bolex Cine Kodak Special all C-mount cameras *also fits other brands with same type of lens mount unsurpassed quality superb definition unique design f/step preselector
 built-in lens shade • free test plate** * * provided with all 150, 300, 400 and 600-mm, Kilars

For more information, see your dealer or send 10c for booklet to address below.

Kiegitt

ELING PHOTO CORPORATION 257 PARK AVE. SOUTH, NEW YORK 10, N.Y.

MOVIE MAKER

(Continued from page 48)

may remember a scene showing a long shot of the little boy and his brother in which one calls the other. The sound seems to be synced, but actually it isn't. The characters are too far from the camera for you to actually see lip movement—but the suggestion that lips and sound are working together is quite effective.

Here's how you might use the same idea. Suppose you make a long shot of your youngster playing with some rather involved educational toy. At

MOVIE TIP OF THE MONTH: Since Kodachrome II is $2\frac{1}{2}$ X faster than regular Kodachrome there's much more danger of light streaking film edges when loading or unloading a roll film camera in bright sunlight. Either change film indoors or use a changing bag for complete safety. It takes a little practice to work by feel alone—but it's worth it in saved footage.

some other time you record his comments on what he's doing. Joining the two on magnetically striped film will provide a strong sense of realism to the footage.

Even scenes where there's no intention of implying that the words are synced can be effective. For example, you shoot footage of your child in his crib, just looking at his world. You've recorded some of the things he's said in the past few days. Joining the sound and image together provide a kind of stream-of-consciousness effect that delves into the baby's thoughts.


An excellent way of turning nonsync into what seems like sync is to use off-screen sound. For example, the image shows your wife in the kitchen, while the sound track has the baby's voice calling for his mother from another room. If you plan this type of shot, you can have your wife react to the baby's cry even though he's happily sleeping when you shoot.

Talking about the image

Commentary is another use of voice sound. Most often, commentary or description is used with documentary or travelogue films. But if used with restraint, it can be brought into most types of film to point out a missing fact or highlight the importance of an image that may not be overly strong.

For example, a shot of a tall building might be enhanced by telling the audience how many stories there are in the structure, the name of the building and what it's used for. On the other hand, it might be superfluous to point out that it's an office building, if people are shown hurrying in and out on a

(Continued on page 58)



WANTED. BLACK and WHITE PHOTOGRAPHS COLOR TRANSPARENCIES.

IDEALS—"America's most beautiful and wholesome publication," requires a continuing supply of high quality photographs.

Scenes needed include exterior and interior subjects—Christmas and Winter; Easter and Spring; Vacation and Summer; Harvest and Autumn. Pictures should contain the flavor of old-fashioned rural Americana. Children, floral arrangements, table top art, historic places, nature's wonders, animals, and art masterpieces are used also.

Black and white glossy prints 8 by 10 inches; color transparencies should be a minimum of 4 by 5 inches. For further information write:

EDITORIAL DEPARTMENT IDEALS PUBLISHING CO.

3510 West St. Paul Ave. Milwaukee 1, Wis.





"Swing-away" deers—just close with the touch of a finger and carry it away. This compact, rugged projector needs no carrying case. Remote control and power cord store inside projector.

New slide editor lets you insert, reposition, remove and resequence your slides instantly, even in the middle of a show!

Clare-free PANELES-CENT® lamp ends control fumbling. Single control panel puts automatic tray release, automatic reverse change, focus control and elevation control all at your finger tips!



Complete remete centrel with push-button focus, forward and reverse, and pointer light, 10-ft. cord, so you can relax with your audience.

Mest reliable slide-changing mechanism ever built! Changes slides in a split second and is jamproof, too! Keeps every slide in focus automatically! No more "popping!"

New "long-play" slide tray holds a full 60 slides! Lets you and your audie ence enjoy uninterrupted fun. New foolproof, spillproof design prevents jamming, handles your slides with loving care.

NEW ARGUS PROJECTOR RUNS FORWARD, REVERSE, AND FOCUSES BY REMOTE CONTROL...EXCLUSIVE "LONG-PLAY" TRAY HOLDS 60 COLOR SLIDES!

From Argus, the world's leading manufacturer of slide projectors, comes an entirely new concept! A projector so advanced, it brings new life, new color, new clarity to your slides, making your memories as fresh as yesterday. Feature for

feature, it tops any projector in its price class. See your Argus dealer for an eye-opening demonstration of the Electromatic 570. It's yours for less than \$140. See all the fine-crafted Argus projectors which start from less than \$30.



GENERAL TELEPHONE & ELECTRONICS
Argus Comeras, Inc., Ann Arbor, Michigan, U.S.A., Subsidiary of Sylvania Electric Products Inc.

QUALITY SO FINE . . . IT'S UNCONDITIONALLY GUARANTEED! Argus will repair the product without cost upon its prepaid return to the factory or its authorized repair service by the original owner within one year of the purchase date.

OPanelescent is a Sylvania pregistered trade mark



The MIRANDA 'Flexible System' of Lenses and Accessories

Miranda ... perfect choice as 'first' 35mm camera but also a camera that grows with your needs! Miranda offers the professional and advanced amateur a complete, up-to-date selection of fine lenses and accessories to augment his basic camera.

A big 'plus' feature of the Miranda System is an exclusive mount design that accepts over 135 lenses and accessories of almost all other 35mm cameras. Now you can 'step-up' to an ultra-modern Miranda and not have to lose your present investment in lenses and accessories.

Accessories Include: Waist Level Finder — Critical Magnifier — Split Prism Rangefinder—Single & Double Track Extension Bellows — Hellical Focusing Mount — Microscope Adapter — Flash Brackets — Extension Tube Sets — Lens Caps — Lens Cases.

Lenses Include: 28mm & 35mm f2.8 Automatic Wide Angle—50mm f1.9 & 58mm f1.5 Automatic Normal—85mm f1.8, 105mm f2.8, 135mm f2.8 & 135mm f3.5 Automatic Telephoto—205mm f4.5 & 400mm f5.5 Preset Telephoto.

THE WELL TRAVELED CAMERA

by the editors

Shooting color on your vacation, Part II: Accessories whose value is greater than their bulk.

In Part I—back in the July 1961 MODERN—I discussed what camera and film you should take on vacation. But it's also important for you to take just the right choice of small accessories. You can probably think of dozens that might be useful; however, I'm going to list here only the ones I think are a must. They are:

Skylight (1A), UV or haze filter: You can't see ultraviolet rays, but your color film does, translating them into visible blue. Insurance against pictures of landscapes, seascapes and aerial shots that are veiled by a bluish cast is to employ one of these filters to cut the UV out. The Skylight and UV also give improved rendition in open shade and on overcast days. No change in exposure is needed.

Polarizing filter: Useful in removing reflections from non-metallic objects. With reflections removed, many objects such as leaves, foliage, roofs of buildings reveal their own color fully, the result being color slides with higher color saturation. Polarizers are also useful to remove reflections from water, revealing detail below; and to darken a blue sky for dramatic effects. It's the only known filter that will penetrate mild visible haze in color work.

Neutral density filters: These enable you to use high-speed color at wider apertures to throw backgrounds out of focus, or to cut down the light when it is so bright you can't stop down far enough even though you're using your camera's highest shutter speed. N.D. filters are gray and don't change color rendition. The most useful densities are 2X, 4X and 8X.

Flash and electronic flash: With the advent of tiny AG-1 lamps there's hardly any excuse at all not to take along one of the diminutive guns made for these, and a supply of lamps. Blue AG-1B lamps are recommended for use with daylight films, indoors and for fill-in flash to soften shadows outdoors. White bulbs require no filter on Type F films; an 81C filter for Kodachrome Type A and High Speed Ektachrome Type B and an 81D for Super Anscochrome Tungsten Type. If you're not carrying too much equip-

ment already, seriously consider getting one of the new, small yet powerful strobe units.

Tripods: For interior time exposures, for close-ups, for maximum depth of field with small apertures and slow shutter speeds, and for really sharp color slides, a tripod is generally a must. It's not necessary to take a heavy studio model, but at the same time don't waste your money on a flimsy job to save weight. If you only have occasional use for a support, it might be a good idea to invest in a light, compact device such as a Linhof Clampod, Heiland Fotoclamp, Kodak Flexiclamp or Rowi Clamp. These attach to a chair, fence, table, door or any other similar support.

Exposure meter: When shooting under familiar circumstances you may be able to rely on experience. But abroad, lighting conditions may be quite different from what you encounter at home. Whenever in doubt,

IN NEXT MONTH'S MODERN

It's time for the annual Used Camera Buying Guide, which this year is far bigger than ever before.

bracket your exposures on important shots, making one shot at the metered exposure, one at ½ stop less one at ½ stop more for Kodachrome, and with a 1-stop variance for other color films.

Gadget bags: I prefer the "pro" type of gadget bag, which not only has a shoulder strap but a handle as well, thus letting you take the load off your shoulder when you want to. I always take two bags. One is a large bag which holds all my cameras, lenses and important accessories. The other smaller bag is used to take along only the things I actually need for a particular shooting session. The balance of the equipment I check with the hotel management.

Changing bag: Should the end of an important roll of 35mm film come off the spool, a changing bag will save your pictures. It can also be used to load film holders, remove and replace

(Continued on page 58)

Ohthat MIRANDA!



Miranda 'AUTOMEX'
Same fine features as 'D,'
plus Built-In, Cross-Coupled Light Meter; Fully
Automatic, f1.9 Miranda
Soligor Lens; Speeds to
1/1000 Sec. Less than
\$300.00*



Miranda 'D'

With fully automatic 50mm f1.9 Miranda-Soligor lens; Instant Return Mirror; Pentaprism Finder; Full Synch. Shutter, 1 sec. to 1/500 sec. Less than \$160.00*. With f2.8 Preset Lens less than \$120.00*

Miranda Accessories include a full selection of Wide Angle and Telephoto Lenses from 28mm f2.8 to 400mm f5.5: Bellows Extensions; Waist Level Finder; Microscope Adapter; Extension Tubes; and Lens Adapters for most Interchangeable 35mm Lenses and Accessories.

*Your dealer will give you the exact retail price in your area.

ALLIED IMPEX CORP. 300 PARK AVE. SO. NEW YORK CITY 10 CHICAGO 10, DALLAS 7 LOS ANGELES 16

MIRANDA CAMERA CO., LTD. TAICO BLDG. 31-CHOME, EDOBASHI, NIHONBASHI, CHUO-KU, TOKYO, JAPAN





Play The Favorite!

Favorite! Bet on a sure thing ... the certainty that whatever the odds, under all conditions ... Miranda is the Winner! Naturally, it's the world's champion automatic single-lens reflex, outclassing them all!

Ultra BY JOSEPH D. COOPER



More about shooting close-ups: specific techniques for flowers, architecture, copying.



In last month's column, I discussed the techniques for close-up work with ultraminiature cameras in general, covering the closest working distances, framing, parallax, depth of field and

sharpness. Here I would like to deal more specifically with several of the subjects which you will be shooting in close-up.

Flowers: Distracting backgrounds are one of the main problems encoun-

tered when photographing flowers in the field. The disorganized mass of other flowers, stems, grasses, etc. in the background distracts from the main subject unless kept completely out of focus by a wide aperture. The simplest solution is to place a cardboard or piece of stiff paper immediately behind the flower you plan to shoot. Choose a color (if you are working in color) or a tone (if you are working in black-and-white) which will contrast with the flower.

For complete isolation


If you want to eliminate all traces of texture or detail in the background, have a friend move the cardboard while you make the exposure. You will have to use a time exposure in order to do this, which means that you must have the camera resting on some kind of solid support or else use a tripod.

Dramatic effects can often be obtained by shooting flowers by backlight. The petals will appear delicate and translucent, and the texture of the veins will be apparent.

Architectural details: When shooting such subjects as an ornately carved door, take care that the camera is parallel to the subject. If you shoot at an angle from a close distance, part of the subject will probably be out of focus even if you are using an extremely small aperture. Sidelight is best to emphasize texture and design; but if the light is very harsh and contrasty, you will find a reflector useful to cast some illumination back into the shadows.

Copying: When photographing documents, coins, or any other small objects which can be placed on a horizontal surface, the easiest and most dependable method is to use one of the special stands available for this purpose. The Minox copying stand includes a camera holder and four sets of legs. You vary the length of the legs, and the camera-to-subject distance, by screwing on extensions. If you are photographing flat copy, set focus as indicated by the length of the leg extensions. If the surface of the subject is not level with the base, measure the actual distance from camera to subject with a tape measure, and set focus accordingly. A spe-

(Continued on page 66)





Your SIMMON OMEGA dealer is offering

UP TO \$100

for your old enlarger (regardless of make, model or condition)

towards this new

SIMMON AUTOmega

AUTOMATIC FOGUSING ENLARGER

A once-in-a-lifetime opportunity for you to modernize your darkroom, trading in whatever enlarger you own towards the OMEGA enlarger you have been dreaming about! Switch to autofocus...facilitate composition, reduce eye strain, cut darkroom fatigue. Pays for itself in no time! Start enjoying all the advantages of the completely coordinated OMEGA system of accessories at once! Your dealer will be generous with an unusual opportunity for savings which ends November 30th, 1961.



Get complete details from your franchised SIMMON OMEGA dealer today or fill in the coupon for complete information and a trade-inestimate.

SIMMON OMEGA, INC. 257 Park Avenue South, N.Y. 10, N.Y.



SIMMON OMEGA Inc.	257	Park Av	e. South	New	York	10,	N.Y.
	Den	MP.1	1				

Gentlemer

- Have your nearest participating Omega dealer make me a trade-in offer on the following equipment:
- ☐ Rush to me FREE 4-pg. detailed trade-in folder with interesting story of Simmon history.
- Send me complete 18-pg. enlarger manual, fully illustrated with accessory systems and magnification charts.

Name

Address

City ..

State

OMEGA-SOLD THE WORLD OVER

Proven rock-steady cantilever design

ice of 6 inousings g CHROmega



The most complete system of sub-mimiature photography

A solid ultraminiature camera taking 16mm either single or double perforated film. Lens: 20mm f/3.5 Mirar coated, color corrected, clickstops to f/16. Focusing to 1½ ft. Optical view-finder. Shutterspeeds ½ to 1/400 plus B. Synchronized for flash. Film advance and shutter-cocking operated by slide. Double expo-



For film supplies and processing contact: Panoram Film Labs., Inc. Mikroma Film Div. 1190 Sixth Ave., New York City 36, N. Y.

Camera attractively priced at less than \$38.00 including case. See your own photo dealer or write for further information to:

U.S. Importer
E. Fischel, Jr., Inc.
505 Fifth Avenue, New York 17, N.Y.

Make Your Own Land Camera

When we have it to the ears with zoom lenses, rapid sequence cameras and super automatic 35s, we often sit around and mentally redesign Dr. Edwin H. Land's cameras for him. Among our fond desires has been a smaller, pocketable Polaroid Land camera with a good lens and shutter. There is available a small pocketable Polaroid-Land 80a camera producing 8 2½ x 3½ pictures on a roll of Polaroid-Land film. However, by any standards, its lens and shutter are rather basic. The 100mm f/8.8 lens aperture controls are coupled to the shutter speeds (1/25 to 1/100) and you must select an EVS pairing.

Maynard Frank Wolfe, one of our favorite contributors and a man of action, took the matter in hand. He noted that there were many good used 101mm f/4.5 Kodak Anastigmat Special lenses in synced Supermatic 1 to 1/400 sec. shutters on dealers' shelves. These had originally been on various Kodak Tourist 2½ x 3½ roll film cameras. He purchased one for \$20, and for \$18 he had a repairman mount and align it to a used \$25 80a camera body with a broken shutter. Presto, he had a Polaroid Land 80a Wolfe Special.

But what's it for?

Now you might wonder why anyone would go to so much trouble. Aside from the excellent pictures the camera takes, it can be employed as a testing instrument for shooting color film in all types of light including electronic flash. Wolfe uses the Polaroid Land film with an exposure index of 400. By fastening an N.D. filter with a factor of 8 over the camera lens he, in effect, reduces the film's index to 50, the equivalent of Ektachrome E-3. For Kodachrome (E.I. 10) a filter factor of 40 should be used (400 ÷ 40 = E.I. 10). Both Kodak and Tiffen make a complete line of N.D. filters. Incidentally, when you can't get a filter with the right factor, you can use two and multiply the factors together (for instance, nobody makes a N.D. filter with a factor of 40, but, you simply use a combination of a 4X and 10X).

By using the right N.D. filter, you have a first-class test camera which will tell you instantly whether your color shots will be under- or overexposed. If you get a bad Polaroid print, you adjust and reshoot until exposure is correct. The cost of a single shot of the 80a is only 23¢, far less than the cost of wrecking a whole roll of color.—H.K.





439.00

Electronic Flash

With Lifetime Flashtube! No More Flashbulbs to Buy! Exclusive Power Pack Handle!

The Walz Autoflash V combines the exactitude that professionals look for with a reasonable price. Here's an all-in-one compact unit that converts to AC with an optional adapter. Comes complete with Power Pack!

AC Adapter

\$5.95

Nove

U.S. PHOTO SUPPLY CO., INC. 6478 Sligo Mill Road, Washington, D. C.

WORLD'S FINEST ENLARGING LENSES



WITH THE WORLD'S FINEST ENLARGERS!

Even if you have perfect negatives, it takes the combination of a fine enlarger and a fine enlarging lens to produce truly fine enlargements . . . the kind with superb contrast, brilliance and a wealth of details . . . the kind which will do your negatives full justice. So when ordering your fine enlarger, take the final forward step and be sure to specify the finest in enlarging lenses . . . Componen for super critical work, or Componar for high quality at a budget price. Your dealer will gladly supply them in focal lengths and speeds to suit your needs. See him now, or write for literature.

Schneider LENSES... Classics of Optical Precision

Made in West Germany by the World's foremost Optical Craftsmen. U.S. Distributor: BURLEIGH BROOKS, Inc. • 10 West 46th Street, New York 36, N. Y.

CHICAGO — 624 South Dearborn Street • LOS ANGELES — 7310 Melrose Avenue

MOVIE MAKER

(Continued from page 50)

busy weekday morning or afternoon. Most important, a voice commentary or background can set a mood. This is done with extremely good effect in The Black Cat, a short film based on Edgar Allen Poe's story. The film employs still pictures done in water colors to supply the image. A voice simply recites the story of the black cat. Never does it intrude on the image or become more important than what's on the screen. Rather, the voice in the background serves to accentuate each scene, making it stronger and more believable. At the same time, it supplies a continuity that might not be obvious from the pictures alone.

We've talked only about the human voice on sound tracks this month. Next month we'll discuss music backgrounds, special sound effects, and how you can record your own sound in the field using comparatively lowpriced battery-powered tape recorders. THE END

News from the mysterious east 'Getting into a close connection with Poraloid Rand Co., Yashica Co. Ltd., is going to produce Poraloid camera in Japan starting this year."-From Photo Trade of Japan #19, 1961.

WELL TRAVELED CAMERA

(Continued from page 52)

partially exposed rolls of film, and load developing tanks for spot-check processing.

Miscellaneous: A small flashlight will enable you to see camera markings. There's nothing more exasperating than to be without a cable release, case retaining screw, or the screw that holds camera to a flash bracket. Play it safe and take extras along. Last but not least, check with your travel agent, or the consulate of the country you intend to visit, about regulations regarding the number of cameras and rolls of film you can take along.

Kodak's and Ansco's fine data books contain lots of helpful information on exposing color film under a variety of indoor and outdoor picture taking situations. Recommended reading includes: Kodak's Vacation Europe With Your Color Camera; Vacation Caribbean With Your Color Camera; Vacation South of the Border With Your Color Camera; Adventures in Outdoor Color Slides; Adventures in Indoor Color Slides, all at 50c; Vacation U.S.A. With Your Color Camera at 75c; and Ansco's 50c booklet Color Fun With Anscochrome and Super Anscochrome Films.—NORMAN ROTHSCHILD



SEE THE STARFIRE AND POLARIS NOW

... at these and other Optics Dealers

ALABAMA

Birmingham Lollar's Photofinishing and Supplies

Opelika Shell's Photo Supply

ARIZONA Flagstaff Berger's Photo Supply

Card-& Camera Corral ison's Camera

Tempe Pinneer Camera Shop

CALIFORNIA Alhambra
Jerry's Camera
Anaheim
Bob's Camera Shop
Bakersfield
Henley's Photo Shop
Towne Photo Supply, Inc. erkeley amera Shop Beverly Hills
Camera Exchange of
Beverly Hills
Jordan Hime Co. ena Park Ison's Photo Service

Calexico Lux Sa de C.V. Chula Visto Chula Vista Photo Winstead Brothers

instead Brothers wney estone Camera Center El Cair ongs Drug instead Brothers

El Monte Anderson Photo Encine Camera Corral Escendido 1 ı

condido ailey's Photo Supply ı Gane, Exeter Warner Walker

ı Ivwood Studio Fullerton

Roy's Photo Garden Grove Glendale Gayson's Camera Granada Hills Camera Exchange of Granada Hills

Imperial Beach Imperial Camera Inglewood Kissam Pho Long Beach Winstead B

Los Angeles
Austin Camera
Bel Air Camera
Bob Gamble's Photo
Henry's Camera
Earl V. Lewis Co.
Schaeffer Photo W. Los Angeles Westwood Photo

Merced
Valley Drug Co.
Montebelle
Sid's Camera
National City
Montgomery Wards Norwalk Norwalk Camera

Pale Alte The Camera Shop

Riverside
Sirk's Camera
Socramente
McCurry Co.
San Bernardine
Al Hancock Camera
Son Diege
Ciliford's Somera
Ciliford's Somera
Ciliford's Somera
Ciliford's Comp.
Longs Drugs
May Co.
Nelson Photo
Junimart Inc.
Winstead Bros.
San Frencisce
Arteraft Camera
Al Bass Inc.
Brook's Camera
Bill Goldfinger

Hobby Center Schaefer's Camera Schaefer's Ca Son Jose Webb's Photo Son Leandre Garner's Cam Son Mateo Foreman's

San Rarger
Camera Center
Santa Ana
Campbell's Photo
Santa Barbara
Anderson Photo
Westen's Camera Weaver's Camera Sente Monical Carles Carlson's Photo Stewart's Photo Studio City Studio City Camera

Sunnyvale Coillot Camera Shop Temple City Temple City Sports & Photo

COLORADO

Denver Irving's Camera Haanstad's Camera Fishback's Inc.

CONNECTICUT Hamden Benzels Pharmacy Hartferd Morris J. Rozinsky New Milford The Simpson Studio Norwich Norwich Camera

Riverside Caldor of Greenwich Unionville Phoenix Stores, Inc. Wethersfield Modern Photo Service Winsted Eddies Photo Center

DISTRICT OF COLUMBIA

Washington Bakers Photo Supply, Inc. Fuller and Dialbert Hauss Jewelers Sommers Camera Exchange, Inc.

FLORIDA

Miami Gilpins Camera Store Miami Beach Enfields Camera Shop West Hollywood Grand Way Stores ns Camera Center Silver Springs Mozert Studio

GEORGIA

Ace Camera Store G.E.X. Camera Dept. Sidmar Discount Center Star Photo

HAWAII

rn Camera Center okiya Camera orhouse Photo Co.

ILLINOIS

s Camera Store

on gler's hite 's Camera Shop

LOUISIANA

New Orleans Cameras, Inc. MARYLAND

Easton The Hobby Horse

MASSACHUSETTS

Boston Smiths Photo Brookline Jon Allen Melrose Hugo's Appliance vere rcade Bazaar

Mexicali BajaCal. Lux S.A. de C.V. Foto Venus

NEW JERSEY

Atlantic City Garwood Mills Bloomfield Bloomfield C C Daily Photo & Industrial Supply Co. Allez Jewelry Store Wildwood Taylor's Photo Shop

NEW YORK

Binghamton Tuthills Photo Center, Inc. Bronx Sterling Howard Brooklyn
Ideal Photo Service
Potters
Buffale Buffale Haefner Photo Plaza Camera Eim nire Heights Indid Photo Serv Endicott Chromart Camera Shop J. G. Photo Lockport Jay's Camera Massac mbine Came Stores, Inc.

Combine Lamera
Stores, Inc.
New Yerk
Camera Craft
Eastern Camera Store
Empire State Photo Shop
Haber and Fink
Hampton Sales Company
Jaybee Photo Service
Joeli Gifts, Inc.
Peerless mera
Sheridan Imports
Statler Gift Center
United Camera
Wall St. Camera
Warbucks Beau Photo rks and Fuller, Inc. Reales State Photo Shop Syrecuse J. D. Camera & Leather Co. Ra-Lin Wilson Jewelers, Inc.

Tarrytown Tarrytown Camera Shop

NORTH CAROLINA Charlotte W. I. Vannegg Greensbore Carolina Camera Center

OKLAHOMA

Edmond Sander's Camera Shop Oklohomo City Reeves Camera Store

OREGON

Bend Bradis Thriftwise Drug Medierd Brainerd's Camera Pendleten The Town Shop Pertland J. K. Kida Co.

Meier & Frank Co. Sandy's Camera Semier's Sporting Goods Roseburg The Photo Lab Solem Mc Ewan Photo Shop

PENNSYLVANIA

Allentown
Classic Photo Lab
Commercial and Home
George E. Phillipä William F. Gable Co., Inc. Ambler Howard Camera Shop Doylestown Milton Rutherford

Ephrala Seidels Photo Service Harrisburg Sears Roebuck and Co. Lancaster Jaffae Cinefoto Corp. Lonsdale Camera Shop Lewistown Triangle Photo Service

Levittown Pomeroys Incorporated Lititz B. L. Sharp o. L. onarp Middletown Middletown Mdse. Mart Milton

eitzer Studio and Camera Shop Camera Shop
New Kensington
Huttinger Photo
Philadelphio
Basco Jewelers, Inc.
Camera Shop, Inc.
Kosmins Camera
Exchange, Inc.
Malena Co.
Rosenfield Photo Supply
Pittsburgh

Pittsburgh
Eiben and Irr
Kadet Photo Supply Co.
Quakerlown
Longs Camera and ngs Camera and Photo Shop

Rochester McGlincy Camera Shop Scranton Photo Shop Straudsburg Straudsburg Foto Shop Wilkes-Barre WIIRES-BOITE
Fowler Dick and Walker
Hurjax Photo

RHODE ISLAND

Providence United Camera Exchange, Inc.

TEXAS

Plains Camera Shop

UTAH

Salt Lake City Standard Sales Co. Sun Photo White & Co. Zinik's Sporting Goods

Winchester Grand Music Center

WASHINGTON

Clarksten Wasem's Inc. Longview Camera Shop Seattle Seattle
The Bon Marche
Glazer's Camera
Magnolia Camer
Tall's Camera Spokene Bon Marche Tocoma Harold Meyer Camera Walla Walla

WEST VIRGINIA

rksburg Photo, Inc.

WISCONSIN

YES SIR! YOU CAN TAKE OVER 100 FLASH SHOTS OF ME WITH ONLY 1 CHARGE...



SONY



NEW PARALLEL PARALLEL RECORDING

262-SL 4 TRACK RECORDER **4 & 2 TRACK STEREO PLAYBACK**

The perfect aid for language and music students. Record on one track, rewind and record on the second track while listening to the first...then playback both tracks simultaneously for parallel comparison.

Language students can perfect pronunciation, music students can sit in or sing with accompaniments, big bands and symphonies. All these features plus the double tape saving economy of new four track recording.

The 262-SL, manufactured by worldfamous Sony, is self-contained, complete with portable case, earphone, monitor speaker, model F-7 Dynamic Microphone and connecting leads for stereo playback: \$199.50

Other Sony recorders include the dual track transistorized monophonic bantam at \$99.50, the 4 and 2 track transport at \$89.50; the Sterecorder 300 at \$399.50. The remarkable pocket-size Sony wireless microphone for cable-free communication, with transmitter and receiver: \$250. For literature or nearest dealer, write Superscope, Inc., Dept. A, Sun Valley,

*TM



Tapeway to Stereo

PICTURES IN A MOMENT

(Continued from page 18)



7. Close inner back over leader. Pull leader gently until stars and line (arrow) are visible next to roller.



8. Carry leader over to other side of camera, lay it between guides (A). Don't break positive roll seal (B).



9. With base of left thumb, slowly close outer back over leader; close back lock with right hand.



10. Firmly grasp leader between thumb and folded fingers. Don't use just fingertips; hold it solidly.



11. Hold camera at angle shown and pull leader straight out about 15 in. until film hits stop. Look under cutter bar and you should see "STOP. Picture Number 1 ready to take." Close cutter bar and tear off leader.—THE END



CAMERA with

16mm REFLEX

TRADE

Variable Shutter BRAND NEW LATEST

BOLEX B8-1 20/20 COMPUMATIC

BOLEX ZOOM 70, 100 & 85: F2 For 16m

TRADE

MORI

FI.9 Auto

OIGTLA

OMAFLE

KOMAFLE 65mm F2.8 ZEISS CO F2.8 Tessa PETRI PEN image R.F MAMIYA 90mm F2.8 MINOLTA 50mm F1.8 MINOLTA F2.Auto R

Somm F1.8 NIKON F Somm F1.4 CANONFL

FI.S Auto EXA II F2 Auto V EXA MX

F2.9 PS P

RAKTINA

PRAKTICA
F2.8 Auto
LEICA TITIC
50mm F3.5
LEICA TITIC
50mm F1.5
LEICA TITIC
50mm F1.5
LEICA TITIC
50mm F1.5

NIKON S-Z FI.4 Nikkor CANON VI FI.8 CANON F FI.8 CANON F

FZ.8 XENO

ALPA VII Somm Fi.8 EXAKTA VI Somm F2 A

Simm F2.8

CONTAFLEX SUPER

your Contaffex III your Contaffex II your Retina Reflex S your Retina IIIC

MIRANDA AUTOMEX

EUMIG C-5 TOOM SOUND REFLEX



RETINA REFLEX III



Plus yeu Retina Reflex S

8850

EXAKT/ IIA



TRADE YOUR CAMERA!



ALL IN STOCK 58mm F1.4 85-250mm Auto Nikker Zoom Nikke TRADE YOUR LENSES

WHAT DO YOU NEED? WHAT DO YOU HAVE? TRADE IT AT WALL ST. CAMERA EXCH

NEW YORK 5, N. Y.

COMPARE FOR YOURSELF!

Compare with origin mfgrs' list prices. Cor pare with other ''sale prices. See what you say at Wall St. Cameral

Quantities on some iten Limited! Please add est mated postage — exce-refunded.

FOLLOWING CAMERAS SOLD 1695 ONLY WITH LEATHER EVEREADY CASE, & BC FLASHGUN, ADD....

BRAND NEW LATEST 1961 REFLEX



E

0

0

WT.

C2

ona

year 3.51

RA!

ON

()mm (ikker

SES AVE?

H.

N. Y.

Wall St. Priced 0 50 WITH F2.8 XENAR LENS

Retina Reflex III with 50mm F1.9 169.50 Xenon Lens_ 169.50

MORE SELECTED VALUES ALL FAMOUS BRANDS

ALL TAMOUS BK	
MIRANDA D, PENTA PRISM	10F 00
FI.9 Auto Soligor, New	<u> 1 UD.UU</u>
MIRANDA AUTOMEX 50mm FI.9 AUTO SOLIGOR, NEW VOIGTLANDER BESSAMATIC	209.50
VOIGTLANDER BESSAMATIC	
F2.8 Skopar, Used	.118.50
VOIGTLANDER BESSAMATIC F2.8 Skopar, Used KOMAFLEX S, S.L.R. REFLEX	AL EO
COMM FZ.0 INE VY	. 70.50
KOMAFLEX S, S.L.R. REFLEX dentin F2.8 NEW ZEISS CONTAREX, Special F2.8 Tessar, Used PETRI PENTA V with double split made B & FOrum S Auto NEW	249.50
PETRI PENTA V with double split	- Get Our
MAMIYA "PRO" C 80mm F2.8 Lens, Used	90 E0
80mm F2.8 Lens, Used	77.50
MINOLTA SR-3 50mm Fi.8 Auto Rokkor, New	149.50
MINOLTA SR-I	Get Our
F2 Auto Rokkor, NEW	Low Price
Somm Fi.8 Auto Topcor, Used	140 FO
50mm FI.8 Auto Topcor, Used	147.30
Sham El 4 Auto Nikkos Ilaad	269.50
NIKON F Semm FI.4 Auto Nikkor, Used CANONFLEX	140.00
FI.8 Auto Canon, Used	169.50
EXA II	90 F0
F2 Auto Westagon, New	87.50
F2.9 P.S. Preset Meritar, New	34.95
F28 Auto Tessar, NEW	99.50
F2.3 Auto Westenár, NEW	20.30
Somm F3.5 Elmar, USED	79.50
LEICA TITG	700 FO
Somm FI.5 Summarit, USED	189.50
LEICA III F	100 E0
FZ Summitar, USED	107.50
FI.4 Nikkor, USED	118.50
FI.8 Canon, NEW	.169.50
CANON F	120 EA
FIS CANON, NEW	137.30
F2.8 XENOTAR, USED	159.50
ALPA VII	7.50
Simm FIR SWITAR LISED	169.50
SAME PE AUTO BIOTAR, USED	120 EA
EXARTA VX	. 137.30
Somm F2.8 Tessar, USED	

Following Yashica still cameras sold only 1 695 with leather Eveready carrying case 4 50 1 695

YASHICA PENTAMATIC

35mm S.L.R. Camer WITH SSMM F1.8 AUTOMATIC LENS

YASHICA MAT LM, F3.5, Meter_83.50 YASHICA A ___24.50 YASHICA LYNX, F1.9, Meter___59.50

OUR LOWEST PRICE EVER! $\mathbf{0}$ $\mathbf{0}$ 50**BRAND-NEW**

---34.95 YASHICA Smm SE 8995 PISTOL Grip for 8

4885 BRAND NEW

WAIST CAMERA & LEVEL FINDER (No Lens) NEW LENSES AND ACCESSORIES

Smm 72.8 Fiektagon automatic.

Smm 72.0 Richtagon automatic.

Smm 71.5 Quinon automatic.

Smm 71.5 Quinon automatic.

Smm 71.5 Biotar preset

Smm 71.5 Travenar semi-autom

Smm 71.5 Travenar semi-autom

Smm 72.5 Trave ...22.50

...49.50 owing DeJur Cameras sold only with the eveready carrying case and folding flashgun, ADD.

DeJUR PETRI EBN (Electric F1.9 DEJUR DEKON SR MOST COMPACT 35mm SINGLE LENS REFLEX



5695 BRAND NEW
Electric eye—coupled to
diaphragm & Brilliant Green
Tinted Range-View-Rinder o
SOmm F1.9 CTD. Orritor
Razor Sharp Lens o Speeds

Wall St. Price

Price
BRAND NEW

SOMM F2.8 AUTO LENS
SPEEDS 1-1/500
FRESNEL PENTA PRISM
FOCUSES to 24° SELF
TIMER & RAPID FILM
WIND
Avigon wide angle a
tele auxiliary lens set,
with
Case 24.95

PRAND ULTRABLITZ METEOR II ELECTRONIC FLASH WALL SE 6450

fonojet II Jamera bracket, A.C. tharging cord & camera connecting cord, ADD. 6.95 4x5 CROWN GRAPHIC SPECIAL OUTFIT



4x5 SUPER GRAPHIC

135mm F4.7 Optar #2 Full 29950 Synch Shutter 4x5 SPEED GRAPHIC 1000

Well St. 19950
Price MAT YOU GET:
135mm F4.7 Xonar Lens
Compur Full M-X Synch Shutter
Grafic 2 Cell Flashgun
Flash Bracket
Synchro Coul Conf 135mm F4.5 Optar 1/1000 28950 Sec. Shutter

MINOLTA SR-1 OUTFIT Wall St. Priced 159⁵⁰

SPECIAL PURCHASE! nm F3.5 Auto Rokker 69 50 BRANE NEW 101-TA Right Apple Finder

Telegrate Less
NOLTA Right Angle FinderNOLTA Magnifier Foc. Eyep
NOLTA -Leica Lens Adapter
NOLTA Sellow Filter
NOLTA Yellow Filter
NOLTA Red Filter
NOLTA Soft Carrying CaseNOLTA Soft Carrying Case-

PRAKTICA FX-3 Outfit

950 WALL ST.

MERE'S WMAT YOU GET!

• Brand new Automatic Praktics FX-3

• Optical Waist Level & Sports Finder

• SOmm F2.8 Auto. Westeriar Lens

• B.C. Flashgun

• Loather Case

• 135mm F2.8 P.S. Sonnagar Lens

• Extension Tube Set for Glose-ups

Above outfit available with 50mm F2.8
Automatic Tessar or 50mm F2 9.50
Auto Westagon Lens, Add 200 2018 Eye Level Penta Frism 19.50
Finder for Praktica FX2 & FX3. 19.50

Finder for Praktica PK2 & FA3

Smm F2.8 AUTO
WESTRON Wide Angle

135mm F3.5 AUTO
WELEPHOTO

TELEPHOTO

Fits Praktick
Perface F. Fits
Belland Perface
Perface F. Fits
Belland F

Following Contaffex Cameras sold only w/leather Eveready carrying 16.95 case & BC Flashgun, ADD...

CONTAFLEX SUPER With S0mm F2.8 Auto Zeiss Tessar Lens



129⁵⁰

NEW ENLARGERS
Ourst R.303 (35mm) 39.56
Durst 404 99.50
Durst 606 (214x214) 79.50
Durst 606 (214x214) 47.50
Demus 0x6 (214x214) 47.50
Demus 0x6 (214x214) 47.50
United Control of the Contr

OUTFIT



ERE'S WHAT YOU GET:

VXXIIA Campra
NEW Somm F1.5 Westrocolor Auto Iens
NEW Eye Level Penta Priser
NEW Rangefinder Insert
NEW Somm F7.5 Astronar Tele Iens
NEW Strangion T0.6 Set
NEW 460mm F7.5 Astronar Tele Iens
NEW Strangion T0.6 Set


\$3950



OUTFIT Wall St. Priced

7950

50mm F2.8 Auto Meyer instead of Isconar, ADD____ 14.50



HERE'S WHAT YOU GET:

• F3.5 preset lens

• Speeds 1/5.1 SOO sech.

• Interchangeable lenses

• E.C. Flash • Leather Everodely Ct

• Kailgar Auxiliary Wide Angle Lens


Kailgar Auxiliary Genbrob Lens

RETINA IIIC WALL ST. PRICED

13950

"SHOP AND SWAP CAMERA CENTER"

☐ I WANT TO BUY. Rush full details on




I WANT	TO	TRADE.	Rush	best	offer	for	my	******
		***********	*******		22020000		*****	******

NAME. ADDRESS.

CITY.... ZONE STATE. ☐ Send free copy of Wall Street Camera News! All our merchandise fully guaranteed 1 year against me-chanical or optical defects for free repair. 20 day return arilylees on mail orders. COB orders require 10% deposit. STORE HOURS, MON.-FRI. 9-6, CLOSED SATURDAY

L ST. Camera Exchange

120 WALL ST., NEW YORK 5, NEW YORK WHitehall 4-0001





BOTH SHOT WITH A SUN GUN MOVIE LIGHT

Here's the powerful little movie light that makes it easy to take great movies indoors. How great? Bryna Productions relied on SUN GUN Movie Lights to shoot their Technicolor epic, Spartacus, released by Universal-International. How easy? Take a look at it — you can see it's the simplest, most compact home movie light ever developed. Yet it does everything a multiple light bar does and does it better. Before you shoot your next reel of home movies, shoot down to your dealer's and get a SUN GUN Movie Light by Sylvania.

.....

Sylvania Lighting Products, Division of Sylvania Electric Products Inc., 1740 Broadway, New York 19, N.Y.

SYLVANIA


SUBSIDIARY OF

GENERAL TELEPHONE & ELECTRONICS



Sylvania

Good News! A MINOLTA quality camera with cross-coupled **AUTOMATION**



Now at last you can have a Minolta quality camera with practical follow-pointer automation.

Its built-in sensitive meter sets exposure for you. Just line up on pointer and shoot! And because it's a Minolta – you're sure that every picture you take will be exposure-perfect, every time.

But automation isn't all this fine camera gives you. Its lens is a fast and fabulous Rokkor f/2—and as you know Rokkor lenses are among the very finest.

In addition the Minolta AL gives you an action-

very finest.


In addition the Minolta AL gives you an actionstopping 1/1000 second shutter; a self-timer; automatic parallax correction; and a host of other
advanced features that make this camera all you could want in convenience, quality and value.

For further information see your dealer, or write to:



This fabulous-value, low priced camera with f/2.8 Rokkor lens, 1/1000 second shutter automatic parallax correction, and much more, is now available in limited quantities. You can't buy a better camera at the price.

CORPORATION 200 PARK AVENUE SOUTH, NEW YORK 3, N.Y.



PROFESSIONALS DOI

TAKE CHANCES

AND NEITHER SHOULD YOU!

Sure! There are times to experiment, times to gamble with less than the best. But, buying photo flash batteries isn't one of the times. That's when you want to be sure...sure of getting the shot that may never happen again.

That's the reason why year after year BRIGHT STAR PHOTO FLASH BATTERIES have been preferred by professionals.

The first photo flash battery was Bright Star and Bright Star is still first...first in quality, first in performance and first with all flash users.

All Sizes, All Types-Round, BC, Electronic





RIGHTSTAR PHOTO FLASH BATTERIES

"THE QUALITY LINE SINCE 1909"

LARGE camera

BY ANDREAS FEININGER Staff Photographer For Life Magazine

"Life" photographers and large cameras, Part I: An interview with Eliot Elisofon.



Again and again, people ask me which camera is most popular with Life photographers. To answer this question, I interviewed several photographers and asked them what cameras they owned,

which they used most, and when and why. My survey showed that the majority (85%) of all Life photographs, black-and-white and color, are taken with 35mm cameras, with Leica and Nikon leading and Pentax a good second; 10% of all pictures are taken on 2½ x 2½, and 4 x 5, 5 x 7 and 8 x 10-in. cameras account for around 5%. However, although the 35mm is unquestionably the bread-and-butter camera, the large camera scored much higher as far as importance is concerned. Of all photographs taken with small cameras, some 5% were considered memorable, compared with as many as 30% of those taken with large cameras. And every photographer who owned large cameras told me that he considered them indispensable.

Half his pictures are "large"

Eliot Elisofon, who probably travels more miles per year and produces more big picture stories than any other Life photographer, owns and constantly uses three large cameras: a 5×7 Peco, a 4×5 Linhof Technika, and a 4×5 Deardorff. In fact, Elisofon uses large cameras for an estimated 50% of all his pictures. Of course, he specializes in photographing subjects that are particularly suited to the large camera: landscapes, still lifes, works of art and his big specialty, food.

Elisofon likes large cameras for three reasons. First, he can see what he is doing—how far sharpness in depth extends, how distant background

(Continued on page 66)

SMP HOME TRAINING IS YOUR SHORT-CUT TO SUCCESS!

TAKE YOUR FIRST STEP TODAY... AND SHOOT YOUR FIRST PRO ASSIGNMENT TOMORROW

Earn \$15 to \$20 extra each week, right from the start.

The first step is as easy as filling out and mailing the coupon below. It will bring you a FREE BOOK that describes the opportunities waiting for you in the billion dollar photographic industry. And it shows you how to take advantage of those opportunities for travel, income, excitement, the full range of rich rewards awaiting the capable professional photographer.

Take the first step today and receive all the information on the finest and most imitated photographic home training course ever offered; training that can pay for itself with extra spare time earnings from the very first lesson.

Write for the FREE BOOK that gives you the step-by-step outline of SMP's exclusive learn-by-doing training method; the course that includes everything you'll need...3-dimensional devices to demonstrate lighting and composition techniques, exposed but undeveloped negatives for practice work, professional negatives and prints as guides to follow, color filter materials, easy-to-read lesson texts in beautiful binders that are fully illustrated with carefully detailed diagrams, and actual picture-taking assignments that you'll complete in your spare time—assignments that will be graded and returned with comments from your own SMP professional/instructor. This is SMP's personalized method, as thorough as though you had your own private tutor guiding you every step of the way to your own successful career.

SMP services are yours as a student and even after graduation. A Professional Master Photographer's Portfolio, Press Photographer's Card, Job Advice, Technical Guidance Service, Photo Market Information for selling your pictures, New Product Evaluation Service, PLUS so much more.

Photos by S.M.P. graduates

Get all the facts about the exciting photographic future awaiting you today. Become a full- or part-time pro...in your own studio, as a publication staff photographer, as a free-lancer, or as a prize-winning advanced amateur with every professional skill.

SUCCESS IS A HABIT with SMP graduates, so take your first step today. MAIL THIS COUPON. NO OBLIGATION.

the school of Dept. of Education— Established 1939 modern photography

FREE! MAIL COUPON TODAY!

SMP colorful 28 page book, "A Successful Career For You in Photography" answers all your questions—tells you where, when and how to capture the opportunities awaiting you in photography; pinpoints the highlights of the home study course. YOUR FREE COPY IS YOURS FOR THE ASKING. NO OBLIGATION. DON'T DELAY—WRITE TODAY!!

The School of Modern Photography, Dept. M-111 P.O. Box 102, Cooper Station, New York 3, N. Y.

Please send me full information regarding SMP's famous Home Study Course. And send me your big free super-illustrated book that tells about SMP's methods and teaching systems, and gives me the picture of the opportunities I can find in photography. No salesman will call.

Name_______Address_______City_____Zone____State

LARGE CAMERA

(Continued from page 64)

detail will appear, what's in the extreme corners, the interrelationship of objects in the photograph.

Second, he needs privacy to concentrate on composing the elements of the picture. This, he maintains, can be achieved most easily with the black focusing cloth which shuts out distractions and permits him to give his undivided attention to the picture.

Third, large cameras have certain technical advantages over smaller cameras-superior sharpness of rendition, swings and tilts for perspective control and extension of sharpness in depth without excessive stopping

down. There is also the perhaps unjust but nevertheless true fact that, laid out on the light-table before the editorial eye, a large color transparency looks more impressive than a smaller one and hence has a better chance of making the magazine.

Elisofon prefers the 5 x 7 Peco for color work, unless its weight and bulk make it unsuitable for the particular job; then he uses his 4 x 5 Linhof Technika. The 4 x 5 Deardorff is set up permanently in his own studio. When asked what he thought of each, Elisofon said that the Peco was rather heavy in the field and that the lighter 5 x 7 Sinar view camera might perhaps be preferable; apart from this he had nothing but praise for the Peco. In his

rather elderly Linhof he missed certain front adjustments which are incorporated in later models. The Deardorff he judged too lightly constructed for heavy-duty work and deficient in front adjustments.

For these cameras he has nine lenses: a 75mm Wide-angle Dagor, 90mm Wide-angle Angulon, 120mm Wide-angle Aristostigmat, 127mm Ektar, 150, 180, 210 and 240mm Schneider Symmars and a 400mm Tele-Megor. He uses one adjustable bellows-type Graphic lens shade. He carries 18 glass filters and some 60 different gelatins on all assignments. He uses one single filter adapter which fits all the lenses except the 400mm Tele-Megor. In addition, he owns a 4 x 5 Polaroid Land film holder and a set of neutral density filters for determining correct exposure for color shots. For black-and-white, he uses 4 x 5 film packs.

In future columns I'll interview other Life photographers, discussing their techniques and experiences with large cameras.—THE END

ULTRAMINIATURE

(Continued from page 54)

cial close-up stand similar to the Minox is available for the Mikroma camera, which also requires the use of close-up lenses.

Lighting for copying documents should be even, and the usual technique is to place a light on each side of the subject at equal distances. If you are photographing coins or other small objects with raised surfaces, you should have one light farther from the subject to create shadows and emphasize the design. Or, you may prefer to work with one light, using a reflector as a fill on the other side of the subject.

No exposure increase is necessary for close-ups with ultraminiatures, with or without close-up lenses, since the lens-to-film distance is never appreciably increased. Take exposure readings in the usual way with your meter, and expose exactly as recommended.-THE END



NEW LEITZ PRADOVIT N

EXCLUSIVE LOW-VOLTAGE SYSTEM WITH COOLER 100 WATT BULB PRODUCES ON-SCREEN IMAGE RENDITION **COMPARABLE TO 300 AND 500 WATT PROJECTORS**

Just as Leitz engineers revolutionized photography with Leica, the first 35mm ... they have now quietly revolutionized slide projection with an amazingly efficient low-voltage system. As a result, Pradovit N offers many advantages found in no other slide projector...sets new standards for...

efficiency—unique low-voltage system produces higher Kelvin temperatures rendering truer color reproductions.

depth of focus - greatest in 35mm projection, virtually eliminates refocusing. coolness—less heat, less popping than any other projector.

silence—uses small, virtually noiseless blower!

automation - palm-of-the hand remote control of focusing, slide changing from anywhere in the room! Takes intermixed mounted and unmounted slides.

beauty—so beautiful you'll leave it in your living room after the show is over! See it...Try it...Today...At your Leica Dealer

For extra brilliant large-screen or large-room projection, see new Pradovit FA.




E. LEITZ, INC., 468 PARK AVENUE SOUTH, NEW YORK 16, N. Y. Ernst Leitz G. m. b. H., Wetzlar, Germany-Ernst Leitz Canada Ltd LEIGA AND LEIGINA GAMERAS - LENSES - PROJECTORS - MICROSCOPES



MODERN PHOTOGRAPHY







_69.50 _69.50 _79.50

SUPER GRAPHIC



The Perfect on the Perfection ists Choice, 750 Watt-All Gar Brive. Still and Rewind. A Real Quality Work HenRY'S PRICE 69.50 HenRY'S PRICE (Limited Quantities)



AIREQUIPT
upurbe 77 Projecter
Watt e Remote Contro
cous Automatic Timer Con
"Anti-Pop" System. DEMO HENRY'S



BELL & HOWELL
(NEW) Model #535
16mm Sound Projector
mpletely New From Top to
thom, the Brightest Protion, the Market. Exmely Light-Weight (38



Telephoto 39.

Telephoto 39.

Eveready Case 9.

Folding Flash 5.

Sold as patkage enly

DON'T BUY RECORDER oncord, Wollensak, I ere, Sony, Rober feboor, Uher Stere

LOW HENRY PRICE



...NOT THIS!

NOW GET THIS

chronizes electronic flash at 1/125, where others use 1/30 1/123, where others use 1/30 to 1/60 second! Extraneous light is substantially eliminated, as are the "ghosts" produced by this unwanted image illumination. For the first time, the ultra high speed of electronic flash is utilized as it was meant to be, though slower speeds may be used where desired.



HEXANON LENSES bayonet firmly, rapidly. Unsurpassed optics in a wide range of focal lengths, with fully automatic diaphragm that remains wide open before and after actual exposure. The 'FS' mirror instantly returns to viewing position . . . automatically.



PERFECT "FEEL", report professionals, make the 'FS' the easiest working SLR in the field. Greater handling ease, accessibility to all controls, compactness with no compromise of workability.

Konica's radically advanced shutter opens new horizons to the user of all types of flash. Its unique design combines the advantages of focal plane and leaf-type shutters, provides standard M-bulb synchronization to 1/1000! Its high speed steel blades eliminate distorted, elongated images, promise virtual indestructibility of its

delicate movement. Once again, a Konica model stands lens and shutter above all others in its class. With 50mm f:2 Hexanon lens, the 'FS' lists at \$189.95* plus case. THE LIST PRICE SHOWN IS ESTABLISHED BY THE MANUFACTURER, BUT HAY VARY HIGHER OR LOWER, DEPENDING ON THE SALES PRACTICES IN YOUR

IMAGES in Electronic Flash Photography!

KONICA 'FS'

ENDS

GHOST

IN CANADA: MCQUEEN SALES CO. 1849 W. 4 AVE. VANCOUVER S. E.C. ... IN VENEZUELI SALES CO. 1849 W. 4 AVE. VANCOUVER SALES CO. 1849 W. 4 AVE. VANCOUVER SALES CO. 1849 W. 4 AVE. VANCOUVER S. E.C. .. IN VENEZUELI SELJINO YAZAWA. APARTADO 3175. CARACAS MCG. S. VANCOUVER S. CO., LTD., TOKYO-FOUNDED 1879 C. APARTADO 3175. CARACAS MCG. S. VANCOUVER S. VANCOUVER S. VANCOUVER S. C. ... LTD., TOKYO-FOUNDED 1879 C. APARTADO 3175. CARACAS MCG. S. VANCOUVER S. C. ... LTD., TOKYO-FOUNDED 1879 C. APARTADO 3175. CARACAS MCG. S. VANCOUVER S. VANCOUVER S. C. ... LTD. VANCOUVER S. VANCOUVER S. VANCOUVER S. C. ... LTD. VANCOUVER S. C.

CO

Fol

ing

job

can

TOO HOT TO HANDLE

I'm using a 50mm f/3.5 Elmar with my Leica. The definition with Kodacolor hasn't been good. Would I be wise to switch to an f/2 Summaitar or an f/1.5 Summarit for better definition?—R. Saxner, Chicago, III.

Kodacolor is the problem. It is not capable of producing the images as sharp as those obtainable with black-and-white films of comparable speed. We covered the subject in Agfacolor Vs. Kodacolor in the November 1959 MODERN. However, about your lens—the 50mm f/3.5 Elmar is superior at most apertures to the f/2 Summitar and better than the f/1.5 Summitar.

I need a camera that will effectively show the detail of hand-forged wrought-iron work. Can the Mamiya C2 be used with good results as close as 7 in. from the subject? Would the Yashicamat or the Minolta Autocord equipped with Spiratone parallax correcting close-up attachments do as good a job?—C. L. Soule, Orcas, Wash.

The Mamiya C2 can certainly take close-ups from 7 in. between subject and camera. But there is a parallax problem. At that distance you cannot see the entire image in the viewfinder. When you use close-up attachments (which actually decrease effective lens focal length) with the Minolta Autocord or the Yashicamat there is a possibility of increased apparent perspective distortion when you moye up close to equal the image size obtainable with the Mamiya C-2 and 80mm lens. We think that the quality of the Mamiya lenses is better than that of good twin-lens reflex lenses equipped with close-up attachments.

As an architect I must take pictures of buildings. Vertical lines must be rendered as vertical. I keep my Exakta VX-IIa level and as a result I have no control over sky or foreground. This could be controlled with the rising front of a view camera. But will the Kopil Folding Bellows-Mat with rising and falling front, tilt and swings do the same job?—J. F. Booton, Chicago, III.

e.

W

We've examined that particular Kopil Folding Bellows-Mat unit and have found it to be well made. However, it can't take the place of a real view camera with tilts and swings. While a certain

limited control can be exercised with the Kopil unit, the difficulty lies in the camera itself. Light rays must enter the limited diameter lens mount, and if the lens on the end of the bellows is moved too far out of direct line with the film plane, the full image will not appear. We doubt that sufficient control could be exercised to make it worth your while to shoot buildings with the Kopil.

I own a Regula Werk King KG 35mm camera with 45mm f/2.8 Steinheil Cassar lens. I paid \$80 used when I originally bought the camera. Lately I've been offered \$40 for a trade-in—only a year and a half after the original purchase. Does this sound reasonable to you?—M. J. Robins, Ketchikan, Alaska. We feel that your original purchase price for the used Regula was far too high. However, the \$40 trade-in offer is more than reasonable, since it represents more than the actual trade-in value of the camera on today's market.

I am about to purchase an Edixa Reflex B. I'm not particularly interested in speed and am undecided whether to buy the camera with the f/2.8 Travenar, 50mm f/1.9 Ennalyt, or the 55mm f/1.9 Quinon. Which would you recommend?—T. W. Pearson, Richmond, Va. We strongly recommend the 55mm f/1.9 Quinon rather than the Travenar or the Ennalyt. We have just tested the Ennalyt and hope to publish the exact report soon. However, while it is good, it doesn't compare with the Quinon.

I am about to replace all of my filters since they are now somewhat outdated. Could you tell me if the Lifa filters are of high quality?—R. O. Heinemann, Beirut, Lebanon.

Lifa filters are mounted in beautifully made, superb-fitting bayonet rings. They offer speedy handling and compact storage since the filters can be bayoneted together in a stack.

Can you recommend a tele lens for my Leica IIIf for under \$50?—Hy Pisark, Brooklyn, N. Y.

You may be able to purchase a used 90mm f/4 Elmar in good shape for about \$50.

Results with my Contaflex IV and Aires Viscount have been quite satisfactory. But results with a Bushnell TeleVar mounted on either camera have been something less. Do you think I should switch to an interchangeable lens camera?—H. L. Bruns, Chicago, III. While the Bushnell TeleVar will give satisfactory results when used on an interchangeable lens camera, our tests show it gives less pleasing results when used to supplement a regular camera lens. For sharpest results we'd recommend that you use a regular telephoto lens on an interchangeable lens camera.

How does my Ciroflex $2\frac{1}{4} \times 2\frac{1}{4}$ twinlens reflex compare with the $1\frac{5}{8} \times 1\frac{5}{8}$ Komaflex S single-lens reflex?—Dr. J. Shapera, Rockville, Conn.

We don't think you'll find an appreciable difference between negatives shot with your Ciroflex and the Komaflex. However, the Komaflex does offer increased versatility for close-up work since it's a single-lens reflex. You can use close-up lenses over the lens and see precisely what the lens sees because of the through-lens reflex system of viewing and focusing. But for average photographic work we see little difference between the cameras.

Can you tell me if there are any moderate priced waist-level single-lens reflex 35mm cameras whose finders show precisely what will appear on the negative?—D. G. Henderson, Harrisburg, Pa. With the exception of just one single-lens reflex, the Nikon F, no single-lens reflex manufacturers guarantee that the image shown on the ground glass will be exactly that on the negative.

PUT IT IN WRITING!


Your technical question, we mean. Even if it seems simple, we have to think and check before answering it—so if you phone us, all we can say is "Please write us a letter." Save your time and ours by writing to begin with.

Would the Biotar lens on my Exakta VX-IIa be suitable for enlarging up to 11 x 14?—W. Forman, Los Angeles, Calif.

We feel that the Biotar would be acceptable for enlarging, but a comparison between 11 x 14 prints made with it and a good enlarging lens would be recognizable. The fact remains that no matter how good a taking lens is, it's designed to record an image on a curved field, while a good enlarging lens is specifically designed to project a flat image.

I am considering the purchase of a used Tower 3 35mm camera with a 50mm f/2 Summar lens for \$55. Do you think it is a good buy? H. Crigler, Belmont, N. C.

We've had little experience with the (Continued on page 122)



THE VAST NUMBER of inaccurate and useless photographic books in print is a crime and a disgrace. Many contain little useful information. Others are downright erroneous. And there has been no organization or law protecting the purchaser of photographic books, no agency that guarantees the validity of book purchases. For over ten years the editors of MODERN have reviewed books, good and bad. We have become increasingly disturbed and hereby declare an all-outwar on bad books-not picture books, which are mostly a matter of taste, but technical books, where facts are facts and nonsense is just that. However, we don't believe that a negative approach to this discouraging situation would be either appropriate or useful. So we will not list what we consider the worst books—even though we might enjoy doing it. Instead, to protect those of our readers who rely on obtaining instruction and information from photo books, MODERN hereby institutes a special selected listing of books read and found acceptable by its technicians. Since the task of reexamining books previously published and still available is enormous, a complete listing at this time is impossible. Here we publish our initial listing. Those interested in obtaining supplements as they are issued need only send us their names plus a stamped, self-addressed return envelope and we'll be happy to send the supplements free of charge.

Like MODERN's monthly review of new books, we promise that our book surveys will be free of fear or favor, no matter who the authors and publishers of the books might be. Although we may not agree with all the facts and opinions within the books listed below, the technical staff of MODERN recommends them as good, basic texts.

Reference

Basic Photo Series, by Adams \$3.75 each. Five slim volumes containing a practical but complicated zone system of exposure and how to use it. For the advanced amateur.

Camera Techniques, by Walls \$4.50. Well-illustrated text on cameras, films, flash, all phases of picture making from technical viewpoint.

Cameras, the Facts, by Emanuel and Mathéson \$3.50. Clear-cut drawings of all the world's cameras with dimensions and estimation of performance.

Focal Encyclopedia of Photography, \$20; desk edition \$6.95. Great reference book profusely illustrated. Get giant \$20 edition to impress your friends but cheaper one is just as complete.

Guide to Creative Photography, by Highland \$3.95. Profusely illustrated neophyte's book only limited by author's refusal to mention brand names.

Ilford Manual of Photography, by Harder \$8. It's not surprising that the emphasis is on Ilford but it's still a top reference book.

Miniature and Precision Cameras, by Lipinsky \$7.95. All innards of photo equipment explained and illustrated.

Photo Lab Index, \$19.95. All the specifics—films, developers, papers etc.—in great loose-leaf form. This plus the Focal Encyclopedia and you've got your reference library made.

Photographic Lens Manual and Directory, by Neblette \$.95. Excellent value in what might be called a condensed Cox's Optics. Research, however, is all Neblette's.

Photographic Optics, by Cox \$5.95. Profusely illustrated, easy-to-understand classic with diagrams, explanations of almost every popular lens in use today.

Photography and the Law, by Chemoff and Sarbin \$1.95. Model releases and other legal tangles explained and made easy. Essential stuff for the pro.

Photography: Its Materials and Processes, by Neblette \$10. CB's text remains standard technical classic.

Photojournalism: Pictures for Magazines and Newspapers, by Rothstein \$5.95. Heavily illustrated readable text used as basic book by would-be photojournalists.

ith

nin ch-

m-

ts

.75

ga

50. ras.

ure

and

ngs

per-

phy, efer-Get

your as

by

by

rand

that

still

s, by

hoto

ated.

pers

and

brary

d Di-

ellent

how-

5.95.

nder-

ns in

hern

eases

ained ff for

Proc-

text

assic.

Science of Photography, by Baines \$7.50. Relaxed, interesting writer leads reader deeper and deeper without drowning him.

Theory of Photographic Process, by Mees \$21.50. If you can't find the technical explanation here, it doesn't exist.

Editor's Note: All Kodak Dataguides, booklets, pamphlets are well researched and top values. There are hundreds. Consult your photo dealer for titles.

Exposure

Exposure, by Berg \$5. Highly detailed, exhaustive treatise on the little grains and everything that happens to them after they're hit by light.

Exposure Manual, by Dunn \$7.50. Less theory, more practical applications than Berg's book.

35mm Techniques

Keppler on the Eye-Level Reflex, \$4.95. Sassy, information-filled but opinionated guide to the breed.

Single-Lens Reflex Photography, by Cooper \$1.95. Cameras, equipment and how to use it clearly described.

35mm Negs & Prints, by Satow \$1.95. Excellent creative photographer and printer gives detailed information on films, developers, printing techniques.

35mm Photo Technique, by Newcombe \$4.50. Camera design, lens, film choice limits and capabilities explained exhaustively, precisely by master.

Color

Better Color Slides · Outdoors, by Bond \$1.95. Atrocious illustrations more than made up for by lucid, informative technical material.

Colour in Your Camera, by Skoglund \$6.95. Fascinating, heavily illustrated in color, technical book covering major puzzlers other writers have avoided.

Eye, Film and Camera in Color Photography, by Evans \$8.95. Psychological approach to photography neatly wedded to direct scientific fact by top expert.

Introduction to Color, by Evans \$10. Highly technical but absorbing classic on color theory.

Make Your Own Color Prints, by Bagby \$4.50. Clear directions on using most present-day materials and techniques.

Movies

American Cinematographer Manual, by Mascelli \$7.50. Serious 16mm movie makers will find basic charts, tables big help. Essential book for pros.

Better Electric Eye Movies, by Matzkin \$1.95. A confusing field neatly simplified in highly readable style.

Electric Eye Movies, by Current \$2.50. You can't tell the cameras without a good scorecard. This is it. Also full information on how to use them.

Picture Taking

Binoculars and Scopes and Their Uses in Photography, by the Reicherts \$1.95. Lifelong binocular experts write, illustrate fine book which is heavy in optics, lighter on photography.

Camera Afloat, by Newcombe \$5.95. Dull illustrations but top-notch text.

Filter Guide, by Rothschild and Wright \$1.95. Complete for both color, black-and-white work.

Getting Started in Photography, by Barry \$1.95. Good basic beginner's primer.

Lenses: How to Choose and Use Them, by Russell \$2.50. Leading magazine photographer gives an interesting personalized account on how to and how not to which is easy to use, understand.

Pictures in a Minute, by Wolbarst \$1.95. Extremely valuable, profusely illustrated volume by the expert in the field.

Press Photography, by Rhode and McCall \$6. Brilliantly conceived, well written and illustrated; essential text for newspaper and magazine photographers present and to be.

Say It with Your Camera, by Deschin \$4.95. Reprint of fine classic covering creative approach to photography.

Teenager's Guide to Photography, by Murphy \$1.95. Whole course on photography squeezed neatly into small easy-to-read package.

Underwater Photography, by Schenk and Kendall \$3.50. They know their picture taking stuff, but be wary of their methods of making underwater housings.

Underwater Photography Simplified, by Greenberg \$2. Well-illustrated tyro's introduction to the watery world.

Cameras

Argus 35mm Photography, by Murphy \$1.95. Author copes manfully with America's most popular line whose lineage stretches from today back to infinity.

Contaflex Manual, by Bombach \$7.95. Most complete guide written by expert.

The Contax Way, by Freytag \$4.95. The last word on the rangefinder Contax camera.

Linhof Practice, \$7.95. Swings, tilts and all that clearly explained for Linhof owners and all others with press and view cameras.

Official Miranda Manual, \$2.50
Official Nikon F Manual, \$2.50
Two practical, hard-bound, hard-headed guides to popular SLR's.

Pentax Guide, by Murphy \$1.95. Topnotch, easy-to-read guidebook.

The Retina Reflex Way, by Mannheim \$7.50. Extremely comprehensive encyclopedic treatment of whole Retina family and use.

The Rollei Way, by Mannheim \$4.95. Most complete book on Rolleiflex and Rolleicord going.

Editor's Note: It's senseless to list separately all the \$1.95 camera guides by W. D. Emanuel. All are technically superb and if there's one for your camera, don't hesitate.

Ultraminiature

The Minox Manual, by Cooper \$4.95. Leading ultra, leading user team up for top book on subject.

Ultraminiature Photography, by Cooper \$3.95. The complete how-to on cameras, shooting technique and processing.

Processing

Developing, by Jacobson \$4.50. Long on precise controls, techniques, explanations, short on latest packaged developers. Good reference.

Enlarging, by Jacobson \$4.50. Thorough treatise, well illustrated, on all phases from enlarger construction analyses to varnishing prints, but little information on modern sensitized materials.

(Continued on page 116)

If your well of experimental techniques is running dry, take a tip from S. C. Valastro and try toasting your slides like marshmallows for the effect on page 74. The number and the size of cracks, blisters, and bubbles depends on the duration and intensity of the exposure to the heat source, here an ordinary electric stove burner turned to medium high. Candles, matches, gas flame are not suitable, since their fumes coat the slide and darken it. Here are three points to keep in mind if you decide to toast your own transparencies: 1. The slide must be securely taped on all sides to a rigid metal frame, since when heat is applied it will shrivel, curl, and be bent out of shape completely before the emulsion begins to bubble. S. C. Valastro made a frame from a fly-swatter handle, bending the wire to form a rectangle and using ordinary adhesive tape to secure the slide. 2. Once the gelatin has formed bub-

TOP ONE SLIDE with another. A number of Valastro's combinations are assembled from existing transparencies. Here's how he chooses the slides which work together. He lays out a number of slides on a light box, separates verticals from horizontals, and scans each group separately for possible pairs. Here, he felt that the number 9. from the side of a steam locomotive tender, would add to the impact of black cat. Contax II, 50mm f/2 Sonnar lens, on Type A Kodachrome with Kodachrome Type A filter. Exposure for cat was 1/25 sec. at f/5.6; for number 9, 1/100 sec. at f/8.

bles, they cannot be removed. Keep a close watch, since the reaction, once it starts, takes place very rapidly. Make a few practice runs with worthless rejects before working with any slide which you actually want to keep. 3. Some color film emulsions turn an overall brownish red when heat is applied. Obviously, these films don't take to toasting. Valastro's method

HOT WAY TO REAL COOL COLOR

for making the multiple images opposite, page 75 and on the cover was to sandwich two transparencies in a single mount. Cat and Number 9 opposite were shot as single images, put together later as sandwich. Tree page 75 and Elm and Quilt on the cover were planned and shot accordingly. Valastro's method for combining images when he works in this way is to first photograph the dominant image, i.e. the elm in the cover photograph. Then he projects this slide on a large sheet of paper, traces it, and makes the background sketch with dark pencil or crayon. He tries several versions of the background, compares them, and uses the best as a starting point for making the second slide. When making the picture of the quilt to combine with the elm, Valastro shot three versions at different camera-to-subject distances, tried each in combination before making final decision. Last step is to remove slides from processors' cardboard mounts, and mount them together in glass, using thin paper masks. To maintain a final mount thin enough to be used in all projectors, Valastro uses a transparent sealing tape instead of the cloth or heavy opaque tape usually employed. Note that all transparencies were shot on Kodachrome Type A with a Kodachrome Type A filter, the simplest method for taking pictures indoors by tungsten (without filter) and outdoors by daylight (with filter) on the same roll.—P.C.





TOAST A TRANSPARENCY on top of the stove. Valastro took one spring landscape made in a park, securely taped all four sides of the transparency to bent fly-swatter handle to prevent emulsion shrinkage, and held it over stove burner set on medium. Original Contax II exposure for landscape: 1/100 and f/5.6 on Kodachrome Type A with Type A filter with 50mm f/2 Sonnar lens; exposure to heat, less than one minute at approximately 3 in.

SANDWICH TWO VIEWS of a single tree. The exposure technique for making multiple images by sandwiching two transparencies is the reverse of that for double exposure on a single unit of film. If you want to make a double exposure in black-and-white with the images of equal density, you should give half the correct exposure (underexpose each image by one f-number). If you plan to sandwich two transparencies, the exposure for each should be four to eight times that correct for the situation, or each picture should be overexposed by two or three f-numbers. Contax II camera, 50mm f/2 Sonnar, Type A Kodachrome, Type A filter, 1/100, f/8 for each shot.





MODERN'S BABIES



Who cares about baby pictures? Everybody does, of course—but especially people with babies. MODERN's editors are no exception, and within the last few years we've amassed a collective family album of impressive proportions. Here are three shots from it—accompanied by the story of how the photographer-parents took them.


TIGHT FRAMING produced best version of Herbert Keppler's wife and child playing on the front lawn. Keppler quickly clicked off a roll of 35mm Plus-X Pan in a Miranda D with 135mm f/3.5 Schneider Tele Xenar shooting at 1/125 sec. and f/16, developed the roll on the spot in Unibath CC-1. Keppler used the changing bag which comes with the Senior Unibath Kit to load film into Unitank, poured in the processing solution, was able to view fixed film about 6 min. after shooting.

MODERN'S BABIES (cont.)

ANTICIPATING REACTION of 8-month-old son to being placed in stroller prior to daily walk, William Johnson had Heiland Pentax H-2 loaded with Tri-X Pan and 55mm f/2 Takumar lens set at f/2 and 1/60 second, the exposure which he knew from experience would be correct for living-room daylight. Before his wife placed the child in the stroller, Johnson also set focus at about 2 ft., was completely prepared to pounce in and shoot fast. Total: about six frames, here the one with the broadest grin. Wide aperture kept zone of sharp focus very narrow, reduced distraction of busy background. Note that back of stroller, just a few inches behind baby, is completely out.



SPLIT-SECOND TIMING captured coincidental similarity between mother's and child's expressions. While Edward Meyers' wife was smoothing her daughter's hair, the child waved her arms about and her attention wandered around the room. For an instant she clasped her hands and examined them; Meyers shot at 1/30 and f/2 on Super Hypan rated at E.I. 400 with a Leica M2 and 50mm f/2 Summicron lens. Soft, directional light is from a Noguchi lamp, which has a regular 100-watt tungsten bulb surrounded by an almost tissue-thin white paper shade. Available light reading made with Gossen Lunasix meter.




AG-1 SNAFU & HOW TO GET OUT OF IT

JELLY-BEAN SIZE AG-1 bulbs are virtually weightless, and capable of producing an enormous quantity of light. A 13-oz. carton of 144 bulbs can be carried without an undue amount of bulging in a coat pocket. They are, in short, a real boon to flash photography. Unfortunately they suffer from one characteristic entirely excusable in jelly beans but not so in flashbulbs. They're not perfectly uniform. Analysis of a great number of General Electric, Sylvania, and Westinghouse AG-1's revealed that not only do they vary in length and width, but it was virtually impossible to find two bulbs exactly alike in all dimensions. This in itself would be no cause for concern if the bulbs behaved themselves 100 percent of the time. But they don't. And the reason is, precisely, that lack of uniformity.

Unlike the blown-to-shape metal-base M2 bulbs, which produce the same effective amount of light, the 1½-in. high, ½-in. wide (approximately) AG-1 is made from straight glass tubing (AG is the abbrevia-

FIRST THE BULB PROBLEM

Like jelly beans, AG-1 bulbs vary in size and shape. With present bulbs, manufactured by General Electric, Sylvania, Westinghouse, problems can often exist in these areas: (A) Copper contact wires-if bent even slightly out of shape, they may cause misfire due to improper contact. (B) The base groove-if too thick, it may stick in magazine of gravity-fed repeating gun or fit poorly in single-shot. (C) Variation in length limits the number of different precision repeating guns which can be made.



tion of "all glass"). It's largely because they do not have a metal base (which is easy to mass-produce within close tolerances) that AG-1's have the imperfections noted above. However, they need not be physically perfect. If they were, you'd probably be paying one dollar for each bulb instead of about ten cents. Overall measurements (height and width) of the bulb usually do not cause any great problems. (However, it does place limitations on the manufacture of repeating guns, since in most cases the bulbs must fit perfectly in magazine or compartments or they'd be apt to cause jamming.) But there are serious problems at the base of the bulb. It's more than likely that at one time or another you've come across a few AG-1 bulbs which wouldn't fit your flashgun. Or if you were able to get them in, they'd fall right out.

AG-1's are held by a groove which is part of their glass base. Unfortunately, the groove on some bulbs is thicker than on others. And some thick-grooved bulbs may fit in some flashguns but not in others.

The second problem of uniformity lies in the two naked wires which protrude from the bottom of every AG-1 bulb. Through these wires passes the electric current which ignites the light-producing zirconium filament inside the bulb. If they fail to make proper electrical contact with the flashgun, the bulb cannot be fired. Have you ever examined these tiny wires in a dozen different AG-1 bulbs? Try it, and you'll see that not many appear exactly alike. You may find a few bent slightly out of shape. You may also find a few completely mashed. It's the bent contact wire, not the bulb itself, that's the cause of most AG-1 misfiring.


How do you know when the glass grooves are too thick? And how can you be sure that your bulbs will fire? You simply have to check every groove by actually inserting the bulb into your flashgun. If the bulb seats securely, then the groove is O. K.

Contact wires present another problem. But first of all, make sure that it isn't you who bend them out of shape. Slide the bulbs carefully out of their plastic tubes. Don't pull them out directly or you will mash the wires. Now it's time to check them. Use a flashgun which has a built-in bulb tester. Place each bulb in the gun and push the test button. If the test light fails to light and you're using a fresh battery, contact is faulty. Bend the contact wires back into their normal "U" shape, if they appear to be out of shape. Test again. If you still don't get contact, your bulb is more than likely to be a dud.


Don't blame all your problems on the bulbs. A careful check of currently made AG-1 flash units revealed that many produce inferior reflector coverage. Some distribute light over large areas, others over small areas. A few produce off-center distribution. And virtually all give uneven coverage.

An acceptable flashgun produces light where you want it. If you've ever wondered why your flash shots appeared darker in one corner, dark in all corners, or lighter in some areas, then it's time for you to take a critical look at your flash reflector.


THEN REFLECTOR PROBLEMS



Many are just adequate. In results with adequate AG-1 unit for 50mm lens on 35mm camera, light falls off beyond 50mm marks—more on right—showing limited coverage, reflector misalignment.



Others may be good but need adjustment. Ever find your flash unit fit loosely in the accessory shoe? Above is possible result: useful light falls out of view since reflector was aimed off-center.



And some offer excellent coverage. Highly efficient AG-1 flash units distribute light evenly beyond 28mm lens angle of view. How do you test your flashgun for efficiency? See text.

Here's how to make a simple reflector test. Load your camera with a medium-speed black-and-white film such as Plus-X Pan. Place the camera on a tripod and position it perpendicular to a medium-tone wall 10 ft. away. Use the shortest focal-length lens with which you intend to shoot flash. Attach the flashgun as you normally do-in the camera accessory shoe or on a bracket. With a leaf-shutter camera, set camera sync on "X" and shutter at 1/30 sec.; with focal-plane, just set at "X." Make three flash shots of the wall—one at f/8, f/11, and f/16. If you wish, attach a few gray and white cards to the wall as we did to simplify evaluation. As long as your lens does not produce violent light falloff at the edges—and for your sake we hope at f/8, f/11 and f/16 it does not-here's what you should look for in each exposure.

Does density seem uniform over the central portion of the negative but violently thin at the edges? If so, your reflector is not distributing light well enough. Note that some folding fan-type reflectors can be adjusted for different coverage. Check yours if it's adjustable—it may be in the wrong position.

Is just one corner of the negative thinner in density? Check your flashgun. It may fit loosely in the camera accessory shoe and be positioned off-center. Or perhaps your reflector is incorrectly mounted on the gun.

Can you see small dense areas within the negatives? These are probably "hot spots" caused by a poorly designed, poorly constructed or damaged reflector. Virtually all flashgun reflectors produce some degree of hot spots, but with some they're impossible to detect.

In spite of everything, they're good!

Don't let us sour you on AG-1. We use them all the time, and despite the few discouraging notes, we're convinced that these tiny bulbs are on the whole excellent sources of light.

Incidentally, one advantage of AG-1's with leaf-shutter cameras is that you don't need extra flashguns if you'd like more light on the subject. The AG-1 bulbs can be fired sympathetically. That means if one bulb is fired by an electrical current (from the flashgun), any other AG-1's touching that bulb will be ignited by the heat. So if you want more light, simply attach a few more bulbs with transparent tape. When attempting this, use a relatively slow shutter speed such as 1/30 sec. to get most of the light, since sympathetic firing is not instantaneous. The AG-1 illustration on this month's cover was made just this way. By photographing the bulbs at a fast shutter speed, Myles Adler was able to show the sympathetic firing action.

AG-1's are as heartening a photographic innovation as was the first transistorized electronic flashgun. Both led to smaller, compact flash units. Indeed, it's more heartening than what seems to be a trend of camera manufacturers to make larger heavier machines from what used to be small pocketable cameras. Why, now you need the small flashguns and bulbs as a counterbalance!—E.M.

Technical Research and assistance by Myles Adler.





FAST FILM INDOORS AND.

BEWITCHED, bothered and bewildered by expert advice on choosing the precise film, precise exposure technique, precise exposure index, precise camera for the precise picture? Especially when all you want to do is take pictures of a pretty girl, but

And thereby hangs the problem, for you've got the pretty girl and you've got a 35mm camera, but you want to take pictures in the daytime and at night; you want to take pictures in a restaurant by window light, in broad daylight walking down the street, and want to throw in a tricky shot by candlelight. How many films do you need? How many developers, how many indexes?

In short, what to do?


We suggest you take a good look at Thomas Hopker's pictures on these four pages and if you like them as much as we do, you follow his thread through the labyrinth.

First of all we leave his choice of the models to the last of all. Second, we assume you've got the 35mm camera and a lens or two. (Hopker used two, could actually have gotten away with one.) He used one film—the old Tri-X, rated it at one speed, E.I. 650. This rating was high enough to cope with all the lighting conditions he (or you) would face; it was not so high as to cause either excessive graininess or, in most cases, loss of needed shadow detail. We say "needed" because in the candlelight picture (top left) you would

CANDLELIGHT (top left) provides single bright spot of illumination for pixie portrait. Hopker set 50mm f/2 Summicron at widest aperture, shot at 1/30 sec.

WINDOWLIGHT (left) in cafe at high noon was fairly even. Photographer eschewed 50mm, chose 90mm f/2 Summicron lens which avoided apparent perspective distortion of hand; f/2, 1/60 second.

BACKLIGHT (right) from bright stage illumination spills onto left cheek of girl standing in wings. Graininess is more apparent in this backlit picture than in the evenly lit photo (left), even though both pictures were taken on same film, rated and developed in same manner. Note: All pictures on these and the next two pages were taken with a Leica M2 on old Tri-X, rated at E.I. 650.





...FAST FILM OUTDOORS, TOO!

neither need nor expect to obtain shadow detail.

Hopker developed all his film in Promicrol by time and temperature—8 minutes at 68F for all but the candlelight (page 82) and backlight (page 83) shots, when he pushed the developing time gently to 10 minutes.

Obviously the old Tri-X is beside the point for your problems; we suggest you might try Ilford HPS, rate it at E.I. 800, develop in Microphen 13 minutes at 68F.

We also suggest you try using an exposure meter as Hopker did not; he has the benefit of much and daily experience in this kind of shooting. We saw the results of his experience in the contact sheets from which we chose these pictures, and there are no exposure disasters. But just because the high wire man can walk a thin line several hundred feet above you in the air, we wouldn't recommend that you do it.

If you're using one film at one rating in many light levels, at least take a general reading for each different situation; then open up or stop down as the subject moves nearer or farther from the light source.

Now a word about these models. Hopker used movie actress Macha Meril for pages 84, 85, lower left page 82; and student actress Dany Muller in picture on page 83, top left page 82. You'd better stick to your best girl.—J.B.

FRONT LIGHT (left) effect is achieved by placing girl in shadowed doorway which provides dark frame for blonde hair. Fast film permitted exposure of 1/250 sec. at f/8; fast shutter speed meant model could toss head, move from side to side at will. Taken with 50mm f/2 Summicron.

SIDE LIGHT (upper right) fills glass-walled telephone booth fairly evenly. Photographer using same exposure as above had comfortable zone of sharp focus within which to work, didn't have to constantly check focus, could concentrate on capturing action.

TOP LIGHT (right) from overcast winter day is just the ticket when you want detail in your model's eyes. Exaggerated, charming pose of tilted head is result of photographer's concentration on direction of model's pose, possible with f/8, 1/250 sec.





COLOR FILM FILTERS

HAVING FILTER FRUSTRATION? THIS CHART WILL HELP YOU TO USE ALMOST ANY 35MM FILM IN ALMOST ANY KIND OF LIGHT.

WHAT do you do if a color film doesn't match the lighting condition? The answer, you might say, is simple—use a filter. However, the number of filters for each of the 16 types of film is staggering. But which one should you use and when should you use it? Sympathizing with the photographer's filter frustration, Norman Rothschild has concocted this chart listing the filter to be used with each type of film in varying lighting situations. New this year are the listings for Kodachrome II.

The filters listed for use with fluorescent lighting are all of the Color Compensating type (CC has been omitted to save space). Elsewhere, the filters are numbered according to the Wratten system. The 1A filter is also known as Skylight or Chrome Haze. UV filters are similar.

The exposure indexes recommended with electronic flash are for use with the guide number method of exposure calculation. Numbers under clear flashbulbs used in the appropriate reflector are approximate guide numbers for No. 5, 25, M5, and M25 lamps; under blue flashbulbs for No. 5B, 25B, M5B and M25B lamps, and under SM and SF for these lamps.

High Speed Ektachrome is not recommended with photofloods and studio floods, but the following filters and exposure indexes may be tried: Photofloods: 78A, E.I. 32; Studio floods: 78A + 82A, E.I. 20.

Because fluorescent lighting does not have a true color temperature, readings with a color temperature meter are unreliable. Though labeled similarly, lamps of different makes differ in color quality, which also varies with the age of the lamp.

Late A.M. Redo Oper Mari Dista Sunl light	P.M. or Early Sunlight— dish n Shade, ne, Cloudy, ant Scenes ight plus Sky—Average	ANSCOCUDOME TYPE Filter None 1A 82A 81A No.	E.I. 32 32 25 32	Fifter None 1A 82A None None	E.I. 32 32 25 32	Filter None 1A 82A None	EKTACHROME E.I. 160 160 125 160 20	KODACHROME 1A 82A None N	E.I. 10 10 8 10	KODACHROME II Filter None 1A 82A None None	E.I. 25 25 20 25
Flas	Flashbulbs	None 80	95* 95	None	80* 80	None	200* 20	None	50* 50	None	80* 80
(340	tofloods DOK) r Wire-Filled	80C 80B	95* 12	808 208	80* 12	80C 78A	200* 32	80C 80B	50* 5	80C 80B	80* 12
	SF Flash DOK)	S.S.	N.R.	S. S.	N.R.	Z.R.	N.R.	N.R.	N.R.	N.R.	N.R.
320 Stud	lio Floods DOK)	80B+ 82A	0	80B+ 82A	0	78A+ 82A	20 N	80B+ 82A	e e	80B+ 82A	
	per Flash ra, Solar—	N.R. 10	N.R.	N.R. 20	N.R.	N.R. 20	N.R.	N.R. 2	N.R.	N.R. 2	N.R.
Fluc	White Daylight	10B 20B+	25 16	20R N.R.	20 N.R.	20R N.R.	100 N.R.	20R N.R.	6 N.R.	ZOR N.R.	16 N.R.
Fluorescents	Warm White	+ 20B+	16	S. S.	N.R.	S. S.	N.R.	N.R.	N.R.	N.R.	N.R.
	Cool White	10B+ 30C	16	S.	S. S.	S.	N.R.	N.R.	S. S.	S.R.	N.R.

MONTHLY CONTEST

Press the release and raise a smile

HUMOR IN PHOTOGRAPHY is a delicate thing: try too hard to grasp it and it will probably collapse. And there's the added handicap that a picture which makes you smile may leave most other people cold. But the humorous picture is always well worth trying for, if only because it's a rarity: even the picture that raises just a quiet smile comes along with surprising infrequency. There's no simple recipe for making a smile or laugh picture. Some people say that you can't set up a good humorous picture, or if you do set it up, it should look accidental. But two of the pictures here (top this page and top opposite page) obviously were set up and don't suffer in the slightest. One reason may be that both pictures were kept simple, with plain, undistracting backgrounds-but this is also a good recommendation for many types of pictures. Of the other two, one (bottom this page) depended on the photographer having his camera in the right place at the right time, while the other (bottom opposite page) depended on the right viewpoint.

You may enter any number of black-and-white prints in the "Monthly Contest." Pictures must be unmounted, 4 x 5 or larger. Polaroid prints may be original size. Your name, address and all technical data must appear on the back of each print. No entry blanks are needed. Unused photos will be returned only if you enclose a stamped (first-class postage) addressed envelope. Entries to Columns Editor, Modern Photography,

33 W. 60 St., New York 23, N. Y.

SYMMETRICAL COMPOSITION (top right) helps to stress incongruity of uses for plastic nose cones for rockets. David S. Strickler, Lebanon, Pa., used a Rolleiflex with Verichrome Pan film, shot by window light with an exposure of f/3.5 and 1/60 second.


FRAMING of empty station adds to impact of these > "commuting" pigeons that are apparently waiting for a train. Art Zeller, New York City, used a Rolleiflex with Verichrome Pan film, exposed at f/11 and 1/125 sec.







Send
Your
Best Shots
To Modern.
Win \$25!



selective focus, which concentrates on spray from hose connection, makes wry contrast with blurred, efficient-looking truck in background. John M. Anderson, Minneapolis, Minn., used a Kalloflex, exposed at f/11 and ½ second on Agfa Isopan F film.



BASS Photo

Post

Cameras by

OWEST PRICES . . . PAYMENTS S&H GREEN STAMPS ON EVERY PURCHASE.



GET 899 S&H Green Stamps

Yashica Pentamatic 35mm Reflex F:1.8

BASS PRICE \$10995 GET 1,099 SAM Green Stamps tool lold with Case lold with Case 510.95

NEW YASHICA CAMERAS! BASS PRICE BASS Vashicamat 24,41244 Re-PRICE Res. 13.5 Cdt. Lens. Auto 61.95 Film Advance. With Case 61.95 GRT 619 S4M Green stamps

Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
Stamps
St

GET 345 S&H Green St New from KODAK natic Push-Button I

89.95



Reflex Camera
Automatic fl.? \$14400
BASS PRICE . \$1440New

KODAK Signet 80



BASS PRICE \$599 SEH Stamps 59NEW

AUTOMATIC SLIDE PROJECTOR

KODAK CAVALCADE Model 510N Deluxe



View" Screen, 500-watt Lamp.

BASS PRICE \$7995

SEH Green Stamps
7548FV Boll & Howell
Slide Projector \$125.50

KODAK RETINA IIIC



KODAK Retuna III CAMERA
Super-fast 1/2 lens, buittin light meter, plus
unique interchange lens
system for wide-angle
and telephoto effects.
Rangefinder, self-timer.

EXAKTA SALE



EXAKTA IIA Body With Waist Level Finder

PRICE . \$10800

GET 1080 S&H reen Stamps Tool

Latest Model Exakts IIA includes: waist level finder. 27 shutter speeds. Rapid film wind, fully syn-chronized for flash, Penta prism rangefinder. \$20.00 Shpg. Chg. \$1.50 1Yr. BASS GUARANTEE

KODACHROME II FILM KR 138-20 Exp....\$3.05 KR 138-36 Exp....4.55 K 8mm Roll KR 459_3.95



Brand New! Fotolargers

For all negatives 35mm to 21/4×31/4 Exclusive distortion

exclusive distortion control Cool Aluminum Lamphouse Rotating glassless neg.

carrier

360° Tilt for horizontal
Projection & distortion
control

2" Forward extension
for extreme cropping

ZEISS **Contaflex Super**



GET 1290 S&H GREEN STAMES TOO!

GREEN STAM: S TOOL
The leading model in the
famous group of Zeiss
35mm, reffex Camera.
Universal exposure conbuilt-in exposure meter
being linked to the synthro-comput shutter, with
the body of the camera.
Rapid lever wind film
the body of the camera.
Rapid lever wind film
the body of the camera.
Rapid lever wind film
the body of the camera.
Rapid lever wind film
the body of the camera.
Rapid lever wind film
the body of the camera
the body of the came



ENLARGER SALE!

Model E w/Diffusion Glass Without Lens ______ w/90mm f8.3 lens_____ w/90mm f4.5 lens_____ w/51mm f4.5 lens (35mm) _ ACCESSORIES FOR MODEL E FOTOLARGERS

| ACUESSORIES FOR MODEL E FOTOLARGERS | 4.4/" Disc Condensors 14/\(\text{24}\) 50 to Condensors 14/\(\text{24}\) 50 to Condensors 16/\(\text{24}\) 52mm | 4.39 31/\(\text{24}\) 50 to Condensors for 35mm | 4.39 31/\(\text{24}\) 50 to Condensors for 23/\(\text{24}\) 50 to Copying | 7.12 Negative Carriers alt sizes to 24/\(\text{23}\) 54/\(\text{24}\) 2.35 Copying Lights | 1.50 to 24/\(\text{23}\) 51/\(\text{24}\) 50 to Copying Lights | 1.75 Film Cups per pair | 1.75 Film Cups per pair | 1.75 Film Cups per pair | 2.20 Table Top stand for 35mm copy work | 2.20 Copy Stand with 38" post, for all camera up to 4x5 | 1.25 Copy Stand with 38" post, for all camera up to 4x5 | 1.25 Copy Stand Stand Shipping Price \$3.69 | 1.25 Copy Shipping S

Zoom-Away **BELL & HOWELL** 8mm Duo-Power Zoomatic Camera

2000 complete with pistol grip

Image "zooms" with the lens to show goes on the film e f.1.8 coated lens eye automatic computes the correct you e 3 way starting button for motion and single shots e Get Bas-ce e Pistol grip available separately.

KODAK Sound 8 **PROJECTOR**



PRICE \$24950

YOU GET 2,495 S&H

shp. chg. \$3.00

Record your own sound! Now! You can add sound to your Emm movies—old or new! Put your own commentary and music of your film. The fun is limited only complete with speaker, microphone, high-illumination lamp, and a wyltch for forward, reverse, "still."

NEW & USED SPECIALS

35mm CAMERAS Argus Autronic*
Argus Autronic*
Argus C-3 Camera
Bessier Topcon B F1.8 58mm (Used)
Canon Few yf.1.9 Automator (Used)
Canonets wf.1.1 8 Lens, Meter Case
Kodak Meter Case
Kodak Retina Fels William Kodak Retina Refex III f1.9 Kodak Retina Retina Refex III f1.9 Kodak Retina Refex III f1.9 Kodak Retina Refe 89.50 28.50 148.00 79.50 238.50 99.50 129.50 79.50 98.00 149.50 98.00 149.50 189.00 135.00 109.95 10

Twin Lens Reflex Camera Sale!

Mamiyaflex C2 w 80mm F.2.8 (Used)
Rolleiflex 4x4 7.5 (Used)
Yashicams 7.3.5 (Used)
Rolleiflex 9.3.5 (Used)
Rolleiflex 9.3.5 (Used)
Polaroid 966 Camera Kit
Polaroid 110B Camera Kit
Case A FLASH ADD S16.98 (SOLD

Got SAH Green Stamps on these tool

MINOX B



Sub-Miniature (Latest Model) F/3.5 Lens, focuses from 8" to in-finity, speeds from 1/2 to 1,1000 second, Built in exposure major in



Large 21/4"x21/4" viewing area. Optical glass priam shutter. 400-foot rewinds. Focusing
control. Includes dry splicer tape.

BASS PRICE
BASS PRICE
STORM BASS PRICE GET 168 S&H GREEN STAMPS

TRIPOD SALE Get 84 S&H Stamp



\$845 NEW

4 x 5 CROWN GRAPHIC (Latest Model)



Includes Crown Graphic 48 with Graphic Rangefinder, Grafelite Flash Bracket and 135mm Schneider Xenar F/4.7 Lens with flash Synchro Com-pur Shutter; Grafick Back has Ektalite

C CAMERA CO. 179 W. MADISON ST. CHICAGO 2, ILL. ONLY 10% DOWN SEND ME AMOUNT_ NAME ADDRESS ZONE__STATE Trade-ins • imports • Easy Time Payments Guaranteed Quality Bass Catalog—Send 25c C.O.D. Orders Send 10% Deposit

אים אים אים אים אים אים אים אים אים אים

your tryour ic on only tor is phone, and a ptill."

A CO. W111 ST.

ts ts ty 5c



OFFICIAL DEPTH OFFELD TABLES

FOR 35MM CAMERAS - FROM 21MM TO 1000MM For the first time MODERN PHOTOGRAPHY presents a completely matched and integrated set of tables for your general and critical photographic work.

WHY YOU NEED THESE TABLES

The variety of depth-of-field tables engraved on lenses and on cameras, published by lens and camera manufacturers and appearing in countless guides and data sheets vary greatly in consistency and reliability. Many are hopelessly imprecise. Different formulas and standards are often applied to lenses of like focal length. We decided that a complete, comprehensive set of depth-of-field tables was needed for 35mm photography, applying the same rigid standards to all focal lengths from 21 to 1000mm. Actually, two sets of tables were necessary: one for the photographer who seldom makes a print larger than 11 x 14, or who projects his color transparencies only in his living room, and the other for the man whose pictures may stand mural-size enlargements or whose color shots may appear full-page in a finely printed magazine. Because of space limitations only the most popular focal lengths and apertures have been listed. However, an exhaustive depth-of-field table compilation of 29 focal lengths with 23 apertures at 14 different distant settings will shortly be available in book form. If you're interested, write in care of this publication.

HOW THEY WERE COMPUTED

Sharpness depends not only on the physical sharpness of the image itself but on the distance from which you view it as well. Up till now the "proper" viewing distance has been determined by multiplying the focal length of the camera lens used to take the picture (in inches) by the number of times the full negative is enlarged in printing or projection. For example: if you take a picture with a 50mm (2-in.) focal-length lens and enlarge the negative 10 times to fill a full 10 x 14-in. print, the "proper" distance for viewing and for determining picture sharpness would be 2 x 10 or 20 in.about an arm's length in front of you. But who holds a print at arm's length? Isn't 12 in. a much more realistic viewing distance? However, the closer you come, the less sharp the picture becomes. And here's another point. If, instead of making a full negative enlargement, you blow up a small section of the 35mm format only to an 8 x 10 print, and you apply the so-called viewing rule of focal-length times magnification, you may end up viewing the print from 5 ft. away. Obviously, people rarely view a picture from the "proper" distance. A newer, more useful guide is needed. By tightening up the

depth-of-field tables to give us a sharper image at a close viewing distance we could accomplish just this. Here's how we did it.

Subjects are actually made up of tiny points of light varying in tone. The lens transmits these points and deposits them on film. In theory, when the lens is focused on a specific subject plane, all points of the subject on that plane should be correspondingly sharp on the film. Out-of-focus points in front of and behind this plane gradually become blobs of light rather than points: If these blobs are too small to be distinguished from the perfectly sharp points, the blobs are considered to be within the zone of sharpness (depth of field). Once the blobs are large enough to be distinguished, they are considered unsharp or out of the zone. But at what point scientifically can the blobs be said to be too large? Lens and camera manufacturers use the so-called "proper" viewing distance, which gives an allowable blob on the negative of about 1/20 to 1/30mm. (This limit is called the "circle of confusion.") After much research and testing, as well as consultation with optical experts, we feel that blobs (circles of confusion) of 1/40mm and 1/50mm are more applicable to modern films and lenses and the closer viewing distance. The 1/40mm tables are sufficiently precise for general photographic work. For the most critical amateur and professional the 1/50mm circle is preferable.

How did we compute a full set of tables by using these circles of confusion? They were not computed by picking numbers out of a hat. Technical consultant Bennett Sherman supplied us with the following formulas. Computer Applications, Inc. in New York used an IBM 7090 electronic computer to make all the computations. Here's what was fed into the computer.

$$X_{a} = A \left(1 + \frac{A}{B+K} \right)$$

$$X_{a} = A \left(1 + \frac{A}{B-K} \right)$$

$$B = \frac{A^{a}}{D-A}$$

$$K = EM$$

X₁=Near distance X₂=Far distance B=Nominal lens focus distance beyond infinity focus point

K=1/2 depth of focus

A=Lens focal length

D=Nominal subject distance from lens

E=f-number

M=Circle of confusion

HOW TO USE THEM

To use the Official Depth-of-Field tables, first locate the page with the focal length of your lens. Then, using either the general table for average photographic work or the critical for more precise work, locate your aperture and camera-to-subject distance. The table will give you the nearest and farthest distances between which a subject can be considered adequately sharp.

DEPTH OF	FIRTD	TABLE E	OD CENEDAL	PHOTOGRAPHIC WORK

Distance	B	18 in.	3 ft.	5 ft.	7 ft.	10 ft.	15 ft.	20 ft.	50 ft.	Inf.
f/0.95	NEAR FAR	1' 5.6" 1' 6.4"	2'10.4" 3' 1.8"	4' 7.6" 5' 5.2"	6' 3.5" 7'10.7"		12' 0.7" 19'10.2"	15' 1" 29' 8.3"	27' 6.1" 276'10.5"	60'11.9"
f/1.2	NEAR FAR	1' 5.5" 1' 6.5"	2'10" 3' 2.3"	4' 6.5" 5' 6.7"	6' 1.6" 8' 2"	8' 3.7" 12' 6.9"	11' 5.6" 21' 8.3"	14' 2.1" 34' 0.5"	24' 7.2" co	48' 3.6"
f/1.4	NEAR FAR	1' 5.4" 1' 6.6"	2' 9.7" 3' 2.7"	4' 5.7" 5' 8"	6' 0.1" 8' 4.8"		11' 0.5" 23' 5.3"	13' 6.2" 38' 6.7"	221 8.211	41' 4.9"
f/1.5	NEAR FAR	1' 5.4" 1' 6.7"	2' 9.5" 3' 2.9"	4' 5.3" 5' 8.7"	5'11.3" 8' 6.2"	7'11.6" 13' 5.3"	10'10" 24' 5.1"	13' 2.5" 41' 3.6"	21'10"	38' 7.8"
f/1.8	NEAR FAR	1' 5.3" 1' 6.8"	2' 9" 3' 3.5"	4' 4.1" 5'10.7"	5' 9.3" 8'10.9"	7' 7.9" 14' 5.3"	10' 3.2" 27'11.3"	12' 4.5" 52' 6.1"	19' 7.5"	32' 2.7"
f/1.9	NEAR FAR	1' 5.2" 1' 6.8"	2' 8.9" 3' 3.7"	4' 3.8" 5'11.4"	5' 8.6" 9' 0.5"	7' 6.7" 14' 9.7"	10' 1.1" 29' 4.3"	12' 1.4" 57' 8.8"	18'11.9"	30' 6.3"
f/2	NEAR FAR	1' 5.2" 1' 6.9"	2' 8.8" 3' 3.9"	4' 3.4" 6' 0.2"	5' 7.9" 9' 2.2"	7' 5.6" 15' 2.3"	9'11" 30'11"	11'10.5" 64' 1.3"	18' 4.7" co	29' 0.1"
f/2.8	NEAR FAR	1' 4.9" 1' 7.3"	2¹ 7.6¹¹ 3¹ 5.8¹¹	4' 0.6" 6' 6.5"	5' 3.1" 10' 6"	6' 9.3" 19' 2.2"	8' 8.9" 53'10.2"	10' 2.6" 558' 1.7"	14' 8.2" 00	20' 8.9"
1/4	NEAR FAR	1' 4.4" 1' 7.9"	2' 6.1" 3' 8.9"	3' 9" 7' 6.6"	4' 9.1" 13' 4.5"	5'11.5" 31' 8.8"	7' 5" 00	8' 5.4" co	11' 3.4" 00	14' 6.4"
1/5.6	NEAR FAR	1' 3.9" 1' 8.7"	2' 4.2" 4' 1.9"	3' 4.9" 9' 6"	4' 2.6" 21' 1.5"	5' 1.6" 254' 4.8"	6' 2.1"	6'10.5"	8' 7.6"	10' 4.8"
f/8	NEAR FAR	1' 3.2" 1'10.2"	2' 1.9" · 4'11.9"	3' 15' 6.7"	3' 7.3" 166' 2.6"	4' 3.1" 00	4'11.3"	5' 4.5"	6' 4.7" 00	7' 3.6"
f/11	NEAR FAR	1' 2.3" 2' 0.4"	1'11.4" 6' 8.2"	2' 7.4" 78' 7.7"	3' 0.7" co	3' 6.1"	3'11.5"	4' 2.8" 00	4' 9.9"	5' 4"'
f/16	NEAR FAR	1' 1.1" 2' 5.2"	1' 8.3" 15' 5.8"	2' 1.9"	2' 5.3" co	2' 8.6" 00	2'11.8" co	3' 1.6"	3' 5.3" 00	3' 8.2"
f/22	NEAR FAR	0'11.9" 3' 2.5"	1' 5.5"	1' 9.4"	1'11.7" ®	2' 1.8"	2' 3.7"	2' 4.7"	2' 6.8"	2' 8.4"

DEDTH	OF	FIFT D TART	E TO	OB	CRITICAL	DHOTOGDA DUIG WODE	

Distance	В	18 in.	3 ft.	5 ft.	7 ft.	10 ft.	15 ft.	20 ft.	50 ft.	Inf.
f/0.95	NEAR FAR	1' 5.7" 1' 6.3"	2'10.7" 3' 1.4"	4' 8.4" 5' 4.1"	6' 5.1" 7' 8.3"	8'10.3" 11' 5.9"	12' 6.6" 18' 7.7"	15'10.4" 27' 0.8"		76' 2.6'' 00
f/1.2	NEAR FAR	1' 5.6" 1' 6.4"	2'10.4" 3' 1.8"	4' 7.5" 5' 5.3"	6' 3.4" 7'10.8"	8' 7.1" 11'11.5"	12' 0.4" 19'11"	15' 0.6" 29'10.1"		60' 4.3''
f/1.4	NEAR FAR	1' 5.5" 1' 6.5"	2'10.1" 3' 2.1"	4' 6.8" 5' 6.2"	6' 2.2" 8' 0.9"	8' 4.8" 12' 4.4"	11' 7.8" 21' 0.8"	14' 5.4" 32' 6.2"		51' 8.9"
f/1.5	NEAR FAR	1' 5.5" 1' 6.5"	2'10" 3' 2.3"	4' 6.5" 5' 6.7"	6' 1.6" 8' 2"	8' 3.7" 12' 6.9"	11' 5.6" 21' 8.3"	14' 2.1" 34' 0.5"	24' 7.2"	48' 3.6"
f/1.8	NEAR FAR	1' 5.4" 1' 6.6"	2' 9.6" 3' 2.7"	4' 5.5" 5' 8.3"	5'11.8" 8' 5.4"	8' 0.4" 13' 3.1"	10'11.5" 23' 9.9"	13' 4.7" 39' 7.3"	22' 4"	40' 3.1" ©
f/1.9	NEAR FAR	1' 5.4" 1' 6.7"	2' 9.5" 3' 2.9"	4' 5.2" 5' 8.8"	5'11.2" 8' 6.5"	7'11.3" 13' 6.1"	10' 9.5" 24' 7.6"	13' 1.8" 41'10.7"	21' 8.1"	38' 1.7"
f/2	NEAR FAR	1' 5.3" 1' 6.7"	2' 9.3" 3' 3.1"	4' 4.9" 5' 9.3"	5'10.6" 8' 7.7"	7'10.3" 13' 9.1"	10' 7.6" 25' 6"	12'11" 44' 5.5"	21' 0.5"	361 2.911 00
f/2.8	NEAR FAR	1' 5.1" 1' 7"	2' 8.4" 3' 4.5"	4' 2.5" 6' 2"	51 6.4" 91 6.5"	7' 2.9" 16' 2.4"	9' 6.4" 35' 5.3"	11' 3.8" 87' 3.2"	17' 1.1" 00	25'10.9" co
1/4	NEAR FAR	1' 4.7" 1' 7.5"	2' 7.1" 3' 6.8"	3'11.3" 6'10.2"	5' 1" 11' 3.7"	6' 5.8" 22' 1.1"	8' 3" 85' 8.1"	91 6.611	13' 4.1"	18' 1.9" co
f/5.6	NEAR FAR	1' 4.3" 1' 8.1"	2' 5.5" 3'10.3"	3' 7.7" 8' 0.5"	4' 7" 15' 0.4"	5' 8.2" 43' 0.2"	6'11.9"	7'10.9"	10' 4" co	12'11.8" ©
f/8	NEAR FAR	1' 3.6" 1' 9.2"	2' 3.4" 4' 4.8"	3' 3.1" 10'11"	3'11.9" 29' 9.3"	4' 9.6"	5' 8.4" co	6' 3.5" co	7' 8.7"	9' 1.3"
f/11	NEAR FAR	1' 2.9" 1'10.8"	2' 1.1" 5' 4.2"	2'10.6" 19' 9.3"	3' 5.3" co	4' 0.3"	4' 7.6"	5' 0.2"	5'10.6"	6' 7.7"
f/16	NEAR FAR	1' 1.9" 2' 1.9"	1'10.2" 8' 4.7"	2' 5.1"	2' 9.7"	3' 2.1"	31 /6.5" co	3' 9.1" co	4' 2.6" co	4' 7.1" ©
1/22	NEAR FAR	1' 0.8" 2' 7.2"	1' 7.4" 26'11.3"	2' 0.5"	2' 3.6"	2' 6.5"	2' 9.2"	2'10.7"	3' 1.8" ©	3' 4.3" ©

DEDMII OF	THE TAX IN	TRADE IN BOTH	CENTER AT	PHOTOGRAPHIC WORK
DEPIROR	FIELD	TABLE FUR	GENERAL	PHOTOGRAPHIC WORK

Distance	0	18 in.	3 ft.	5 ft.	7 ft.	10 ft.	15 ft.	20 ft.	50 ft.	Inf.
f/0.95	NEAR FAR	1' 5.7" 1' 6.3"	2'10.7" 3' 1.3"	4' 8.6" 5' 3.9"	6' 5.4" 7' 7.9"	8'10.8" 11' 5"	12' 7.7" 18' 5.3"	16' 0.1" 26' 7.8"		79' 7.8' co
f/1.2	NEAR FAR	1' 5.6" 1' 6.4"	2'10.4" 3' 1.7"	4' 7.7" 5' 5"	6' 3.8" 7'10.3"	8' 7.8" 11'10.3"	12' 1.7" 19' 7.6"	15' 2.6" 29' 2.6"	The second of the	63' 0.9'
1/1.4	NEAR FAR	1' 5.6" 1' 6.5"	2'10.2" 3' 2"	4' 7.1" 5' 5.9"	6' 2.6" 8' 0.2"	8' 5.5" 12' 2.8"	11' 9.2" 20' 8.4"	14' 7.6" 31' 7.8"	26' 0.2" 662' 0.2"	54' 0.9'
f/1.5	NEAR FAR	1' 5.5" 1' 6.5"	2'10.1" 3' 2.1"	4' 6.7" 5' 6.4"	6' 2" 8' 1.2"	8' 4.4" 12' 5.2"	11' 7.1" 21' 3.3"	14' 4.3" 33' 0.3"	25' 1.9" 5325' 0.1"	50' 5.7"
f/1.8	NEAR FAR	1' 5.4" 1' 6.6"	2' 9.7" 3' 2.6"	4' 5.8" 5' 7.8"	6' 0.3" 8' 4.4"	8' 1.2" 13' 0.8"	11' 1.1" 23' 2.7"	13' 7.1" 37'11.7"	22'10.6"	42' 0.9"
f/1.9	NEAR FAR	1' 5.4" 1' 6.6"	2' 9.6" 3' 2.8"	4' 5.5" 5' 8.3"	5'11.7" 8' 5.5"	8' 0.2" 13' 3.6"	10'11.2" 23'11.5"	13' 4.2" 39'11.8"	22' 2.6"	39'10.4"
1/2	NEAR FAR	1' 5.4" 1' 6.7"	2' 9.5" 3' 2.9"	4' 5.2" 5' 8.8"	5'11.2" 8' 6.6"	7'11.2" 13' 6.4"	10' 9.3" 24' 8.8"	13' 1.5" 42' 2.4"	21' 7.1"	37'10.5"
1/2.8	NEAR FAR	1' 5.1" 1' 6.9"	21 8.611 31 4.211	4' 2.9" 6' 1.2"	5' 7.1" 9' 4.7"	7' 4" 15' 9.2"	9' 8.3" 33' 5.3"	11' 6.5" 76' 1.1"	17' 7.2" 00	27' 0.9"
1/4	NEAR FAR	1' 4.8" 1' 7.4"	2' 7.3" 3' 6.4"	3'11.8" 6' 8.8"	5' 1.7" 11'	6' 7" 20'11.6"	8' 5" 70'11.9"	9' 9.3"	13' 9.4" co	18'11.7"
f/5.6	NEAR FAR	1' 4.4" 1' 8"	2' 5.8" 3' 9.7"	3' 8.2" 7' 9.9"	4' 7.9" 14' 3.5"	5' 9.6" 37' 6.2"	7' 2"	8' 1.5" ©	10' 8.4"	13' 6.9"
f/8	NEAR FAR	1' 3.8" 1' 9"	2' 3.7" 4' 3.7"	3' 3.8" 10' 4.2"	4' 0.9" 25'11.7"	4'11" œ	5'10.4"	6' 5.9"	8' 0.3"	9' 6.3" co
f/11	NEAR FAR	1' 3.1" 1'10.4"	2' 1.5" 5' 1.9"	2'11.4" 17' 5"	3' 6.3" co	4' 1.7" 00	4' 9.4"	5' 2.3"	6' 1.4"	6'11.4" 00
f/16	NEAR FAR	1' 2.1" 2' 1.3"	1'10.6" 7' 8.7"	2' 5.9"	2'10.6"	3' 3.3" 00	31 8"	3'10.8"	4' 4.7" ©	4' 9.6"
f/22	NEAR FAR	1' 1" 2' 6"	1' 7.9" 19' 6.3"	2' 1.2"	2! 4.5"	2' 7.6"	2'10.5"	3' 0.1"	3' 3.5"	3' 6.2"

Distance	E 79 125	18 in.	3 ft.	5 ft.	7 ft.	10 ft.	15 ft.	20 ft.	50 ft.	Inf.
f/0.95	NEAR FAR	1' 5.8" 1' 6.2"	2'11" 3' 1"	4' 9.2" 5' 3.1"	6' 6.6" 7' 6.2"	9' 1.2" 11' 1.2"	13' 0.6" 17' 7.6"	16' 8.1" 24'11.9"		99¹ 6.5"
f/1.2	NEAR FAR	1' 5.7" 1' 6.3"	2'10.7" 3' 1.3"	4' 8.5" 5' 3.9"	6' 5.3" 7' 8"	8'10.7" 11' 5.2"	12' 7.5" 18' 5.9"	15'11.7" 26' 9"	30' 7.6" 136' 5.7"	78' 9.8" co
f/1.4	NEAR FAR	1' 5.6" 1' 6.4"	2'10.5" 3' 1.6"	4' 8" 5' 4.6"	6' 4.3" 7' 9.5"	8' 8.7" 11' 8.5"	12' 3.6" 19' 2.8"	15' 5.5" 28' 4.1"	28' 9.3" 191'10.1"	67' 6.8"
f/1.5	NEAR FAR	1' 5.6" 1' 6.4"	2'10.4" 3' 1.7"	4' 7.7" 5' 5"	6' 3.8" 7'10.3"	8' 7.8" 11'10.3"	12' 1.7" 19' 7.6"	15' 2.6" 29' 2.6"	27'11.1" 240' 8"	63' 0.9"
f/1.8	NEAR FAR	1' 5.5" 1' 6.5"	2'10.1" 3' 2"	4' 6.9" 5' 6.1"	6' 2.3" 8' 0.6"	8' 5.1" 12' 3.7"	11' 8.4" 20'11.1"	14' 6.2" 32' 2.2"	25' 8" 1018'10.6"	52' 6.9"
f/1.9	NEAR FAR	1' 5.5" 1' 6.5"	2'10" 3' 2.2"	4' 6.7" 5' 6.5"	6' 1.9" 8' 1.4"	8' 4.2" 12' 5.7"	11' 6.7" 21' 4.8"	14' 3.6" 33' 3.8"	24'11.9"	49' 9.7"
f/2	NEAR .	1' 5.5" 1' 6.5"	2' 9.9" 3' 2.3"	4' 6.4" 5' 6.9"	6' 1.4" 8' 2.3"	8' 3.3" 12' 7.6"	11' 5" 21'10.7"	14' 1.1" 34' 6.3"	24' 4.2"	47' 3.9" ©
f/2.8	NEAR FAR	1' 5.3" 1' 6.7"	2' 9.2" 3' 3.3"	4' 4.5" 5'10.1"	5' 9.9" 8' 9.5"	7' 9" 14' 1.6"	10' 5.1" 26' 9.9"	12' 7.3" 48' 8.5"	20' 2.6"	33' 9:9"
1/4	NEAR FAR	1' 5" 1' 7.1"	2' 8.1" 3' 4.9"	4' 1.8" 6' 3.5"	5' 5.2" 9'10.5"	7' 0.8" 17' 2.2"	9' 2.7" 40' 7.1"	10'10.6" 127' 2.8"	16' 1.4"	23' 8.4"
f/5.6	NEAR FAR	1' 4.7" 1' 7.6"	2' 6.8" 3' 7.3"	3'10.7" 7' 0.3"	4'11.8" 11' 9.8"	6' 3.9" 24' 1.9"	8' 129' 1"	9' 2.6"	12' 8.3" ©	16'11.4" co
f/8	NEAR FAR	1' 4.2" 1' 8.3"	2' 5" 3'11,5"	3' 6.6" 8' 6.2"	4' 5.3" 16' 9.7"	5' 5.6" 62' 1"	6' 8.1"	7' 5.9" ©	9' 7.6"	11'10.7"
f/11	NEAR FAR	1' 3.6" 1' 9.4"	2' 3.1" 4' 6"	3' 2.5" 11' 7.2"	3'10.9" 35' 8.9"	4' 8.2" co	5' 6.4". co	6' 1"	7' 4.9"	81 811
f/16	NEAR FAR	1' 2.7" 1'11.4"	2' 0.4" 5'10.3"	2º 9.2º 29º 7.3º	3' 3.2"	3' 9.4"	41 3.711 co	41 7.611 CO	51 4.311	5'11.8"
1/22	NEAR FAR	1' 1.8" 2' 2.4"	1' 9.8" 9' 2.4"	2' 4.5"	2' 8.8"	3' 0.9"	3' 5"	3' 7.3"	4' 0.4"	4' 4.5"

DEPTH OF FIELD TABLE FOR GENERAL	DHOTOGRADHIC WORK

Distance	21,90	18 in.	3 ft.	5 ft.	7 ft.	10 ft.	15 ft.	20 ft.	50 ft.	nf
f/0.95	NEAR FAR	1' 5.8" 1' 6.2"	2'11.1" 3' 0.9"	4' 9.4" 5' 2.8"	6' 7" 7' 5.7"	9' 2" 11!	13' 2.4" 17' 4.6"	16'10.9" 24' 5.8"	34' 3.1" 92' 7.9"	108' 4.7'
f/1.2	NEAR FAR	1' 5.7" 1' 6.3"	2'10.8" 3' 1.2"	4' 8.8" 5' 3.6"	6' 5.8" 7' 7.3"	8'11.7" 11' 3.5"	12' 9.5" 18' 1.7"	16" 3" 26' 0.2"	31' 7.7" 119' 6.2"	85'10"
f/1.4	NEAR FAR	1' 5.7" 1' 6.3"	2'10.7" 3' 1.4"	4' 8.3" 5' 4.2"	6' 4.9" 7' 8.6"	8' 9.9" 11' 6.5"	12' 5.8" 18' 9.5"	15' 9.1" 27' 4.8"	29' 9.8" 155' 7.4"	73' 7"
1/1.5	NEAR FAR	1' 5.7" 1' 6.3"	2'10.6" 3' 1.5"	4' 8.1" 5' 4.5"	6' 4.4" 7' 9.3"	8' 9" 11' 8.1"	12' 4.1" 19' 1.7"	15' 6.3" 28' 1.7"	28'11.8" 183' 3.8"	68' 8.2"
f/1.8	NEAR FAR	1' 5.6" 1' 6.4"	2'10.3" 3' 1.9"	4' 7.3" 5' 5.5"	6' 3.1" 7'11.4"	8' 6.4" 12' 0.9"	11'11" 20' 3.1"	14'10.3" 30' 7.7"	26' 8.8" 393' 6"	57' 3"
f/1.9	NEAR FAR	1' 5.6" 1' 6.4"	2'10.2" 3' 2"	4' 7.1" 5' 5.9"	6' 2.6" 8' 0.1"	8' 5.6" 12' 2.6"	11' 9.4" 20' 8"	14' 7.8" 31' 6.9"	26' 0.8" 637' 0.5"	54' 2.9"
f/2	NEAR FAR	1' 5.5" 1' 6.5"	2'10.1" 3'2.1"	4' 6.9" 5' 6.2"	6' 2.2" 8' 0.9"	8' 4.8" 12' 4.4"	11' 7.8" 21' 1"	14' 5.3" 32' 6.8"	25' 5.1" 1672' 2.7"	51' 6.4"
1/2,8	NEAR FAR	1' 5.4" 1' 6.7"	2' 9.4" 3' 3"	4' 5.1" 5' 9.1"	5'10.9" 8' 7.2"	7'10.7" 13' 7.9"	10° 8.4° 25° 2.1°	13' 0.1" 43' 6.5"	21' 3.1"	36'10"
1/4	NEAR FAR	1' 5.1" 1' 7"	2' 8.4" 3' 4.4"	4' 2.6" 6' 1.9"	5' 6.5" 9' 6.5"	7' 2.9" 16' 2.5"	9' 6.4" 35' 6.6"	11' 3.8" 88' 2.1"	17' 0.8"	25' 9.8" co
1/5.6	NEAR FAR	1' 4.8" 1' 7.4"	2' 7.2" 3' 6.5"	3'11.6" 6' 9.5"	5' 1.4" 11' 2"	6' 6.3" 21' 7.2"	8' 3.9" 79' 1.8"	9' 7.8"	13' 6.3" ®	18' 5.6" co
f/8	NEAR FAR	1' 4.3" 1' 8.1"	2' 5.6" 3'10.2"	3' 7.7" 8' 0.3"	4' 7" 15' 0.3"	5' 8.3" 43' 3"	71 00	7'10.9"	10' 3.8"	12'11.4"
f/11	NEAR FAR	1' 3.8" 1' 9"	2' 3.7" 4' 3.7"	3' 3.7" 10' 5"	4' 0.8" 26' 6.4"	4'10.8"	5'10.1"	6' 5.5"	7'11.6"	9' 5.3"
f/16	NEAR FAR	1' 3" 1'10.7"	2' 1.1" 5' 4.8"	2'10.5" 20' 9.9"	3' 5.1"	3'11.9"	41 7"	4'11.4" ®	5' 9.5"	6' 6.3"
f/22	NEAR FAR	1' 2.1" 2' 1.3"	1'10.6" 7' 9.3"	2' 5.8"	2'10.6"	3' 3.2"	3' 7.8"	3'10.5"	4' 4.4"	4' 9.2"

Distance	n 0	18 in.	3 ft.	5 ft.	7 ft.	10 ft.	15 ft.	20 ft.	50 ft.	Inf.
f/0.95	NEAR FAR	1' 5.8" 1' 6.2"	2'11.3" 3' 0.7"	4' 9.9" 5' 2.2"	6' 8" 7' 4.5"	9' 3.9" 10' 9.4"	13' 6.3" 16'10.1"	17' 5.4" 23' 5.2"	36' 6.7" 79' 1.7"	135' 5.6"
1/1.2	NEAR FAR	1' 5.8" 1' 6.2"	2'11.1" 3' 1"	4' 9.4" 5' 2.8"	6' 7" 7' 5.7"	9' 1.9" 11' 0.1"	13' 2.2" 17' 4.9"	16'10.6" 24' 6.5"	34' 1.7" 93' 5.9"	107' 3.2" ∞
f/1.4	NEAR FAR	1' 5.7" 1' 6.3"	2'10.9 3' 1.1"	4' 9" 5' 3.3"	6' 6.2" 7' 6.8"	9' 0.4" 11' 2.4"	12'11" 17'10.7"	16' 5.4" 25' 6.1"	32' 5.2" 109' 4.4"	91'11.5"
f/1.5	NEAR FAR	1' 5.7" 1' 6.3"	2'10.8" 3' 1.2"	4' 8.8" 5' 3.6"	6' 5.8" 7' 7.3"	8'11.7" 11' 3.5"	12' 9.5" 18' 1.7"	16' 3" 26' 0.2"	31' 7.7" 119' 6.2"	85'10"
f/1.8	NEAR FAR	1' 5.7" 1' 6.3"	2'10.6" 3' 1.5"	4' 8.2" 5' 4.3"	6' 4.7" 7' 8.9"	8' 9.5" 11' 7.1"	12' 5.1" 18'11.2"	15' 7.9" 27' 8.3"	29' 5.7" 165' 7.6"	71' 6.5"
f/1.9	NEAR FAR	1' 5.6" 1' 6.4"	2'10.5" 3' 1.5"	4' 8" 5' 4.6"	6' 4.3" 7' 9.4"	8' 8.8" 11' 8.4"	12' 3.7" 19' 2.5"	15' 5.7" 28' 3.5"	28' 9.8" 190' 1"	67' 9.4"
1/2	NEAR FAR	1' 5.6" 1' 6.4"	2'10.5" 3' 1.6"	4' 7.8" 5' 4.9"	6' 4" 7'10"	8' 8.1" 11' 9.7"	12' 2.3" 19' 6"	15' 3.5" 28'11.1"	28' 2.3" 223' 0.2"	64' 4.8"
1/2.8	NEAR FAR	1' 5.5" 1' 6.5"	2' 9.9" 3' 2.3"	4' 6.3" 5' 7"	6' 1.2" 8' 2.7"	8' 2.9" 12' 8.7"	11' 4.2" 22' 2"	13'11.8" 35' 2.8"	24' 0.1"	46' 0.3"
1/4	NEAR FAR	1' 5.3 1' 6.8"	2' 9.1" 3' 3.5"	4' 4.2" 5'10.6"	5' 9.3" 8'10.7"	7' 8"	10' 3.3" 27'10.7"	12' 4.6" 52' 4.4"	19' 7.8"	32' 2.9"
f/5.6	NEAR FAR	1' 5" 1' 7.1"	2' 8.1" 3' 5"	4' 1.6" 6' 4"	5' 4.8" 9'11.7"	7' 0.2" 17' 6.2"	9' 1.6" 42' 7"	10' 9.1" 149' 7.4"	15' 9.8"	23' 0.7"
f/8	NEAR FAR	1' 4.6" 1' 7.6"	2' 6.6"	3'10.2" 7' 1.9"	4'11.1" 12' 2.5"	6' 2.7" 25'11"	7' 9.9" 205' 3.5"	8'11.8" ©	12' 3"	16' 2"
1/11	NEAR FAR	1' 4.2" 1' 8.3"	2' 5" 3'11.5"	3' 6.6" 8' 6.6"	4' 5.2" 16'11.8"	5' 5.5" 65' 0.5"	6' 7.7" 00	7' 5.5" 00	9' 6.8"	11' 9.4"
f/16	NEAR FAR	1' 3.5" 1' 9.6"	2' 2.7" 4' 7.7"	3' 1.7" 12' 8.4"	3' 9.7" 49' 3.6"	4' 6.4"	5' 3.8"	5' 9.8"	7' 0.2"	8' 1.6"
1/22	NEAR FAR	1' 2.7" 1'11.3"	2' 0.4" 5'10.5"	2' 9.1"	3' 3.1" ©	3' 9.2"	4' 3.5"	4' 7.3"	5' 3.9"	5'11.3"

	R GENERAL PHOTOGRAPHIC WORK	

Distance	1.50	18 in.	3 ft.	5 ft.	7 ft.	10 ft.	15 ft.	20 ft.	50 ft.	Inf.
f/0.95	NEAR FAR	1' 5.9" 1' 6.1"	2'11.4" 3' 0.6"	4'10.4" 5' 1.7"	6' 8.8" 7' 3.5"	The second second	13' 9.6" 16' 5.2"	17'10.9" 22' 7.8"	38' 7.7" 70'10.2"	169' 4"
f/1.2	NEAR FAR	1' 5.8" 1' 6.2"	2'11.3" 3' 0.7"	4' 9.9" 5' 2.2"	6' 8" 7' 4.5"	9' 3.8" 10' 9.5"	13' 6.1" 16'10.3"	17' 5.2" 23' 5.6"	36' 5.6" 79' 7.2"	134' 1" ©
1/1.4	NEAR FAR	1' 5.8" 1' 6.2"	2'11.1" 3' 0.9"	4' 9,6" 5' 2.6"	6' 7.3" 7' 5.3"		13' 3.5" 17' 2.6"	17' 0.8" 24' 2"	34'10.7" 88' 3.8"	114'11.3' ©
1/1.5	NEAR FAR	1' 5.8" 1' 6.2"	2'11.1" 3' 0.9"	4' 9.4" 5' 2.8"	6' 7" 7' 5.7"	9' 2" 11' 0.1"	13' 2.2" 17' 4.8"	16'10.7" 24' 6.4"	34' 1.9" 93' 5.3"	107' 3.5'
f/1.8	NEAR FAR	1' 5.7" 1' 6.3"	2'10.9" 3' 1.1"	4' 9" 5' 3.4"	6' 6.1" 7' 6.9"	9' 0.2" 11' 2.8"	12'10.5" 17'11.7"	16' 4.5" 25' 8.3"	32' 1.5" 113' 1.4"	89' 5.1'
f/1.9	NEAR FAR	1' 5.7" 1' 6.3"	2'10.8" 3' 1.2"	4' 8.8" 5' 3.6"	6' 5.8" 7' 7.3"	8'11.6" 11' 3.7"	12' 9.3" 18' 2.1"	16' 2.6" 26' 1.3"	31' 6" 121' 7.9"	84' 8.7"
f/2	NEAR FAR	1' 5.7" 1' 6.3"	2'10.8" 3' 1.3"	4' 8.6" 5' 3.8"	6' 5.5" 7' 7.8"	8'11" 11' 4.6"	12' 8.1" 18' 4.6"	16' 0.7" 26' 6.4"	30'10.8" 131' 7.2"	80' 5.9"
1/2.8	NEAR FAR	1' 5.6" 1' 6.4"	2'10.3"	4' 7.4" 5' 5.5"	6' 3.2" 7'11.3"	8' 6.6" 12' 0.7"	11'11.2" 20' 2.5"	14'10.6" 30' 6.4"	26' 9.7" 380' 6"	57' 6.4"
1/4	NEAR FAR	1' 5.4"	2' 9.7" 3' 2.7"	4' 5.6" 5' 8.1"	5'11.9" 8' 5.1"	8' 0.6" 13' 2.7"	10'11.7" 23' 9.1"	13° 5" 39' 5.7"	22' 4.5"	40' 3.7"
f/5.6	NEAR FAR	1' 5.2" 1' 6.8"	2' 8.8" 3' 3.8"	4' 3.5" 6'	5' 8" 9' 2.1"	7' 5.6" 15' 2.3"	9'11" 31' 0.4"	11'10.4" 64' 9.9"	18' 4"	28' 9.9"
1/8	NEAR FAR	1' 4.9" 1' 7.2"	2' 7.6" 3' 5.8"	4' 0.5" 6' 6.8"	5' 2.9" 10' 7.1"	6' 8.9" 19' 6.8"	8' 8" 57' 6.3"	10' 1.3" 1903' 2.2"	14' 5.3" 00	20' 2.5"
f/11	NEAR FAR	1' 4.6"	2' 6.3" 3' 8.5"	3' 9.3" 7' 5.4"	4' 9.5" 13' 1.7"	6' 0.1" 30' 7.9"	7' 5.9"	8' 6.5" co	11' 5"	14' 8.8" ©
f/16	NEAR FAR	1' 4" 1' 8.6"	2' 4.3" 4' 1.9"	3' 4.8" 9' 7.5"	4' 2.4" 22'	5' 1.2" 611' 8.4"	61 1.4"	6' 9.5" co	8' 5.7" 00	10' 1.9"
f/22	NEAR FAR	1' 3.3" 1' 9.9"	2' 2.2" 4'10.5"	3' 0.5" 14'10.2"	3' 7.9" 119' 8.3"	4' 3.8" co	5' 0.2" co	51 5.5" 00	6' 5.9 co	7' 5.1" ©

Distance		18 in.	3 ft.	5 ft.	7 ft.	10 ft.	15 ft.	20 ft.	50 ft.	Inf.
f/0.95	NEAR FAR	1' 5.9" 1' 6.1"	2'11.5" 3' 0.5"	4'10.7" 5' 1.4"	6' 9.4" 7' 2.8"	9' 6.7" 10' 5.8"	14' 0.3" 16' 1.5"	18' 3.5" 22' 0.8"	SHOULD SETTING A PRODUCTION OF	211' 7.7"
f/1.2	NEAR FAR	1' 5.9" 1' 6.1"	2'11.4" 3' 0.6"	4'10.3"	6' 8.8" 7' 3.6"	9' 5.4" 10' 7.4"	13' 9.4" 16' 5.4"	17'10.7" 22' 8.2"		167' 6.9"
f/1.4	NEAR FAR	1' 5.8" 1' 6.2"	2'11.3" 3' 0.7"	4'10.1" 5' 2.1"	6' 8.2" 7' 4.2"	9' 4.4" 10' 8.8"	13' 7.2" 16' 8.7"	17' 7" 23' 2.4"	37' 1.6" 76' 6.9"	143' 7.8" ©
f/1.5	NEAR FAR	1' 5.8" 1' 6.2"	2'11.3"	4' 9.9" 5' 2.2"	6' 8" 7' 4.5"	9' 3.8" 10' 9.5"	13' 6.1" 16'10.3"	17' 5.2" 23' 5.6"	36' 5.6" 79' 7.2"	134' 1"
f/1.8	NEAR FAR	1' 5.8" 1' 6.2"	2'11.1" 3' 0.9"	4' 9.5" 5' 2.7"	6' 7.2" 7' 5.4"	9' 2.4" 10'11.5"	13' 3" 17' 3.5"	16'11.9" 24' 3.7"		111' 9.1"
f/1.9	NEAR FAR	1' 5.8" 1' 6.2"	2'11.1" 3' 1"	4' 9.4" 5' 2.8"	6' 7" 7' 5.8"	9' 1.9" 11' 0.2"	13' 2" 17' 5.3"	16'10.2" 24' 7.3"	34' 0.1" 94' 6.4"	105'10.5"
f/2	NEAR FAR	1' 5.8" 1' 6.2"	2'11" 3' 1"	4' 9.3" 5' 3"	6' 6.7" 7' 6.1"	9' 1.4" 11' 0.9"	13' 1" 17' 7.1"	16' 8.6" 24'10.9"	33' 5.4" 99' 2.3"	100' 7.1"
f/2.8	NEAR FAR	1' 5.7" 1' 6.3"	2'10.6" 3' 1.4"	4' 8.3" 5' 4.3"	6' 4.8" 7' 8.8"	8' 9.6" 11' 6.9"	12' 5.3" 18'10.7"	15' 8.2" 27' 7.5"	29' 6.5" 163' 8.6"	71'10.6"
1/4	NEAR FAR	1' 5.5" 1' 6.5"	2'10.1" 3' 2.1"	4' 6.8" 5' 6.3"	6' 2.1" 8' 1.1"	8' 4.5" 12' 5.1"	11' 7.2" 21' 3.2"	14' 4.3" 33' 0.3"	25' 1.7" 7105'10.2"	50' 4.2"
f/5.6	NEAR FAR	1' 5.4" 1' 6.7"	2' 9.4"	4' 5" 5' 9.2"	5'10.7" 8' 7.6"	7'10.4" 13' 9.1"	10' 7.6" 25' 6.6"	12'10.9" 44' 8.6"	20'11.8"	36'
f/8	NEAR FAR	1' 5.1" 1' 7"	2' 8.4" 3' 4.5"	4' 2.5" 6' 2.2"	5' 6.2" 9' 7.2"	7' 2.5" 16' 5"	9' 5.5" 36' 7.8"	11' 2.6" 95' 6.6"	16' 9.9" co	25' 2.8"
f/11	NEAR FAR	1' 4.8"	2' 7.3" 3' 6.5"	3'11.6" 6' 9.4"	5' 1.4" 11' 2"	6' 6.3" 21' 7.9"	8' 3.8" 80' 5.9"	9' 7.6"	13' 5.8"	18' 4.6"
f/16	NEAR FAR	1' 4.3" 1' 8.1"	2' 5.5" 3'10.3"	3' 7.6" 8' 1.3"	4' 6.8" 15' 4.3"	5' 7.8" 46' 6.5"	6'11.1"	7' 9.7"	10' 1.8"	12' 8.1" co
f/22	NEAR FAR	1' 3.8" 1' 9"	2' 3.7" 4' 4"	3' 3.6" 10' 7.4"	4' 0.5" 28' 1.2"	4'10.3"	5' 9.3" co	6' 4.5"	7'10"	9' 3"

DEDEN	OR PIET	DTABLE	FOD CENEDAT	PHOTOGRAPHIC WORK

Distance	_B 08	18 in.	3 ft.	5 ft.	7 ft.	10 ft.	15 ft.	20 ft.	50 ft.	Inf.
f/0.95	NEAR FAR	1' 5.9" 1' 6.1"	2'11.7" 3' 0.3"	4'11.2" 5' 0.8"	6'10.4" 7' 1.7"	9' 8.7" 10' 3.5"	14' 4.7" 15' 8"	18'11.1" 21' 2.5"	43' 8.6" 58' 4.9"	345' 6.2'
f/1.2	NEAR FAR	1' 5.9" 1' 6.1"	2 ¹ 11.6" 3' 0.3"	4'11" 5' 1"	6'10" 7' 2,1"	9' 7.9" 10' 4.4"	14' 2.8" 15'10.2"	18' 7.9" 21' 6.6"	42' 3.8" 61' 1.3"	273' 6.8' ©
f/1.4	NEAR FAR	1' 5.9" 1' 6.1"	2'11.6" 3' 0.4"	4'10.8" 5' 1.2"	6' 9.7" 7' 2.5"	9' 7.2" 10' 5.2"	14' 1.4" 16'	18' 5.4" 21'10"	41' 3.1" 63' 5.5"	234' 6.1'
f/1.5	NEAR FAR	1' 5.9" 1' 6.1"	2'11.5" 3' 0.4"	4'10.7" 5' 1.3"	6' 9.5" 7' 2.7"	9' 6.9" 10' 5.6"	14' 0.7" 16' 1"	18' 4.2" 21'11.7"	40' 9" 64' 8.5"	218'10.6'
f/1.8	NEAR FAR	1' 5.9" 1' 6.1"	2'11.5" 3' 0.5"	4'10.5" 5' 1.6"	6' 9" 7' 3.2"	9' 6" 10' 6.7"	13'10.6" 16' 3.8"	18' 0.6" 22' 5.1"	39' 3.6" 68' 9"	182' 5.2' ©
f/1.9	NEAR FAR	1' 5.9" 1' 6.1"	2'11.4" 3' 0.6"	4'10.4" 5' 1.7"	6' 8.9" 7' 3.4"	9' 5.6" 10' 7.1"	13' 9.9" 16' 4.7"	17'11.5" 22' 6.9"	38'10.1" 70' 2.6"	172'10.1'
f/2	NEAR FAR	1' 5.9" 1' 6.1"	2'11.4" 3' 0.6"	4'10.3" 5' 1.8"	6' 8.7"	9' 5.3" 10' 7.5"	13' 9.2" 16' 5.7"	17'10.3" 22' 8.7"	38' 4.7" 71' 9"	164' 2.5'
1/2.8	NEAR FAR	1' 5.8" 1' 6.2"	2'11.2" 3' 0.8"	4' 9.7" 5' 2.5"	6' 7.5" 7' 5.1"	9' 2.9" 10'10.8"	13' 4" 17' 1.8"	17' 1.5" 24' 0.5"	35' 1.5" 86'10.6"	117' 4"
f/4 ee	NEAR FAR	1' 5.7" 1' 6.3"	2'10.8" 3' 1.2"	4' 8.8" 5' 3.6"	6' 5.7"	8'11.4" 11' 4.1"	12' 8.7" 18' 3.3"	16' 1.6" 26' 3.9"	31' 2" 127' 2"	82' 2.2' ©
f/5.6	NEAR FAR	1' 5.6" 1' 6.4"	2'10.4" 3' 1.7"	4' 7.6" 5' 5.2"	6' 3.4" 7'10.9"	8' 7" 11'11.8"	12' 20' 0.4"	14'11.8" 30' 1.8"	27' 1.1" 333' 9.9"	58' 9"
f/8	NEAR FAR	1' 5.5" 1' 6.5"	2' 9.8" 3' 2.5"	4' 5.9" 5' 7.8"	6' 0.3" 8' 4.4"	8' 1.2" 13' 1.2"	11' 0.7" 23' 4.9"	13' 6.4" 38' 7"	22' 7.9"	41' 2.1"
f/11	NEAR FAR	1' 5.3" 1' 6.7"	2' 9" 3' 3.6"	4' 3.9" 5'11.2"	5' 8,7" 9' 0.4"	7' 6.7" 14'10.1"	10' 0.9" 29' 8.2"	12' 0.9" 59' 4.6"	18' 9.9" ©	29'11.9"
f/16	NEAR FAR	1' 5" 1' 7.1"	2' 7.9" 3' 5.4"	4' 0.9" 6' 5.9"	5' 3.5" 10' 5.1"	6' 9.7" 19' 0.8"	8' 9.3" 53' 9.9"	10' 3" 607'10.6"	14' 8.3"	20' 8"
f/22	NEAR FAR	1' 4.7" 1' 7.6"	2' 6.6"	3' 9.8" 7' 3.8"	4'10.2" 12' 9.5"	6' 1.1" 29' 0.7"	7' 7.2" 2875' 4.2"	8' 8.1" ©	11' 7.7"	

Distance	4.0	18 in.	3 ft.	5 ft.	7 ft.	10 ft.	15 ft.	20 ft.	50 ft.	Inf.
1/0.95	NEAR FAR	1' 5.9" 1' 6"	2'11.8" 3' 0.2"	4'11.4" 5' 0.7"	6'10.7"	9' 9.4" 10' 2.8"	14' 6.1" 15' 6.3"	19' 1.5" 20'11.5"	44'10.1" 56' 6"	431'10.2" a
f/1.2	NEAR FAR	1' 5.9" 1' 6.1"	2'11.7"	4'11.2" 5' 0.8"	6'10.4" 7' 1.7"	9' 8.7" 10' 3.5"	14' 4.6" 15' 8.1"	18'10.9" 21' 2.7"	43' 7.9" 58' 6.1"	341'11"
f/1.4	NEAR FAR	1' 5.9" 1' 6.1"	2'11.7"	4'11.1" 5' 1"	6'10.1"	9' 8.2" 10' 4.1"	14' 3.4" 15' 9.5"	18' 8.9" 21' 5.3"	42' 9.1" 60' 2.6"	293' 1.2"
f/1.5	NEAR FAR	1' 5.9" . 1' 6.1"	2'11.6"	4'11" 5' 1"	6'10" 7' 2.1"	'9' 7.9" 10' 4.4"	14' 2.8" 15'10.2"	18' 7.9" 21' 6.6"	42' 3.8" 61' 1.3"	273' 6.8"
f/1.8	NEAR FAR	1' 5.9" 1' 6.1"	2'11.6" 3' 0.4"	4'10.8" 5' 1.3"	6' 9.6"	9' 7.1" 10' 5.3"	14' 1.1" 16' 0.4"	18' 4.9" 21'10.7"	41' 0.7" 63'11.4"	2281
f/1.9	NEAR FAR	1' 5.9" 1' 6.1"	2'11.5" 3' 0.4"	4'10.7" 5' 1.3"	6' 9.5" 7' 2.7"	9' 6.9" 10' 5.6"	14' 0.6" 16' 1.1"	18' 4" 22' 0.1"	40' 7.8" 64'11.5"	216' 0.1"
1/2	NEAR FAR	1' 5.9" 1' 6.1"	2'11.5" 3' 0.5"	4'10.7" 5' 1.4"	6' 9.4"	9' 6.6" 10' 5.9"	14' 1.2" 16' 1.9"	18' 3" 22' 1.5"	40' 3.1" 66"	205' 2.6"
1/2.8	NEAR FAR	1' 5.8" 1' 6.1"	2'11.3" 3' 0.7"	4'10.1" 5' 2"	6' 8.4"	9' 4.6"	13' 7.6" 16' 8.1"	17' 7.6" 23' 1.3"	37' 4.2" 75' 8.4"	146' 7.6"
1/4: 1828	NEAR FAR	1' 5.8" 1' 6.2"	2'11.1" 3' 1"	4' 9.4" 5' 2.9"	6' 6.9"	9' 1.7" 11' 0.5"	13' 1.5" 17' 6.1"	16' 9.4" 24' 9.1"	33' 8.4" 97' 1.6"	102' 8.3"
1/5.6	NEAR FAR	1' 5.7" 1' 6.3"	2'10.7" 3' 1.4"	4' 8.4" 5' 4.1"	6' 5"	8'10" 11' 6.3"	12' 6" 18' 9.2"	15' 9.3" 27' 4.4"	29' 9.8" 156' 1.8"	73' 4.8" ©
1/8	NEAR FAR	1' 5,6" 1' 6.4"	2'10.2" 3' 2"	4' 7" 5' 6"	6' 2.4" 8' 0.6"	8' 5" 12' 4"	11' 8" 21' 0.5"	14' 5.6" 32' 6.2"	25' 5.2" 1790' 3"	51' 5.1" ©
f/11	NEAR FAR	1' 5.4" 1' 6.6"	2' 9.6"	4' 5.3" 5' 8.6"	5'11.3" 8' 6.4"	7'11.4"	10' 9.3" 24' 9.7"	13' 1.3" 42' 6.6"	21' 5.9"	37' 5.4"
f/16	NEAR FAR	1' 5.2" 1' 6.9"	2' 8.6"	4' 2.8" 6' 1.5"	5' 6.7" 9' 5.9"	7' 3.3" 16' 1.5"	9' 6.7"	11' 4.2" 87'10.7"	17' 1.1" ©	25' 9.5"
f/22	NEAR FAR	1' 4.9" 1' 7.2"	2' 7.5" 3' 6.1"	4' 6' 8.3"	5' 2" 10'11.5"	6' 7.2" 20'11.8"	8' 5.1" 72'10.1"	9' 9.3" ®	13' 8.8"	18' 9.7"

DEDMI OF	TOTAL TO	MADE B BOD	CHARLEST A.T.	PHOTOGRAPHIC WORK

Distance	e	18 in.	3 ft.	5 ft.	7 ft.	10 ft.	15 ft.	20 ft.	50 ft.	Inf.
1/0.95	NEAR FAR	1' 5.9" 1' 6"	2'11.8" 3' 0.2"	4'11.3" 5' 0.7"	6'10.7" 7' 1.4"	9' 9.3" 10' 2.8"	14' 5.9" 15' 6.5"	19' 1.2" 20'11.8"	44' 8.3" 56' 8.9"	418' 0.7'
1/1.2	NEAR FAR	1' 5.9" 1' 6.1"	2'11.7" 3' 0.3"	4'11.2" 5' 0.9"	6'10.4" 7' 1.7"	9' 8.6" 10' 3.6"	14' 4.4" 15' 8.3"	18'10.6" 21' 3.2"	43' 5.8" 58'10"	331'
1/1.4	NEAR FAR	1' 5.9" 1' 6.1"	2'11.7" 3' 0.3"	4'11" 5' 1"	6'10.1" 7' 2"	9' 8.1" 10' 4.2"	14' 3.2" 15' 9.8"	18' 8.5" 21' 5.9"	42' 6.7" 60' 7.4"	283' 8.9' co
f/1.5	NEAR FAR	1' 5.9" 1' 6.1"	2'11.6" 3' 0.3"	4'11" 5' 1.1"	6'10" 7' 2.2"	9' 7.8" 10' 4.5"	14' 2.6" 15'10.5"	18' 7.4" 21' 7.3"	42' 1.3" 61' 6.6"	264'10"
f/1.8	NEAR FAR	1' 5.9" 1' 6.1"	2'11.6" 3' 0.4"	4'10.8" 5' 1.3"	6' 9.6" 7' 2.6"	9' 7" 10' 5.5"	14' 0.8" 16' 0.8"	18' 4.4" 21'11.5"	40' 9.8" 64' 6.5"	220' 8.7' ©
1/1.9	NEAR FAR	1' 5.9" 1' 6.1"	2'11.5" 3' 0.4"	4'10.7" 5' 1.4"	6' 9.4" 7' 2.8"	9' 6.7" 10' 5.8"	14' 0.2" 16' 1.6"	18' 3.4" 22' 0.9"	40' 4.9" 65' 7.2"	209' 1.4"
1/2	NEAR FAR	1' 5.9" 1' 6.1"	2'11.5" 3' 0.5"	4'10.6" 5' 1.4"	6' 9.3" 7' 2.9"	9' 6.4" 10' 6.1"	13'11.6" 16' 2.3"	18' 2.4" 22' 2.4"	40' 0.1" 66' 8.3"	198' 8.1"
f/2.8	NEAR FAR	1' 5.8" 1' 6.1"	2'11.3" 3' 0.7"	4'10.1" 5' 2"	6' 8.3" 7' 4.2"	9' 4.4" 10' 8.8"	13' 7.2" 16' 8.8"	17' 6.8" 23' 2.7"	37' 0.6" 76'11.9"	141'11.5" ©
1/4	NEAR FAR	1' 5.8 1' 6.2"	2'11.1" 3' 1"	4' 9.3" 5' 3"	6' 6.8" 7' 6.1"	9' 1.4" 11' 0.9"	13' 0.9" 17' 7.2"	16° 8.4" 24'11.3"	33' 4.2" 100' 2.6"	99' 5.1"
f/5.6	NEAR FAR	1' 5.7" 1' 6.3"	2'10.7" 3' 1.4"	4' 8.3" 5' 4.2"	6' 4.8" 7' 8.7"	8' 9.7" 11' 6.9"	12' 5.3" 18'11"	15' 8" 27' 8.3"	29' 5.3" 167' 9.6"	71' 0.8"
f/8	NEAR FAR	1' 5.6" 1' 6.4"	2'10.2" 3' 2"	4' 6.9" 5' 6.2"	6' 2.1" 8' 1.1"	8' 4.5" 12' 5.1"	11' 7.1" 21' 3.7"	14' 4.1" 33' 2.2"	25' 0.5" co	49' 9.6' 00
f/11	NEAR FAR	1' 5.4" 1' 6.6"	2' 9.5" 3' 2.8"	4' 5.2" 5' 8.9"	5'11" 8' 7.1"	7'10.8" 13' 8"	10' 8.2" 25' 3.9"	12'11.7" 44' 1.7"	21' 1.3" co	36' 3.2"
f/16	NEAR FAR	1' 5.2" 1' 6.9"	2' 8.5" 3' 4.3"	4' 2.6" 6' 1.9"	5' 6.4" 9' 7"	7' 2.6" 16' 5.2"	9' 5.5" 36'11.8"	11' 2.4" 98' 8.3"	16' 8.9" ©	24'11.9"
1/22	NEAR FAR	1' 4.9" 1' 7.2"	2' 7.4" 3' 6.2"	3'11.8" 6' 9.1"	5' 1.6" 11' 1.8"	6' 6.5" 21' 8.7"	8' 3.8" 83' 1.2"	9' 7.5"	13' 5.1" ©	18' 2.7"

1/2 1/2 1/2 1/2 1/2

Di 1/1
1/1
1/1

1/2 1/2 1/2 1/4 1/5

1/8
1/1
1/1
1/2:

Distance	0.0	18 in.	3 ft.	5 ft.	7 ft.	10 ft.	15 ft.	20 ft.	50 ft.	Inf.
f/0.95	NEAR FAR	1' 6" 1' 6"	2'11.8" 3' 0.2"	4'11.5" 5' 0.5"	6'11" 7' 1.1"	9' 9.8" 10' 2.3"	14' 7.1" 15' 5.2"	19' 3.3" 20' 9.4"	45' 7.9" 55' 3"	522' 6.3"
f/1.2	NEAR FAR	1' 5.9" 1' 6"	2'11.8" 3' 0.2"	4'11.3" 5' 0.7"	6'10.7" 7' 1.4"	9' 9.3" 10' 2.9"	14' 5.8" 15' 6.6"	19' 1.1" 21'	44' 7.7" 56' 9.9"	413' 8.4" co
f/1.4	NEAR FAR	1' 5.9" 1' 6.1"	2'11.7" 3' 0.3"	4'11.2" 5' 0.8"	6'10.5" 7' 1.6"	9' 8.8" 10' 3.4"	14' 4.9" 15' 7.8"	18'11.4" 21' 2.1"	43'10.3" 58' 1.8"	354' 7.5" co
f/1.5	NEAR FAR	1' 5.9" 1' 6.1"	2'11.7"	4'11.2" 5' 0.9"	6'10.4" 7' 1.7"	9' 8.6" 10' 3.6"	14' 4.4" 15' 8.3"	18'10.6" 21' 3.2"	43' 5.8" 58'10"	331'
f/1.8	NEAR FAR	1' 5.9" 1' 6.1"	2'11.6" 3' 0.3"	4'11" 5' 1"	6'10" 7' 2.1"	9' 7.9" 10' 4.4"	14' 2.9" 15'10.1"	18' 8" 21' 6.4"	42' 4.5" 60"11.9"	275'10.3"
f/1.9	NEAR FAR	1' 5.9" 1' 6.1"	2'11.6" 3' 0.4"	4'11" 5' 1.1"	6' 9.9" 7' 2.2"	9' 7.7" 10' 4.6"	14' 2.5" 15'10.7"	18' 7.2" 21' 7.5"	42' 0.2" 61' 8.9"	261' 4.2" ∞
1/2	NEAR FAR	1' 5.9" 1' 6.1"	2'11.6" 3' 0.4"	4'10.9" 5' 1.1"	6' 9.8" 7' 2.3"	9' 7.5"	14' 2" 15'11.3"	18' 6.4" 21' 8.6"	41' 8" 62' 6.2"	248' 3.5"
f/2.8	NEAR FAR	1' 5.9" 1' 6.1"	2'11.5" 3' 0.5"	4'10.5" 5' 1.6"	6' 9" 7' 3.3"	9' 5.8" 10' 6.9"	13'10.3" 16' 4.2"	18' 0.1" 22' 5.9"	39' 0.8" 69' 5.8"	177' 4.9" ©
1/4	NEAR FAR	1' 5.8" 1' 6.2"	2'11.2" 3' 0.8"	4' 9.8" 5' 2.3"	6' 7.8" 7' 4.8"	9' 3.4" 10'10.1"	13' 5" 17' 0.1"	17' 3.2" 23' 9.2"	35' 8.7" 83' 5.2"	124' 2.8"
f/5.6	NEAR FAR	1' 5.8" 1' 6.2"	2'10.9" 3' 1.1"	4' 9" 5' 3.3"	6' 6.2" 7' 6.8"	9' 0.2" 11' 2.7"	12'10.5" 17'11.7"	16' 4.5" 25' 8.5"	32' 0.8" 113'11.8"	88' 9.5"
f/8	NEAR FAR	1' 5.7" 1' 6.3"	2'10.5" 3' 1.6"	4' 7.8" 5' 4.9"	6' 3.9" 7'10.1"	8' 7.9" 11'10.2"	12' 1.7" 19' 7.8"	15' 2.4" 29' 3.7"	27' 9.7" 253' 3.5"	62' 2.5"
f/11	NEAR FAR	1' 5.5" 1' 6.5"	2'10" 3' 2.2"	4' 6.4" 5' 6.9"	6' 1.3" 8' 2.6"	8' 2.9" 12' 8.8"	11' 4" 22' 3"	13'11.4" 35' 6.4"	23'10.3" ©	45' 3.5" 'co
f/16	NEAR FAR	1' 5.3" 1' 6.7"	2' 9.2"	4' 4.2" 5'10.6"	5' 9.3" 8'11.1"	7' 7.7" 14' 6.6"	10' 2.5" 28' 6.7"	12' 3.3" 55' 1.1"	19' 3.5"	31' 2.3"
f/22	NEAR FAR	1' 5.1" 1' 7"	2' 8.2"	4' 1.8" 6' 3.7"	5' 5" 9'11.5"	7' 0.3" 17' 6.8"	9' 1.5" 43' 4.7"	10' 8.8" 163' 6.7"	15' 8.5"	22' 8.8"

DEDTH OF I	TARID TARIE	FOR	CENEDAL	PHOTOGRAPHIC WORK	

Distance	-r) 00	18 in.	3 ft.	5 ft.	7 ft.	10 ft.	15 ft.	20 ft.	50 ft.	Inf.
f/0.95	NEAR FAR	1' 5.9" 1' 6"	2'11.8" 3' 0.2"	4'11.4" 5' 0.6"	6'10.8" 7' 1.2"	9' 9.6" 10' 2.5"	14' 6.5" 15' 5.9"		45' 2.1" 55'11.8"	464'10.7"
f/1.2	NEAR FAR	1' 5.9" 1' 6"	2'11.7" 3' 0.2"	4'11.3" 5' 0.8"	6'10.5" 7' 1.6"	9' 8.9"	14' 5.1" 15' 7.5"		44' 0.7" 57' 9.6"	368' 1" ©
1/1.4	NEAR FAR	1' 5.9" 1' 6.1"	2'11.7" 3' 0.3"	4'11.1" 5' 0.9"	6'10.3" 7' 1.8"	9' 8.4"	14' 4" 15' 8.8"	18' 9.9" 21' 3.9"	43' 2.5" 59' 4.1"	315' 6.3"
f/1.5	NEAR FAR	1' 5.9" 1' 6.1"	2'11.7" 3' 0.3"	4'11.1" 5' 1"	6'10.2" 7' 2"	9' 8.2" 10' 4.1"	14' 3.5" 15' 9.4"		42' 9.5" 60' 1.8"	294' 6"
f/1.8	NEAR FAR	1' 5.9" 1' 6.1"	2'11.6" 3' 0.4"	4'10.9" 5' 1.2"	6' 9.1" 7' 2.4"	9' 7.5" 10' 4.9"	14' 1.9" 15'11.4"	18' 6.2" 21' 8.9"	41' 7.1" 62' 8.3"	245' 5.4"
f/1.9	NEAR FAR	1' 5.9" 1' 6.1"	2'11.6" 3' 0.4"	4'10.8" 5' 1.2"	6' 9.7" 7' 2.5"	9' 7.2" 10' 5.2"	14' 1.4" 16' 0.1"	18' 5.3" 21'10.2"	41' 2.5" 63' 7.1"	232' 6.5"
1/2	NEAR FAR	1' 5.9" 1' 6.1"	2'11.6" 3' 0.4"	4'10.8" 5' 1.3"	6' 9.6" 7' 2.6"	9' 7" 10' 5.5"	14' 0.8" 16' 0.8"	18' 4.4" 21'11.4"	40'10" 64' 6.2"	220'11.1"
1/2.8	NEAR FAR	1' 5.9" 1' 6.1"	2'11.4" 3' 0.6"	4'10.3" 5' 1.8"	6. 8.6"	9' 5.1" 10' 7.8"	13' 8.7" 16' 6.4"	17' 9.5" 22'10.2"	38' 0.5" 73'	157'10.3"
1/4	NEAR FAR	1' 5.8" 1' 6.2"	2'11.1" 3' 0.9"	4' 9.6" 5' 2.6"	6' 7.3" 7' 5.4"	9' 2.4"	13' 3.0" 17' 3.5"	16'11.8" 24' 4"	34' 6.1" 90'11.6"	110' 6.7"
f/5.6	NEAR FAR	1' 5.7" 1' 6.3"	2'10.8"	4' 8.7" 5' 3.8"	6' 5.5" 7' 7.7"	8'11" 11' 4.7"	12' 7.9" 18' 5.1"	16' 0.3" 26' 7.8"	30' 8.6" 135'5.8"	79' 0.3" ©
f/8	NEAR FAR	1' 5.6" 1' 6.4"	2'10.4" 3' 1.8"	4' 7.4" 5. 5.5"	6' 3" 7'11.5"	8' 6.2" 12' 1.4"	11'10.4" 20' 5.2"	14' 9.2" 31' 1.1"	26' 4.4" 511' 8"	55' 4.5" 00
f/11	NEAR FAR	1' 5.5" 1' 6.5"	2' 9.8" 3' 2.5"	4' 5.8" 5' 7.9"	6' 0.2" 8' 4.7"	8' 0.9" 13' 2.1"	11' 0.1" 23' 7.9"	13' 5.4" 39' 3.7"	22' 5"	40° 3.9"
f/16	NEAR FAR	1' 5.3" 1' 6.8"	2' 8.9" 3' 3.8"	4' 3.4" 6' 0.2"	5' 7.8" 9' 2.8"	7' 5.1" 15' 4.9"	9' 9.9" 32' 1.9"	11' 8.7" 70' 5.1"	17'11.4"	27' 9.4"
1/22	NEAR FAR	1' 5" 1' 7.1"	2' 7.8" 3' 5.5"	4' 0.8" 6' 6.2"	5' 3.3" 10' 6"	6' 9.3" 19' 4.6"	8' 8.5" 56' 8.6"	10' 1.9" 1546' 4.3"	14' 5.9"	20' 3.1" ©

Distance	20,00	18 in.	3 ft.	5 ft.	7 ft.	10 ft.	15 ft.	20 ft.	50 ft.	Inf.
f/0.95	NEAR FAR	1' 6" 1' 6"	2'11.8" 3' 0.1"	4'11.5" 5' 0.5"	6'11.1" 7' 1"	9'10" 10' 2"	14' 7.6" 15' 4.6"	19' 4.2" 20' 8.4"		531' 0.9" ©
f/1.2	NEAR FAR	1' 5.9" 1' 6"	2'11.8" 3' 0.2"	4'11.4" 5' 0.6"	6'10.8" 7' 1.2"	9' 9.5" 10' 2.6"	14' 6.5" 15' 5.9"	19' 2.2" 20'10.7"		460' 0.7" ©
1/1.4	NEAR FAR	1' 5.9" 1' 6"	2'11.7"	4'11.3" 5' 0.7"	6'10.6" 7' 1.5"	9' 9.1"	14' 5.6" 15' 6.9"	19' 0.6" 21' 0.6"	44' 4.9" 57' 2.5"	394' 4.3" ©
1/1.5	NEAR FAR	1' 5.9" 1' 6"	2'11.7"	4'11.3" 5' 0.8"	6'10.5"	9' 8.9"	14' 5.1" 15' 7.5"	18'11.9" 21' 1.5"		368' 1"
f/1.8	NEAR FAR	1' 5.9" 1' 6.1"	2'11.7" 3' 0.3"	4'11.1" 5' 0.9"	6'10.2" 7' 1.9"	9' 8.4"	14' 3.8" 15' 9"	18' 9.6" 21' 4.4"	43' 0.5" 59' 8"	306' 9.2"
f/1.9	NEAR FAR	1' 5.9" 1' 6.1"	2'11.7" 3' 0.3"	4'11.1" 5' 1"	6'10" 7' 2"	9' 8"	14' 3.4" 15' 9.5"	18' 8.8" 21' 5.4"	42' 8.5" 60' 3.7"	290' 7.6"
1/2	NEAR FAR	1' 5.9" 1' 6.1"	2'11.6"	4'11" 5' 1"	6'10" 7' 2.1"	9' 8"	14' 2.9" 15'10.1"	18' 8.1" 21' 6.4"	42' 4.6" 60'11.7"	276' 1.3"
1/2.8	NEAR FAR	1' 5.9" 1' 6.1"	2'11.5"	4'10.6" 5' 1.4"	6° 9.3° 7' 2.9°	9' 6.4"	13'11.6" 16' 2.4"	18' 2.3" 22' 2.6"	39'11.4" 66'10.2"	197' 3.3"
1/4	NEAR FAR	1' 5.8" 1' 6.1"	2'11.3" 3' 0.7"	4'10.1" 5' 2.1"	6' 8.2" 7' 4.3"	9'\4.2"	13' 6.8" 16' 9.4"	17' 6.2" 23' 3.9"	36' 9.4" 78' 1.7"	138' 1.8"
f/5.6	NEAR FAR	1' 5.8"	2'11.1" 3' 1"	41 9.3" 51 3"	6'6.7" 7' 6.1"	9' 1.3" 11' 1"	13' 0.8" 17' 7.4"	16' 8.2" 24'11.8"	33' 3.3" 100'10.9"	981 8.811
1/8	NEAR FAR	1' 5.7" 1' 6.3"	2'10.7" 3' 1.4"	4' 8.2" 5' 4.3"	6' 4.7"	8' 9.3" 11' 7.5"	12' 4.6" 19' 0.6"	15' 7" 27'11.8"	29' 1.4" 179' 5.1"	69' 2"
f/11	NEAR FAR	1' 5.6" 1' 6.4"	2'10.2" 3' 2"	4' 7" 5' 6.1"	6' 2.2" 8' 0.9"	8' 4.7" 12' 4.6"	11' 7.5" 21' 2.4"	14' 4.7" 32'11.1"	25' 2.2" 6993' 5.9"	50' 4.3" ©
f/16	NEAR FAR	1' 5.4" 1' 6.6"	2' 9.4"	4' 4.9" 5' 9.4"	5'10.5" 8' 8.1"	7' 9.9" 13'10.8"	10' 6.6" 26' 1.7"	12' 9.3" 46' 8.8"	20' 6.8"	34' 8.2"
1/22	NEAR FAR	1' 5.2" 1' 6.9"	2' 8.6"	4' 2.7" 6' 1.7"	5' 6.6" 9' 6.5"	7' 2.9" 16' 3.6"	91 611 361 4.211	11' 3.1" 94' 4.9"	16'10.5"	25' 3.3"

DEPTH OF FIELD TABLE	FOR	GENERAL PHOTOGRAPHIC WORK
----------------------	-----	---------------------------

Distance	21, 00	3 ft.	5 ft.	7 ft.	10 ft.	15 ft.	20 ft.	50 ft.	100 ft.	Inf.
f/1.5	NEAR FAR	2'11.9" 3' 0.1"	4'11.6" 5' 0.4"	6'11.3" 7' 0.8"	9'10.4" 10' 1.6"	14' 8.4" 15' 3.7"	19' 5.6" 20' 6.8"	46' 8.9" 53' 9"	87' 8.4" 116' 3.9"	708'11.5" ©
f/1.8	NEAR FAR	2'11.8" 3' 0.1"	4'11.6" 5' 0.5"	6'11.1" 7' 0.9"	9'10.1" 10' 1.9"	14' 7.7" 15' 4.5"	19' 4.4" 20' 8.2"	46' 1.7" 54' 6.8"	85' 7.2" 120' 3"	590'10.2"
f/1.9	NEAR FAR	2'11.8" 3' 0.1"	4'11.5" 5' 0.5"	6'11.1" 7' 1"	9'10" 10' 2.1"	14' 7.5". 15' 4.8"	19' 4" 20' 8.6"	45'11.3" 54'10.2"	84'11" 121' 7.5"	5591 9.211 00
1/2	NEAR FAR	2'11.8" 3' 0.2"	4'11.5" 5' 0.5"	6'11" 7' 1"	9' 9.9" 10' 2.2"	14' 7.2" 15' 5"	19' 3.5" 20' 9.1"	45' 9" 55' 1.5"	84' 3" 123' 0.3"	531' 9.5"
1/2.8	NEAR FAR	2'11.8" 3' 0.2"	4'11.3" 5' 0.7"	6'10.6" 7' 1.5"	9' 9.1" 10' 3.1"	14' 5.4" 15' 7.1"	19' 0.3" 21' 0.9"	44' 2.9" 57' 5.9"	79' 3.1" 135' 6.1"	379'11.2"
f/3.5	NEAR FAR	2'11.7" 3' 0.3"	4'11.1" 5' 0.9"	6'10.3" 7' 1.8"	9' 8.4" 10' 3.8"	14' 3.9" 15' 9"	18' 9.6" 21' 4.4"	43' 0.1" 59' 8.7"	75' 4.3" 148' 8.7"	304' 0.1"
1/4	NEAR FAR	2'11.7" 3' 0.3"	4'11" 5' 1"	6'10" 7' 2.1"	9' 7.9" 10' 4.4"	14' 2.7" 15'10.3"	18' 7.7" 21' 6.9"	42' 2" 61' 5.2"	72' 9.6" 159'10.4"	266' 0.5"
f/5.6	NEAR FAR	2'11.5" 3' 0.5"	4'10.6" 5' 1.4"	6' 9.3" 7' 3"	9' 6.3" 10' 6.3"	13'11.3" 16' 2.8"	18' 1.8" 22' 3.4"	39' 8.2" 67' 7.6"	65' 8" 210' 3.8"	190' 1.4"
1/8	NEAR FAR	2'11.3" 3' 0.7"	4'10.1" 5' 2.1"	6' 8.1" 7' 4.3"	9' 4.1" 10' 9.2"	13' 6.4" 16'10"	17' 5.5" 23' 5.2"	36' 5.6" 79' 8.5"	57' 3.1" 399' 8.5"	1331 2"
f/11	NEAR FAR	2'11.1" 3' 0.9"	4' 9.4" 5' 2.9"	6' 6.8"	9' 1.4" 11' 1"	13' 0.7" 17' 7.7"	16' 8" 25' 0.6"	33' 1.4" 102' 7.7"	49' 4.4" 00	96'11.2"
f/16	NEAR FAR	2'10.7" 3' 1.4"	4' 8.3" 5' 4.3"	6' 4.6" 7' 9.1"	8' 9.2" 11' 7.9"	12' 4" 19' 2.2"	15' 5.9" 28', 3.7"	28' 8.7" 197' 7.8"	40' 2" 4 co	66' 8.8" ©
1/22	NEAR FAR	2'10.3" 3' 1.9"	4' 7" 5' 6.1"	6' 2.2" 8' 1"	8' 4.5" 12' 5.3"	11' 6.8" 21' 5.2"	14' 3.5" 33' 6.8"	24' 9.6"	32'10.1"	481 7.4"
t/32	NEAR FAR	2' 9.5" 3' 2.9"	4' 5" 5' 9.3"	5'10.5" 8' 8.4"	7' 9.7" 14' 0.1"	10' 5.9" 26' 8.2"	12' 8" 48' 8.8"	20' 2.5"	25' 2.5" co	33' 6.2"
£/45	NEAR FAR	2' 8.7" 3' 4.2"	4' 2.6" 6' 2"	5' 6.2" 9' 7.9"	7' 2.1" 16' 9.2"	9' 4.3"	11' 0.5" 119' 1.4"	16' 3.7"	19' 4.7"	23'11"

Di f/1
f/1
f/1
f/1
f/2
f/2
f/2
f/4

t/5

t/8

t/1

t/1

t/10

t/2:

t/3:

Distanc	e 1.03	3 ft.	5 ft.	7 ft.	10 ft.	15 ft.	20 ft.	50 ft.	100 ft.	Inf.
f/1.5	NEAR FAR	2'11.9" 3' 0.1"	4'11.7" 5' 0.3"	6'11.4" 7' 0.6"	9'10.7" 10' 1.3"	14' 9.1" 15' 3"	19' 6.9" 20' 5.4"	47' 4.3" 52'11.5"	89'11" 112' 7.7"	886' 1.5"
£/1.8	NEAR FAR	2'11.9" 3' 0.1"	4'11.6" 5' 0.4"	6'11.3"	9'10.5" 10' 1.6"	14' 8.6" 15' 3.6"	19' 5.9" 20' 6.5"	46'10.4" 53' 7.1"	88' 1.6" 115' 6.8"	738' 5.8"
f/1.9	NEAR FAR	2'11.9" 3' 0.1"	4'11.6" 5' 0.4"	6'11.3" 7' 0.8"	9'10.4" 10' 1.6"	14' 8.4" 15' 3.8"	19' 5.5" 20' 6.9"	46' 8.4" 53' 9.6"	87' 6.7" 116' 6.9"	699' 7.6"
1/2	NEAR FAR	2'11.9" 3' 0.1"	4'11.6" 5' 0.4"	6'11.2" 7' 0.8"	9'10.3" 10' 1.7"	14' 8.2" 15' 4"	19' 5.2" 20' 7.2"	46' 6.5" 54' 0.2"	86'11.9" 117' 7.3"	664' 8"
f/2.8	NEAR FAR	2'11.8" 3' 0.2"	4'11.4" 5' 0.6"	6'10.9" 7' 1.2"	9' 9.7" 10' 2.4"	14' 6.7" 15' 5.6"	19' 2.6" 20'10.2"	45' 3.4" 55' 9.8"	82' 8.3" 126' 6.2"	474'10.1"
f/3.5	NEAR FAR	2'11.8" 3' 0.2"	4'11.3" 5' 0.7"	6'10.6" 7' 1.5"	9' 9.1" 10' 3.1"	14' 5.4" 15' 7.1"	19' 0.3" 21' 0.9"	44' 2.9" 57' 5.9"	79' 3.1" 135' 6.1"	379'11.2" ©
f/4	NEAR FAR	2'11.7" 3' 0.3"	4'11.2" 5' 0.8"	6'10.4" 7' 1.7"	9' 8.7" 10' 3.5"	14' 4.5" 15' 8.2"	18'10.8" 21' 2.9"	43' 6.4"	76'11.8" 142' 9.1"	332' 5.8"
1/5.6	NEAR FAI	2'11.6" 3' 0.4"	4'10.9" 5' 1.1"	6' 9.8" 7' 2.4"	9' 7.4" 10' 5"	14' 1.7" 15'11.7"	18' 5.9" 21' 9.4"	41' 4.7" 63' 2.1"	70' 6" 172' 3.1"	237' 6.8"
1/8	NEAR FAR	2'11.5" 3' 0.5"	4'10.4" 5' 1.6"	6' 8.9" 7' 3.4"	9' 5.6" 10' 7.2"	13' 9.6" 16' 5.1"	17'10.9" 22' 7.8"	38' 6.6" 71' 2.7"	62' 7.2" 249' 8.9"	166' 4.7"
1/11	NEAR FAR	2'11.3" 3' 0.7"	4' 9.9" 5' 2.3"	6' 7.8" 7' 4.7"	9' 3.3" 10'10.2"	13' 4.9" 17' 0.5"	17' 2.8" 23'10.1"	35' 6.1" 84' 9"	54'11" 571' 4.4"	121' 1.1" co
f/16	NEAR FAR	2'11" 3' 1.1"	4' 9" 5' 3.4"	6' 6" 7' 7.1"	8'11.8" 11' 3.4"	12' 9.5" 18' 2"	16' 2.7" 26' 1.6"	31' 4.7" 124' 1.2"	451 7.2"	83' 4.1"
1/22	NEAR FAR	2'10.6" 3' 1.5"	4' 7.9" 5' 4.8"	6' 4" 7'10.1"	8' 7.9" 11'10.3"	12' 1.5" 19' 8.8"	15' 1.8" 29' 6.5"	27' 6.7" 281' 0.7"	37'10.9"	60' 8.3"
f/32	NEAR FAR	2'10" 3' 2.2"	4' 6.3" 5' 7.2"	6' 0.8" 8' 3.5"	8' 1.9" 12'11.5"	11' 1.9" 23' 0.8"	13' 7.9" 37' 9.5"	22'11"	29' 7.3"	41' 9.8"
f/45	NEAR FAR	2' 9.3" 3' 3.3"	4' 4.2" 5'10.7"	5' 9.1" 8'11.7"	7' 7.2" 14' 9"	10' 1.3" 29' 7.1"	12' 1.4" 59' 6.3"	18' 9.8"	23' 0.9"	29' 9.9"

	GENERAL PHOTOGRAPHIC WORK

Distance	in 00	3 ft. 0 08	5 ft.	7 ft.	10 ft.	15 ft.	20 ft.	50 ft.	100 ft.	Inf.
f/1.5	NEAR FAR	2'11.9" 3' 0.1"	4'11.7" 5' 0.3"	6'11.4" 7' 0.6"	9'10.7" 10' 1.3"	14' 9.1" 15' 3"	19' 6.8" 20' 5.4"	47' 4" 52'11.9"	89' 9.7" 112' 9.8"	875' 2.6"
f/1.8	NEAR FAR	2'11.9" 3' 0.1"	4'11.6" 5' 0.4"	6'11.3" 7' 0.8"	9'10.5" 10' 1.6"	14' 8.5" 15' 3.6"	19' 5.8" 20' 6.5"	46'10" 53' 7.6"	88' 0.2" 115' 9.4"	729' 4.8"
f/1.9	NEAR FAR	2'11.9" 3' 0.1"	4'11.6" 5' 0.4"	6'11.2" 7' 0.8"	9'10.4" 10' 1.6"	14' 8.3" 15' 3.8"	19' 5.5" 20' 6.9"	46' 8" 53'10.2"	87' 5.2" 116' 9.7"	691' 0.4"
f/2	NEAR FAR	2'11.9" 3' 0.1"	4'11.6" 5' 0.4"	6'11.2" 7' 0.8"	9'10.3" 10' 1.7"	14' 8.1" 15' 4"	19' 5.1" 20' 7.3"	46' 6.1" 54' 0.8"	86'10.3" 117'10.2"	656' 6"
f/2.8	NEAR FAR	2'11.8" 3' 0.2"	4'11.4" 5' 0.6"	6'10.9" 7' 1.2"	9' 9.7" 10' 2.4"	14° 6.7" 15' 5.7"	19' 2.5" 20'10.3"	45' 2.9" 55'10.7"	82' 6.3" 126'11.1"	469' 0.2" 00
f/3.5	NEAR FAR	2'11.8" 3' 0.2"	4'11.3" 5' 0.7"	6'10.6" 7' 1.5"	9' 9.1" 10' 3.1"	14' 5.4" 15' 7.2"	19' 0.2" 21' 1.1"	44' 2.3" 57' 7"	79' 0.8" 136' 1.1"	375' 3.4"
f/4	NEAR FAR	2'11.7" 3' 0.2"	4'11.2" 5' 0.8"	6'10.4" 7' 1.7"	9' 8.7" 10' 3.5"	14' 4.5" 15' 8.2"	18'10.6" 21' 3.1"	43' 5.6" 58'10.3"	76' 9.3" 143' 5.9"	328' 4.9"
f/5.6	NEAR FAR	2'11.6" 3' 0.4"	4'10.9" 5' 1.1"	6' 9.8" 7' 2.4"	9' 7.4" 10' 5"	14' 1.6" 15'11.8"	18' 5.7" 21' 9.6"	41' 3.8" 63' 4.3"	70' 3.1" 173' 9.2"	234' 8.1"
f/8	NEAR FAR	2'11.5" 3' 0.5"	4'10.4" 5' 1.6"	6' 8.9" 7' 3.4"	9' 5.5" 10' 7.3"	13' 9.5" 16' 5.3"	17'10.7" 22' 8.2"	38' 5.5" 71' 6.9"	62' 3.9" 254' 4"	164' 4.4"
f/11	NEAR FAR	2'11.3" 3' 0.7"	4' 9.9" 5' 2.3"	6' 7.8" 7' 4.8"	9' 3.3" 10'10.2"	13' 4.7" 17' 0.7"	17' 2.6" 23'10.6"	35' 4.8" 85' 5.2"	54' 7.6" 606' 0.6"	119' 7.6"
f/16	NEAR FAR	2'11" 3' 1.1"	4' 9" 5' 3.4"	6' 6" 7' 7.1"	8'11.8" 11' 3.5"	12' 9.3" 18' 2.4"	16' 2.3" 26' 2.5"	31' 3.2" 126' 3.3"	45' 3.9"	82' 4.2" 00
1/22	NEAR FAR	2'10.6" 3' 1.5"	4' 7.9" 5' 4.8"	6' 4" 7'10.1"	8' 7.8" 11'10.5"	12' 1.2" 19' 9.4"	15' 1.5" 29' 8.2"	27' 5.2" 297' 2.8"	37' 7.7"	59'11.8" co
f/32	NEAR FAR	2'10" 3' 2.2"	4' 6.3" 5' 7.2"	6' 0.8" 8' 3.6"	8' 1.9" 12'11.8"	11' 1.6" 23' 2.1"	13' 7.5" 38' 1.6"	22' 9.5"	29' 4.6"	41' 4.1"
f/45	NEAR FAR	2' 9.3" 3' 3.2"	4' 4.3" 5'10.7"	5' 9.1" 8'11.8"	7' 7.1"	10' 1.1" 29'10.3"	12' 0.9" 60' 9.3"	18' 8.4"	22'10.7"	29' 5.9"

100

5" 6" 1" 2" 8"

7"

1"
1"
3"
.8"

Distance	11 80	3 ft.	5 ft.	7 ft.	10 ft.	15 ft.	20 ft.	50 ft.	100 ft.	Inf.
f/1.5	NEAR FAR	2'11.9" 3' 0.1"	4'11.8" 5' 0.2"	6'11.5" 7' 0.5"	9'11" 10' 1"	14' 9.7" 15' 2.4"	19' 7.8" 20' 4.3"	47'10.1" 52' 4.4"	91' 8.1" 109'11.9"	1093'11.3 ©
f/1.8	NEAR FAR	2'11.9" 3' 0.1"	4'11.7" 5' 0.3"	6'11.4" 7' 0.6"	9'10.8" 10' 1.2"	14' 9.2" 15' 2.9"	19' 7" 20' 5.2"	47' 5.2" 52'10.4"	90' 2.1" 112' 2.9"	911' 8.1"
f/1.9	NEAR FAR	2'11.9" 3' 0.1"	4'11.7" 5' 0.3"	6'11.4" 7' 0.6"	9'10.7" 10' 1.3"	14' 9.1" 15' 3"	19' 6.7" 20' 5.5"	47' 3.6" 53' 0.4"	89' 8.2" 113' 0.1"	863' 8.5"
1/2	NEAR FAR	2'11.9" 3' 0.1"	4'11.7" 5' 0.3"	6'11.4" 7' 0.7"	9'10.6" 10' 1.4"	14' 8.9" 15' 3.2"	19' 6.5" 20' 5.8"	47' 2" 53' 2.4"	89' 2.4" 113' 9.5"	820' 6.5" co
1/2.8	NEAR FAR	2'11.8" 3' 0.1"	4'11.6" 5' 0.5"	6'11.1" 7' 0.9"	9'10.1" 10' 1.9"	14' 7.7" 15' 4.5"	19' 4.3" 20' 8.2"	46' 1.4" 54' 7.2"	85' 6.1" 120' 5.2"	586' 2.3" 00
1/3.5	NEAR FAR	2'11.8" 3',0.2"	4'11.4" 5' 0.6"	6'10.9" 7' 1.2"	9' 9.7"	14' 6.7" 15' 5.7"	19' 2.5" 20'10.3"	45' 2.9" 55'10.7"	82' 6.3" 126'11.1"	469' 0.2"
1/4	NEAR FAR	2'11.8" 3' 0.2"	4'11.4" 5' 0.6"	6'10.7" 7' 1.3"	9' 9.3" 10' 2.8"	14' 5.9" 15' 6.5"	19' 1.2" 20'11.9"	44' 7.6" 56'10.1"	80' 6.1" 132'	410' 5.2"
1/5.6	NEAR FAR	2'11.7" 3' 0.3"	4'11.1" 5' 0.9"	6'10.2" 7' 1.9"	9' 8.3" 10' 4"	14' 3.6" 15' 9.3"	18' 9.1" 21' 5"	42' 9.6" 60' 1.7"	74' 8.4" 151' 4.9"	293' 3.1"
f/8	NEAR FAR	2'11.6" 3' 0.4"	4'10.8" 5' 1.3"	6' 9.5" 7' 2.7"	9' 6.8" 10' 5.7"	14' 0.2" 16' 1.6"	18' 3.3" 22' 1.1"	40' 3.8" 65'10.5"	67' 4.8" 194' 3.3"	205' 4.6"
1/11	NEAR FAR	2'11.4" 3' 0.6"	4'10.3" 5' 1.8"	6' 8.6" 7' 3.8"	9' 4.9"	13' 8.2" 16' 7.2"	17' 8.5" 22'11.9"	37' 7.1" 74' 9.7"	60' 0.8" 300'10.4"	149' 5.5"
1/16	NEAR FAR	2'11.2" 3' 0.8"	4' 9.6" 5' 2.7"	6' 7.1" 7' 5.6"	9' 2"	13' 2" 17' 5.4"	16'10" 24' 8"	33' 9.5" 96' 8.2"	50'10.4" 3580' 6"	102'10.3"
1/22	NEAR FAR	2'10.9" 3' 1.2"	41 8.7" 51 3.7"	6' 5.4" 7' 7.9"	8'10.7" 11' 5.3"	12' 7.1" 18' 7.1"	15'10.7" 27' 0.6"	30' 1.7" 149' 1.4"	42'11.8"	74'10.7"
1/32	NEAR FAR	2'10.4" 3' 1.7"	41 7.3" 51 5.6"	6' 2.8"	8' 5.6" 12' 3"	11' 8.8" 20'10.6"	14' 6.5" 32' 3"	25' 6.7" 1600' 7"	34' 2.2" ©	51' 7.1"
1/45	NEAR FAR	2' 9.8" 3' 2.5"	4' 5.6" 5' 8.2"	5'11.6" 8' 6"	7'11:7" 13' 5.9"	10' 9.5" 24'10.6"	13' 1.3" 43' 0.7"	21' 4.2"	27' 0.2"	36' 9.4"

DEPTH OF	FIELD TABLE FOR	GENERAL	PHOTOGRAPHIC WORK

D 1/2/

£/5 £/5 £/5

f/1
f/1
f/2

f/3:

f/1. f/1. f/2

t/3.5 t/4 t/6.6 t/8 t/11 t/16 t/22 t/32

Distance	1100	3 ft.	5 ft.	7 ft.	10 ft.	15 ft.	20 ft.	50 ft.	100 ft.	Inf.
f/1.5	NEAR FAR	2'11.9"	4'11.8" 5' 0.2"	6'11.7" 7' 0.3"	9'11.3" 10' 0.7"	14'10.4" 15' 1.6"	19' 9.2" 20' 2.9"	48' 6.1" 51' 7.1"		1594'11.2'
f/1.8	NEAR FAR	2'11.9"	4'11.8" 5' 0.2"	6'11.6" 7' 0.4"	9'11.2" 10' 0.8"	14'10.1" 15' 1.9"	19' 8.6" 20' 3.5"	48' 2.6" 51'11"	93' 0.7" 108' 0.8"	1329' 2.2'
f/1.9	NEAR FAR	2'11.9"	4'11.8" 5' 0.2"	6'11.6" 7' 0.4"	9'11.1" 10' 0.9"	14'10" 15' 2"	19' 8.4" 20' 3.7"	48' 1.5" 52' 0.4"	92' 8.4" 108' 6.6"	1259' 3"
f/2	NEAR FAR	2'11.9"	4'11.8" 5' 0.2"	6'11.6" 7' 0.4"	9'11.1" 10' 0.9"	14' 9.9" 15' 2.2"	19' 8.2" 20' 3.9"	48' 0.3" 52' 1.7"	92' 4.2" 109' 0.5"	1196' 3.7"
f/2.8	NEAR FAR	2'11.9" 3' 0.1"	4'11.7" 5' 0.3"	6'11.4" 7' 0.6"	9'10.7" 10' 1.3"	14' 9.1" 15' 3"	19' 6.7" 20' 5.5"	47' 3.4" 53' 0.6"	89' 7.3" 113' 1.6"	8541 7.61
f/3.5	NEAR FAR	2'11.9" 3' 0.1"	4'11.6" 5' 0.4"	6'11.3" 7' 0.8"	9'10.4"	14' 8.4" 15' 3.8"	19' 5.5" 20' 6.9"	46' 7.8" 53'10.5"	87' 4.1" 116'11.7"	683' 9.5" co
f/4	NEAR FAR	2'11.9" 3' 0.1"	4'11.6" 5' 0.4"	6'11.2" 7' 0.9"	9'10.2" 10' 1.9"	14' 7.8" 15' 4.4"	19' 4.6" 20' 7.9"	46' 2.5" 54' 5.7"	85' 9.5" 119'10.7"	598' 4.5"
f/5.6	NEAR FAR	2'11.8" 3' 0.2"	4'11.4" 5' 0.6"	6'10.8" 7' 1.2"	9' 9.5" 10' 2.6"	14' 6.2" 15' 6.2"	19' 1.7" 20'11.3"	44'10.2" 56' 6.1"	81' 2.2" 130' 3.1"	427' 6.5"
f/8	NEAR FAR	2'11.7" 3' 0.2"	4'11.2" 5' 0.8"	6'10.3" 7' 1.8"	9' 8.4" 10' 3.8"	14' 3.9" 15' 8.9"	18' 9.6" 21' 4.4"	42'11.4" 59'10.2"	75' 1.6" 149' 8.5"	299' 4.9" co
f/11	NEAR FAR	2'11.6" 3' 0.3"	4'10.9" 5' 1.2"	6' 9.7" 7' 2.5"	9' 7.2" 10' 5.3"	14' 1" 16' 0.5"	18' 4.6" 21'11.2"	40' 9.6" 64' 7.6"	68' 8.8" 184' 1"	217'10.5"
f/16	NEAR FAR	2'11.5" 3' 0.5"	4'10.4" 5' 1.7"	6' 8.7" 7' 3.6"	9' 5.1" 10' 7.8"	13' 8.5" 16' 6.8"	17' 8.8" 22'11.3"	37' 7.9" 74' 6.9"	60' 2.4" 298' 6.3"	149'11.1"
f/22	NEAR FAR	2'11.3" 3' 0.7"	4' 9.8" 5' 2.4"	6' 7.5" 7' 5.1"	9' 2.7" 10'11.1"	13' 3.4" 17' 3"	17' 0.2" 24' 3.5"	34' 5.8" 91' 6.2"	52' 4.9" 1182' 3.5"	109' 1.9"
f/32	NEAR FAR	2'11" 3' 1.1"	4' 8.9" 5' 3.6"	6' 5.7" 7' 7.6"	8'11" 11' 4.8"	12' 7.5" 18' 6.3"	15'11.3" 26'11.2"	30' 2.9" 147' 6.2"	43' 1.6"	75' 2.2"
f/45	NEAR FAR	2'10.6" 3' 1.5"	4' 7.7" 5' 5.1"	6' 3.4" 7'11.1"	8' 6.5" 12' 1.1"	11'10.4" 20' 5.9"	14' 8.9" 31' 4.6"	26' 1.1" 733' 7.4"	35' 1.1"	53' 7.1"

Distance	H-un	3 ft.	5 ft.	7 ft.	10 ft.	15 ft.	20 ft.	50 ft.	100 ft.	Inf.
f/1.5	NEAR FAR	2'11.9"	4'11.9" 5' 0.1"	6'11.8" 7' 0.3"	9'11.5" 10' 0.6"	14'10.7" 15' 1.3"	19' 9.7" 20' 2.3"	48' 9.6" 51' 3.2"	95' 3.2" 105' 2.8"	1993' 6.6'
f/1.8	NEAR FAR	2'11.9"	4'11.9" · 5' 0.2"	6'11.7" 7' 0.3"	9'11.3" 10' 0.7"	14'10.5" 15' 1.5"	19' 9.3" 20' 2.8"	48' 6.8" 51' 6.3"	94' 4.4" 106' 4.2"	1661' 4.4' ∞
f/1.9	NEAR FAR	2'11.9"	4'11.8" 5' 0.2"	6'11.7" 7' 0.3"	9'11.3" 10' 0.7"	14'10.4" 15' 1.6"	19' 9.1" 20' 3"	48' 5.8" 51' 7.3"	94' 0.9" 106' 8.7"	1573'11.4"
f/2	NEAR FAR	2'11.9" 3'	4'11.8" 5' 0.2"	6'11.7" 7' 0.4"	9'11.3" 10' 0.7"	14'10.3" 15' 1.7"	19' 9" 20' 3.1"	48' 4.9" 51' 8.4"	93' 9.4" 107' 1.2"	1495' 3.3"
f/2.8	NEAR FAR	2'11.9" 3' 0.1"	4'11.8" 5' 0.2"	6'11.5" 7' 0.5"	9'11" 10' 1"	14' 9.7" 15' 2.4"	19' 7.8" 20' 4.4"	47' 9.6" 52' 4.9"	91' 6.1" 110' 2.8"	1068' 2.2"
f/3.5	NEAR FAR	2'11.9" 3' 0.1"	4'11.7" 5' 0.3"	6'11.4" 7' 0.6"	9'10.7" 10' 1.3"	14' 9.1" 15' 3"	19' 6.7" 20' 5.5"	47' 3.4" 53' 0.6"	89' 7.3" 113' 1.6"	854' 7.6"
1/4	NEAR FAR	2'11.9" 3' 0.1"	4'11.7" 5' 0.3"	6'11.3" 7' 0.7"	9'10.6" 10' 1.5"	14' 8.7" 15' 3.5"	19' 6" 20' 6.3"	46'11" 53' 6.2"	88' 3.6" 115' 3.6"	747'10.3"
f/5.6	NEAR FAR	2'11.8" 3' 0.1"	4'11.5" 5' 0.5"	6'11.1" 7' 1"	9'10" 10' 2.1"	14' 7.4" 15' 4.9"	19' 3.7" 20' 8.9"	45' 9.5" 55' 0.9"	84' 4.2" 122' 9.9"	534' 3.7"
f/8	NEAR. FAR	2'11.8" 3' 0.2"	4'11.3" 5' 0.7"	6'10.7" 7' 1.4"	9' 9.1" 10' 3"	14' 5.5" 15' 7.1"	19' 0.3" 21' 1"	44' 2.4" 57' 6.9"	79' 0.7" 136' 1.8"	374' 1.8"
f/11	NEAR FAR	2'11.7" 3' 0.3"	4'11.1" 5' 0.9"	6'10.2" 7' 2"	9' 8.1" 10' 4.2"	14' 3.1" 15' 9.9"	18' 8.2" 21' 6.2"	42' 4.3" 61' 0.6"	73' 3.7" 157' 6.6"	272' 2.8"
f/16	NEAR FAR	2'11.6" 3' 0.4"	4'10.7" 5' 1.4"	6' 9.3" 7' 2.9"	9' 6.4" 10' 6.2"	13'11.4" 16' 2.8"	18' 1.8" 22' 3.4"	39' 7.3" 67'10.7"	65' 4.7" 213' 6.5"	187' 3.6" ©
f/22	NEAR FAR	2'11.4" 3' 0.6"	4'10.2" 5' 1.9"	6' 8.4" 7' 4"	9' 4.5" 10' 8.7"	13' 7.1" 16' 9"	17' 6.5" 23' 3.5"	36' 9.1" 78' 5.3"	57'10.8" 372' 9.2"	136' 4"
f/32	NEAR FAR	2'11.2" 3' 0.8"	4' 9.5" 5' 2.8"	6' 6.9" 7' 6"	9' 1.4" 11' 1.1"	13' 0.5" 17' 8.2"	16' 7.4" 25' 2.1"	32' 9.9" 105'11.8"	48' 7.7"	93'10.4"
f/45	NEAR FAR	2'10.8" 3' 1.2"	4' 8.5" 5' 4"	6' 4.9" 7' 8.6"	8' 9.6" 11' 7.3"	12' 4.6" 19' 1"	15' 6.6" 28' 1.9"	28' 9.9" 195' 5.9"	40' 3.5" co	66'10.6"

DEPTH OF FIL	ELD TABLE FOR	GENERAL	PHOTOGRAPHIC WORK
--------------	---------------	---------	-------------------

Distanc	e no	3 ft.	5 ft.	7 ft.	10 ft.	15 ft.	20 ft.	50 ft.	100 ft.	Inf.
f/1.5	NEAR FAR	3'	4'11.9" 5' 0.1"	6'11.8" 7' 0.2"	9'11.6" 10' 0.4"	14'11.1" 15' 0.9"	19'10.4" 20' 1.6"	49' 1.8" 50'10.5"		2835' 2.8"
f/1.8	NEAR FAR	3' 3'	4'11.9" 5' 0.1"	6'11.8" 7' 0.2"	9'11.6" 10' 0.5"	14'11" 15' 1.1"	19'10.1" 20' 1.9"	48'11.9" 51' 0.7"	95'11.8" 104' 4.4"	2362' 9.5"
f/1.9	NEAR FAR	3' 3'	4'11.9" 5' 0.1"	6'11.8" 7' 0.2"	9'11.5" 10' 0.5"	14'10.9" 15' 1.1"	19'10"	48'11.2" 51' 1.4"	95' 9.3" 104' 7.5"	2238' 5.6"
1/2	NEAR FAR	3'	4'11.9" 5' 0.1"	6'11.8" 7' 0.2"	9'11.5" 10' 0.5"	14'10.8" 15' 1.2"	19' 9.9" 20' 2.1"	48'10.5" 51' 2.1"	95' 6.7" 104'10.5"	2126' 6.9"
f/2.8	NEAR FAR	2'11.9" 3'	4'11.8" 5' 0.2"	6'11.7" 7' 0.3"	9'11.3" 10' 0.7"	14'10.4" 15' 1.7"	19' 9.1" 20' 3"	48' 5.3" 51' 7.9"	93'10.7" 106'11.6"	1519' 1.8"
f/3.5	NEAR FAR	2'11.9" 3'	4'11.8" 5' 0.2"	6'11.6" 7' 0.4"	9'11.1" 10' 0.9"	14'10" 15' 2.1"	19' 8.3" 20' 3.8"	48' 0.8" 52' 1.1"	92' 5.8" 108'10.3"	1215' 5.3"
1/4	NEAR FAR	2'11.9" 3'	4'11.8" 5' 0.2"	6'11.6" 7' 0.5"	9'11" 10' 1"	14' 9.7" 15' 2.4"	19' 7.8" 20' 4.3"	47' 9.7" 52' 4.9"	91' 6" 110' 3.1"	1063' 7"
f/5.6	NEAR FAR	2'11.9" 3' 0.1"	4'11.7" 5' 0.3"	6'11.4" 7' 0.7"	9'10.6" 10' 1.4"	14' 8.8" 15' 3.3"	19' 6.2" 20' 6.1"	46'11.8" 53' 5.3"	88' 5.9" 114'11.7"	759'10.4"
f/8	NEAR FAR	2'11.9" 3' 0.1"	4'11.6" 5' 0.4"	6'11.1" 7' 1"	9'10" 10' 2"	14' 7.4" 15' 4.8"	19' 3.8" 20' 8.8"	45' 9.6" 55' 0.8"	84' 4" 122'10.5"	532' 1"
f/11	NEAR FAR	2'11.8" 3' 0.2"	4'11.4" 5' 0.6"	6'10.8" 7' 1.3"	9' 9.3" 10' 2.8"	14' 5.8" 15' 6.7"	19' 0.9" 21' 0.3"	44' 4.8" 57' 2.9"	79' 8" 134' 5"	387' 1.6"
f/16	NEAR FAR	2'11.7" 3' 0.2"	4'11.1" 5' 0.9"	6'10.2" 7' 1.9"	9' 8.1" 10' 4.1	14' 3.1" 15' 9.9"	18' 8.1" 21' 6.4"	42' 3" 61' 3.4"	72'11.2" 159' 4.9"	266' 4.1"
1/22	NEAR FAR	2'11.6" 3' 0.3"	4'10.8" 5' 1.2"	6' 9.5" 7' 2.7"	9' 6.8" 10' 5.8"	14' 16' 1.9"	18' 2.7"	39'11.3" 66'11.6"	66' 2.8" 205' 3.4"	193'10.3"
f/32	NEAR FAR	2'11.5" 3' 0.5"	4'10.3" 5' 1.8"	6' 8.5" 7' 3.9"	9' 4.5" 10' 8.6"	13' 7.1"	17' 6.3" 23' 3.8"	36' 7.3" 79' 3"	57' 5.5" 395' 3.7"	133' 5.6"
f/45	NEAR FAR	2'11.3" 3' 0.7"	4' 9.6" 5' 2.6"	6' 7.1" 7' 5.6"	9' 1.8" 11' 0.5"	13' 1.1" 17' 7.1"	16' 8.3" 25' 0.2"	33' 0.4" 104' 1.9"	49' 0.4"	

71

77

6" 4" 4" 2" 6"

7" 8" 8"

.4"

Distanc	е	3 ft.	5 ft.	7 ft.	10 ft.	15 ft.	20 ft.	50 ft.	100 ft.	Inf.
f/1.5	NEAR FAR	3'	4'11.9" 5' 0.1"	6'11.9" 7' 0.2"	9'11.7" 10' 0.3"	14'11.3" 15' 0.7"	19'10.7" 20' 1.3"	49' 3.8" 50' 8.4"	97' 3.4" 102'10.4"	3543'10.8'
f/1.8	NEAR FAR	3'	4'11.9" 5' 0.1"	6'11.8" 7' 0.2"	9'11.6"	14'11.2" 15' 0.8"	19'10.5" 20' 1.5"	49' 2.2" 50'10.1"	96' 9.1" 103' 5.6"	2953' 4.2"
f/1.9	NEAR FAR	3'	- 4'11.9" 5' 0.1"	6'11.8" 7' 0.2"	9'11.6" 10' 0.4"	14'11.1" 15' 0.9"	19'10.4" 20' 1.6"	49' 1.7" 50'10.7"	96' 7.1" 103' 8"	2797'11.3"
1/2	NEAR FAR	3' 4	4'11.9" 5' 0.1"	6'11.8" 7' 0.2"	9'11.6" 10' 0.4"	14'11.1" 15' 0.9"	19'10.3" 20' 1.7"	49' 1.2" 50'11.2"	96' 5" 103'10.4"	2658' 0.9"
f/2.8	NEAR FAR	2'11.9" 3'	4'11.9" 5' 0.1"	6'11.8" 7' 0.3"	9'11.4" 10' 0.6"	14'10.7" 15' 1.3"	19' 9.6" 20' 2.4"	48' 9" 51' 3.8"	95' 0.6" 105' 5.9"	1898' 9.5"
f/3.5	NEAR FAR	2'11.9"	4'11.8" 5' 0.2"	6'11.7" 7' 0.3"	9'11.3" 10' 0.7"	14'10.4" 15' 1.7"	19' 9.1" 20' 3"	48' 5.3" 51' 7.9"	93'10.7" 106'11.6"	1519' 1.8"
1/4	NEAR FAR	2'11.9" 3'	4'11.8" 5' 0.2"	6'11.6" 7' 0.4"	9'11.2"	14'10.1" 15' 1.9"	19' 8.6" 20' 3.5"	48' 2.7" 51'10.9"	93' 1" 108' 0.5"	1329' 4"
f/5.6	NEAR FAR	2'11.9" 3' 0.1"	4'11.8" 5' 0.2"	6'11.5" 7' 0.5"	9'10.9" 10' 1.1"	14' 9.4" 15' 2.7"	19' 7.3" 20' 4.9"	47' 6.7" 52' 8.6"	90' 6.9" 111' 7.6"	1
f/8	NEAR FAR	2'11.9" 3' 0.1"	4'11.7" 5' 0.4"	6'11.3" 7' 0.8"	9'10.4" 10' 1.6"	14' 8.3" 15' 3.8"	19' 5.4" · 20' 7"	46' 7" 53'11.6"	87' 0.7" 117' 5.9"	
f/11	NEAR FAR	2'11.8" 3' 0.1"	4'11.5" 5' 0.5"	6'11" 7' 1.1"	9' 9.8" 10' 2.2"	14' 7" 15' 5.3"	19' 3" 20' 9.7"	45' 5" 55' 7.5"	83' 0.4" 125' 9"	483' 9.2"
1/16	NEAR FAR	2'11.8" 3' 0.2"	4'11.3" 5' 0.7"	6'10.6" 7' 1.5"	9' 8.9"	14' 4.8" 15' 7.8"	18'11.1" 21' 2.5"	43' 7.2" 58' 7.6"	77' 1.2" 142' 5.4"	332' 9.3"
1/22	NEAR FAR	2'11.7" 3' 0.3"	4'11.1" 5' 1"	6'10" 7' 2.1"	9' 7.8" 10' 4.6"	14' 2.3" 15'11"	18' 6.7" 21' 8.3"	41' 7.3" 62' 8.4"	71' 0.2" 169' 6.1"	242' 2.2"
1/32	NEAR FAR	2'11.6" 3' 0.4"	4'10.6" 5' 1.4"	6' 9.2" 7' 3.1"	9' 5.9" 10' 6.8"	13'10.2" 16' 4.4"	17'11.6" 22' 6.8"	38' 8.1" 70'11.1"	62' 9.3" 248' 2.4"	166' 8.2"
1/45	NEAR FAR	2'11.4" 3' 0.6"	4'10.1" 5' 2.1"	6' 8.1" 7' 4.4"	9' 3.7" 10' 9.8"	13' 5.2" 17'	17' 3.1" 23' 9.8"	35' 5.1" 85' 6.4"	54' 6.8" 628' 5.3"	118' 8.4"

DEPTH O	F FIELD	TABLE FOR	GENERAL.	PHOTOGRAPHIC WORK	

Distanc	e 11.00	7 ft.	10 ft.	15 ft.	20 ft.	30 ft.	50 ft.	100 ft.	'200 ft. Inf	
f/1.9	NEAR FAR	6'11.9" 7' 0.1"	9'11.8" 10' 0.2"	14'11.6" 15' 0.4"	19'11.3" 20' 0.7"	29'10.4" 30' 1.6"	49' 7.4" 50' 4.7"	98' 5.4" 101' 7.2"	193' 9.9" 6217' 206' 7" co	-
f/2	NEAR FAR	6'11.9" 7' 0.1"	9'11.8" 10' 0.2"	14'11.6" 15' 0.4"	19'11.3" 20' 0.7"	29'10.3" 30' 1.7"	49' 7.2" 50' 4.9"	98' 4.4" 101' 8.3"	193' 6.1" 5906' 206'11.3"	-
1/2.5	NEAR FAR	6'11.9" 7' 0.1"	9'11.8" 10' 0.2"	14'11.5" 15' 0.5"	19'11.1" 20' 0.9"	29' 9.9" 30' 2.2"	49' 6" 50' 6.2"	97'11.6" 102' 1.4"	191'11.5" 4725' 208' 9" ©	-
1/2.8	NEAR FAR	6'11.9" 7' 0.1"	9'11.8" 10' 0.2"	14'11.4" 15' 0.6"	19'11" 20' 1"	29' 9.6" 30' 2.4"	49' 5.2" 50' 6.9"	97' 8.7" 102' 4.6"	191' 0.4" 4219' 209'10.3" ©	-
1/3.5	NEAR FAR	6'11.9" 7' 0.1"	9'11.7" 10' 0.3"	14'11.3" 15' 0.7"	19'10.7" 20' 1.3"	29' 9" 30' 3"	49' 3.6" 50' 8.7"	97' 2.1" 102'11.9"	188'11" 3375' 212' 5.7" op	
1/4	NEAR FAR	6'11.9" 7' 0.2"	9'11.7" 10' 0.3"	14'11.2" 15' 0.8"	19'10.5" 20' 1.5"	29' 8.6" 30' 3.5"	49' 2.4" 50' 9.9"	96' 9.4" 103' 5.2"	187' 5.2" 2953' 214' 4.6"	GALE.
f/5.6	NEAR FAR	6'11.8" 7' 0.2"	9'11.5" 10' 0.5"	14'10.9" 15' 1.1"	19'10" 20' 2.1"	29' 7.3" 30' 4.9"	48'10.6" 51' 2"	95' 6.7" 104'10.5"	182'10.1" 2110' 220' 8.8"	
f/6.3	NEAR FAR	6'11.8" 7' 0.2"	9'11.5" 10' 0.5"	14'10.8" 15' 1.3"	19' 9.7" 20' 2.3"	29' 6.7" 30' 5.5"	48' 9" 51' 3.8"	95' 0.4" 105' 6.3"	180'10.8" 1875' 223' 7.6"	100
f/8	NEAR FAR	6'11.7" 7' 0.3"	9.11.3"	14'10.4" 15' 1.6"	19' 9.1" 20' 3"	29' 5.3" 30' 7"	48' 5.1" 51' 8.2"	93' 9.3" 107' 1.4"	176' 4.3" 1477' 231' 0.1" ©	-
f/11	NEAR FAR	6'11.6" 7' 0.4"	9.11.1" 10' 0.9"	14' 9.8" 15' 2.2"	19' 8" 20' 4.1"	29' 2.8" 30' 9.7"	47'10.3" 52' 4.1"	91' 7.7" 110' 0.7"	168'10.6" 1074' 245' 3.4" ©	200
f/16	NEAR FAR	6'11.4" 7' 0.6"	9'10.7" 10' 1.3"	14' 8.9" 15' 3.3"	19' 6.3" 20' 6"	28'10.8" 31' 2.2"	46'11.4" 53' 5.8"	88' 3.5" 115' 4.1"	157' 8.9" 739' 273' 5.5" ©	717
f/22	NEAR FAR	6'11.2" 7' 0.8"	9'10.2" 10' 1.8"	14' 7.7" 15' 4.5"	19' 4.2" 20' 8.4"	28' 6.1" 31' 7.9"	45'10.8" 54'11.1"	84' 7" 122' 4.7"	146' 2.1" 537'1 317' 2.8" ©	
1/32	NEAR FAR	6'10.9" 7' 1.2"	9' 9.4" 10' 2.7"	14' 5.8" 15' 6.6"	19' 0.8" 21' 0.4"	27'10.6" 32' 5.7"	44' 3" 57' 6.1"	79' 0.7" 136' 3.6"	130' 3.4" 370' 432'10.5" ©	-
1/45	NEAR FAR	6'10.4" 7' 1.7"	9' 8.4" 10' 3.8"	14' 3.5" 15' 9.5"	18' 8.6" 21' 5.8"	27' 1.3" 33' 7.3"	42' 3.4" 61' 3.1"	72'10.5" 159'11.8"	114' 2.1" 263' 824' 2.6" ©	-

Di 1/2
1/2
1/2
1/2
1/3
1/4
1/6

1/11

f/16

1/32

Distance		7 ft.	10 ft.	15 ft.	20 ft.	30 ft.	50 ft.	100 ft.	200 ft.	Inf.
f/1.9	NEAR FAR	7' 7' 0.1"	9'11.9" 10' 0.1"	14'11.7" 15' 0.3"	19'11.4" 20' 0.6"	29'10.7" 30' 1.3"	49' 8.3" 50' 3.7"	98' 9" 101' 3.3"	195' 0.4" 206' 2.8"	7771' 4.7"
f/2	NEAR	7'	9'11.9"	14'11.7"	19'11.4"	29'10.6"	49' 8.1"	98' 8.3"	194' 9.3"	7382'10.5"
	FAR	7' 0.1"	10' 0.1"	15' 0.3"	20' 0.6"	30' 1.4"	50' 3.9"	101' 4.2"	205' 6.2"	
1/2.5	NEAR	6'11.9"	9'11.8"	14'11.6"	19'11.3"	29'10.3"	49' 7.2"	98' 4.4"	193' 6.1"	5906¹ 6''
	FAR	7' 0.1"	10' 0.2"	15' 0.4"	20' 0.7"	30' 1.7"	50' 4.9"	101' 8.3"	206'11.3"	∞
f/2.8	NEAR	6'11.9"	9'11.8"	14'11.6"	19'11.2"	29'10.1"	49' 6.6"	98' 2.1"	192' 9.1"	5273' 9.2"
	FAR	7' 0.1"	10' 0.2"	15' 0.4"	20' 0.8"	30' 1.9"	50' 5.5"	101'10.7"	207' 9.7"	co
1/3.5	NEAR	6'11.9"	9'11.8"	14'11.4"	19'11"	29' 9.6"	49' 5.2"	97' 8.7"	191' 0.4"	4219' 2.5"
	FAR	7' 0.1"	10. 0.2"	15' 0.6"	20' 1"	30' 2.4"	50' 6.9	102' 4.6"	209'10.3"	
1/4	NEAR	6'11.9"	9'11.7"	14'11.4"	19'10.8"	29' 9.3"	49' 4.3"	97' 5"	189' 9.8"	3691"11.1"
	FAR	7' 0.1"	10' 0.3"	15' 0.6"	20' 1.2"	30' 2.8"	50' 7.9"	102' 8.8"	211' 4.1"	
f/5.6	NEAR	6'11.9"	9'11.6"	14'11.1"	19'10.4"	29' 8.2"	49' 1.3"	96' 5"	186' 0.4"	2637' 4.5"
	FAR	7' 0.2"	10' 0.4"	15' 0.9"	20' 1.7"	30' 3.9"	50'11.1"	103'10.4"	216' 3"	
f/6.3	NEAR FAR	6'11.8" 7' 0.2"	9'11.6" 10' 0.4"	14'11" 15' 1"	19'10.2" 20' 1.9"	291 7.7" 301 4.4"	48'11.9" 51' 0.6"	95'11.8" 104' 4.4"	184' 5.1" 218' 5.6"	2344' 5.3"
f/8	NEAR	6'11.8"	9'11.5"	14'10.7"	19' 9.7"	29' 6.6"	48' 8.8"	94'11.5"	180' 7.5"	1846' 5.5"
	FAR	7' 0.3"	10' 0.5"	15' 1.3"	20' 2.4"	30' 5.6"	51' 4"	105' 7.4"	224' 0.7"	©
f/11	NEAR	6'11.7"	9'11.3"	14'10.3"	19' 8.8"	29' 4.6"	48' 3.3"	93' 2.4"	174' 3.6"	1343' 1.8"
	FAR	7' 0.3"	10' 0.7"	15' 1.8"	20' 3.3"	30' 7.7"	51'10.3"	107'10.6"	234' 7.8"	
f/16	NEAR	6'11.5"	9'11"	14' 9.5"	19' 7.4"	29' 1.4"	47' 6.3"	90' 4.9"	164' 8.3"	923' 8.6"
	FAR	7' 0.5"	10' 1.1"	15' 2.6"	20' 4.8"	30'11.3"	52' 9"	111'10.8"	254' 8.7"	co
1/22	NEAR	6'11.4"	9'10.6"	14' 8.6"	19' 5.7"	28' 9.6"	46' 8"	87' 3.2"	154' 5.8"	672' 0.8"
	FAR	7' 0.7"	10' 1.5"	15' 3.6"	20' 6.7"	31' 3.7"	53'10.3"	117' 1.7"	283'10.8"	co
1/32	NEAR	6'11.1"	9' 9.9"	14' 7"	19' 3"	28' 3.4"	45' 3.5"	82' 6.1"	140' 0.3"	462' 4.2"
	FAR	7' 1"	10' 2.2"	15' 5.3"	20' 9.8"	31'11.4"	55' 9.9"	127' 0.7"	350'11.6"	©
1/45	NEAR FAR	6'10.7" 7' 1.4"	9' 9.1" 10' 3.1"	14' 5.1" 15' 7.5"	18'11.5" 21' 2"	27' 7.7" 32' 9.8"	43' 7.5" 58' 7.3"	77' 0.5" 142' 9.6"	124'10.3" 506'10.4"	329' 0.8"

DEPTH OF	FIELD	TABLE	FOR	GENERAL	PHOTOGRAPHIC WORK	

Distanc	e	7 ft.	10 ft.	15 ft.	20 ft.	30 ft.	50 ft.	100 ft.	200 ft.	Inf.
f/1.9	NEAR FAR	7' 7' 0.1"	9'11.9" 10' 0.1"	14'11.8" 15' 0.2"	19'11.6" 20' 0.4"	29'11.1"	49' 9.4" 50' 2.6"	99' 1.5" 100'10.7"	196' 5.9" 203' 7.7"	11052' 6.7"
1/2	NEAR FAR	7' 7' 0.1"	9'11.9" 10' 0.1"	14'11.8" 15' 0.2"	19'11.6" 20' 0.4"	29'11.1" 30' 0.9"	49' 9.3" 50' 2.7"	99' 1" 100'11.2"	196' 3.7" 203'10"	10500'
f/2.5	NEAR FAR	7' 7' 0.1"	9'11.9" 10' 0.1"	14'11.7" 15' 0.3"	19'11.5" 20' 0.5"	29'10.8"	49' 8.6" 50' 3.4"	98'10.2" 101' 2.1"	195' 4.9" 204' 9.8"	8400' 3.1"
1/2.8	NEAR FAR	7' 7' 0.1"	9'11.9" 10' 0.1"	14'11.7" 15' 0.3"	19'11.4" 20' 0.6"	29'10.7" 30' 1.3"	491 8.211 501 3.811	98' 8.6" 101' 3.8"	194'10.5" 205' 4.9"	7500' 4.5"
£/3.5	NEAR FAR	7' 7' 0.1"	9'11.8" 10' 0.2"	14'11.6" 15' 0.4"	19'11.3" 20' 0.7"	29'10.4" 30' 1.7"	49' 7.3" 50' 4.8"	98' 4.8" 101' 7.8"	193' 7.6" 206' 9.7"	6000' 6.7"
1/4	NEAR FAR	6'11.9" 7' 0.1"	9'11.8" 10' 0.2"	14'11.6" 15' 0.4"	19'11.2" 20' 0.8"	29'10.1" 30' 1.9"	49° 6.6° 5.5°	98' 2.1"	192° 9" 207' 9.8"	5250' 7.9"
f/5.6	NEAR FAR	6'11.9" 7' 0.1"	9'11.8" 10' 0.2"	14'11.4" 15' 0.6"	19'10.9" 20' 1.1"	29' 9.4" 30' 2.7"	49' 4.5" 50' 7.7"	97' 5.6"	190' 211' 1.4"	3750'10.1"
1/6.3	NEAR FAR	6'11.9" 7' 0.1"	9'11.7" 10' 0.3"	14'11.3" 15' 0.7"	19'10.7" 20' 1.3"	29' 9.1" 30' 3"	49' 3.6" 50' 8.7"	97' 1.9" 103' 0.1"	188' 9.9" 212' 7.1"	3334' 2.7"
f/8	NEAR FAR	6'11.9" 7' 0.2"	9'11.7" 10' 0.3"	14'11.1" 15' 0.9"	19'10.4" 20' 1.6"	29' 8.3" 30' 3.8"	49' 1.4" 50'11"	96' 5.1" 103'10.3"	186' 0.2" 216' 3.3"	2625'11.8"
1/11	NEAR FAR	6'11.8" 7' 0.2"	9'11.5" 10' 0.5"	14'10.8" 15' 1.2"	19' 9.8" 20' 2.2"	29' 6.9" 30' 5.3"	48' 9.5" 51' 3.3"	95' 1.8" 105' 4.6"	181' 3.2" 223' 1"	1910' 2"
1/16	NEAR FAR	6'11.7" 7' 0.3"	9'11.3" 10' 0.7"	14'10.3" 15' 1.7"	19' 8.9" 20' 3.2"	29' 4.6" 30' 7.7"	48' 3.1" 51'10.5"	93' 1.2" 108' 0.3"	173'10.5" 235' 5.4"	1313' 7.8"
f/22	NEAR FAR	6'11.6" 7' 0.4"	9'11.1" 10' 1"	14' 9.7" 15' 2.4"	19' 7.7"	29' 2" 30'10.7"	47' 7.6" 52' 7.4"	90' 9"	165' 9.2" 252' 2.8"	955' 8.9"
f/32	NEAR FAR	6'11.4" 7' 0.6"	9'10.6" 10' 1.4"	14' 8.6" 15' 3.5"	19' 5.8" 20' 6.6"	28' 9.6" 31' 3.7"	46' 7.6" 53'10.8"	87' 1.2" 117' 5.6"	153' 9.8" 286' 3.5"	657' 5.8"
f/45	NEAR FAR	6'11.2" 7' 0.9"	9'10.1" 10' 2"	14' 7.3" 15' 5"	19' 3.4" 20' 9.4"	28' 4.1" 31'10.6"	45' 4.8" 55' 8.1"	82' 9.3" 126' 5.7"	140' 8" 347' 4.1"	467'11"

7" 7"

3" 6"

2" 9" 4"

7"

.5" .5" .5" .5" .5" .8" .8" .8" .8"

Distanc	e	7 ft.	10 ft.	15 ft.	20 ft.	30 ft.	50 ft.	100 ft.	200 ft.	Inf.
1/1.9	NEAR FAR	7'	9'11.9" 10' 0.1"	14'11.8" 15' 0.2"	19'11.7" 20' 0.3"	29'11.3"	49' 9.9" 50' 2.1"	99' 3.6" 100' 8.5"	197' 2.2" 202'10.8"	13815' 4.5'
1/2	NEAR FAR	7'	9'11.9" 10' 0.1"	14'11.8" 15' 0.2"	19'11.7"	29'11.2" 30' 0.8"	49' 9.8" 50' 2.2"	99' 3.2" 100' 9"	197' 0.4" 203' 0.7"	13124' 8.1'
1/2.5	NEAR FAR	7' 7' 0.1"	9'11.9" 10' 0.1"	14'11.8" 15' 0.2"	19'11.6" 20' 0.4"	29'11.1" 30' 0.9"	49' 9.3" 50' 2.7"	99' 1" 100'11.2"	196' 3.7" 203'10"	10500'
f/2.8	NEAR FAR	7' 7' 0.1"	9'11.9" 10' 0.1"	14'11.8" 15' 0.2"	19'11.6" 20' 0.4"	29'10.9" 30' 1.1"	49' 9" 50' 3.1"	98'11.7" 101' 0.6"	195'10.5" 204' 3.6"	9375' 1.7"
f/3.5	NEAR FAR	7' 7' 0.1"	9'11.9" 10' 0.1"	14'11.7" 15' 0.3"	19'11.4" 20' 0.6"	29'10.7" 30' 1.3"	49' 8.2"	98' 8.6" 101' 3.8"	194'10.5" 205' 4.9"	7500' 4.5"
1/4	NEAR FAR	7' 7' 0.1"	9'11.9" 10' 0.1"	14'11.7" 15' 0.3"	19'11.4" 20' 0.6"	29'10.5" 30' 1.5"	49' 7.7" 50' 4.4"	98' 6.5" 101' 6.1"	194' 1.9" 206' 2.4"	6562'11.9"
1/5.6	NEAR FAR	6'11.9" 7' 0.1"	9'11.8"	14'11.5" 15' 0.5"	19'11.1" 20' 0.9"	29' 9.9" 30' 2.1"	49' 6" 50' 6.1"	97'11.6" 102' 1.5"	191'11"	4688' 2.7"
f/6.3	NEAR FAR	6'11.9" 7' 0.1"	9'11.8" 10' 0.2"	14'11.5" 15' 0.5"	19'11" 20' 1"	29' 9.6" 30' 2.4"	49' 5.3" 50' 6.9"	97' 8.6" 102' 4.7"	190'11.5" 209'11.4"	4167' 5.5"
1/8	NEAR FAR	6'11.9" 7' 0.1"	9'11.7" 10' 0.3"	14'11.3" 15' 0.7"	19'10.7" 20' 1.3"	29' 9"	49° 3.5° 50° 8.8°	97' 1.4" 103' 0.7"	188' 7.9" 212' 9.7"	3282' 1.8"
£/11	NEAR FAR	6'11.9" 7' 0.2"	9'11.6" 10' 0.4"	14'11.1" 15' 0.9"	19'10.3" 20' 1.8"	29' 7.9" 30' 4.2"	49' 0.3" 51' 0.2"	96' 1" 104' 3.1"	184' 8.7" 218' 0.6"	2387' 4.5"
f/16	NEAR FAR	6'11.8" 7' 0.3"	9'11.5"	14'10.6" 15' 1.4"	19' 9.5" 20' 2.6"	29' 6.1" 30' 6.1"	48' 7.2" 51' 5.9"	94' 4.8"	178' 6.4" 227' 4.6"	1641' 8.8"
1/22	NEAR FAR	6'11.7" 7' 0.3"	9'11.2" 10' 0.8"	14'10.1" 15' 1.9"	19' 8.5" 20' 3.6"	29' 3.9" 30' 8.5"	48' 1.1" 52' 0.9"	92' 5.5" 108'10.8"	171' 7.6" 239' 8.4"	1194' 4.1"
1/32	NEAR FAR	6'11.5" 7' 0.5"	9'10.9"	14' 9.3" 15' 2.8"	19' 7"	29' 0.4"	47' 3.3" 53' 0.9"	89' 4.8" 113' 6"	161' 3.1" 263' 6.2"	821' 6.3"
1/45	NEAR FAR	6'11.4" 7' 0.7"	9'10.5" 10' 1.6"	14' 8.2" 15' 3.9"	19' 5" 20' 7.4"	28' 7.9" 31' 5.8"	46' 3" 54' 5.2"	85' 8.6" 120' 1.2"	149' 6.2" 302' 7.8"	584' 6.9"

Distance	1	7 ft.	10 ft.	15 ft.	20 ft.	30 ft.	50 ft.	100 ft.	200 ft.	Inf.
1/1.9	NEAR FAR	7'	10' 10'	15' 15'	20° 20°	29'11.9" 30' 0.1"	49'11.6" 50' 0.4"	99'10.4" 100' 1.6"	199' 5.3" 200' 6.7"	69073' 7.1'
1/2	NEAR FAR	7'	10' 10'	15' 15'	19'11.9" 20' 0.1"	29'11.9" 30' 0.1"	49'11.6" 50' 0.4"	99'10.3" 100' 1.7"	199' 4.9" 200' 7.1"	65620' 0.9
f/2.5	NEAR FAR	7'	10' 10'	15' 15'	19'11.9" 20' 0.1"	29'11.8" 30' 0.2"	49'11.5" 50' 0.5"	99' 9.9" 100' 2.1"	199' 3.2" 200' 8.9"	52496' 8.6' co
1/2.8	NEAR FAR	7'	10' 10'	15' 15'	19'11.9" 20' 0.1"	29'11.8" 30' 0.2"	49'11.4" 50' 0.6"	99' 9.6"	199' 2.1" 200' 9.9"	46872' 5.1' ∞
f/3.5	NEAR FAR	7'	10 ¹ 10 ¹	15' 15'	19'11.9" 20' 0.1"	29'11.8" 30' 0.2"	49'11.3" 50' 0.7"	99' 9"	198'11.7" 201' 0.5"	37498' 7.1'
1/4	NEAR FAR	7'	10' 10'	14'11.9" 15' 0.1"	19'11.9" 20' 0.1"	29'11.7" 30' 0.3"	49'11.2" 50' 0.8"	99' 8.6" 100' 3.4"	198' 9.9" 201' 2.2"	32811' 8.2'
f/5.6	NEAR FAR	7'	10° 10°	14'11.9" 15' 0.1"	19'11.9" 20' 0.1"	29'11.6" 30' 0.4"	49'10.8" 50' 1.1"	99' 7.2" 100' 4.8"	198' 4.3" 201' 8"	23437'10.2'
1/6.3	NEAR FAR	7'	10' 10'	14'11.9" 15' 0.1"	19'11.8" 20' 0.2"	29'11.6" 30' 0.4"	49'10.7" 50' 1.3"	99' 6.6" 100' 5.4"	198' 1.9" 201'10.5"	20834' 0.1'
f/8	NEAR FAR	7'	10' 10'	14'11.9" 15' 0.1"	19'11.8" 20' 0.2"	29'11.5" 30' 0.5"	49'10.4" 50' 1.6"	99' 5.2"	197' 8" 202' 4.7"	16407' 5.8'
f/11	NEAR FAR	7' 7'	10' 10'	14'11.9" 15' 0.1"	19'11.7" 20' 0.3"	29'11.3" 30' 0.7"	49' 9.8" 50' 2.2"	99' 2.7" 100' 9.5"	196' 9.7" 203' 3.6"	11933' 7.3'
f/16	NEAR FAR	7' 7'	9'11.9" 10' 0.1"	14'11.8" 15' 0.2"	19'11.6" 20' 0.4"	29'11" 30' 1"	49' 8.8" 50' 3.2"	98'10.5" 101' 1.8"	195' 4.7" 204'10"	8205' 4.6'
1/22	NEAR FAR	7'	9'11.9" 10' 0.1"	14'11.7" 15' 0.3"	19'11.4" 20' 0.6"	29'10.6" 30' 1.4"	49' 7.6" 50' 4.4"	98' 5.5" 101' 7.1"	193' 8.6" 206' 8.5"	5968' 5.3' co
1/32	NEAR FAR	7' 7' 0.1"	9'11.9" 10' 0.1"	14'11.6" 15' 0.4"	19'11.2" 20' 0.8"	29' 9.9" 30' 2.1"	49' 5.7" 50' 6.5"	97' 9.3" 102' 4"	190'11.9" 209'10.9"	4104' 4"
f/45	NEAR FAR	7' 7' 0.1"	9'11.8"	14'11.4" 15' 0.6"	19'10.9" 20' 1.2"	29' 9.1" 30' 3"	49' 3.2" 50' 9.1"	96'10.7" 103' 3.8"	187' 6.8" 214' 2.8"	2919' 7"

Distanc	6	7 ft.	10 ft.	15 ft.	20 ft.	30 ft.	50 ft.	100 ft.	200 ft.	Inf. Total
f/1.9	NEAR FAR	7' 7'	10' 10'	15' 15'	20' 20'	29'11.9" 30' 0.1"	49'11.7" 50' 0.3"	99'10.7" 100' 1.3"	199' 6.6" 200' 5.4"	86341' 2.1" ©
f/2	NEAR FAR	7'	10' 10'	15' 15'	20'	29'11.9" 30' 0.1"	49'11.7" 50' 0.3"	99'10.6" 100' 1.4"	199' 6.4" 200' 5.7"	82024' 3.3" ©
1/2.5	NEAR FAR	7'	10' 10'	15' 15'	19'11.9" 20' 0.1"	29'11.9"	49'11.6" 50' 0.4"	99'10.3"	1991 4.9" 2001 7.1"	65620' 0.9" ©
1/2.8	NEAR FAR	7'	10' 10'	15' 411 15'	19'11.9" 20' 0.1"	29'11.9" 30' 0.1"	49'11.6" 50' 0.4"	99'10.1"	199' 4.1" 200' 8"	58589' 8.5" co
f/3.5	NEAR FAR	7'	10' 10'	15' 15'	19'11.9" 20' 0.1"	29'11.8" 30' 0.2"	49'11.4" 50' 0.6"	99' 9.6" 100' 2.4"	199' 2.1" 200' 9.9"	46872' 5.1"
1/4	NEAR FAR	7'	10' 10'	15' 15'	19'11.9" 20' 0.1"	29'11.8" 30' 0.2"	49'11.4" 50' 0.6"	99' 9.3" 100' 2.7"	199' 0.7" 200'11.4"	41013' 9.4"
f/5.6	NEAR FAR	7'	10' 10'	14'11.9" 15' 0.1"	19'11.9" 20' 0.1"	29'11.7" 30' 0.3"	49'11.1" 50' 0.9"	99' 8.2" 100' 3.8"	198' 8.3" 201' 4"	29296' 5.9" co
f/6.3	NEAR FAR	7'	10'	14'11.9" 15' 0:1"	19'11.9" 20' 0.1"	29'11.7" 30' 0.3"	49'11" 50' 1"	99' 7.7" 100' 4.3"	198' 6.3" 201' 6"	26041' 8.3"
f/8	NEAR FAR	7'	10' 10'	14'11.9" 15' 0.1"	19'11.8" 20' 0.2"	29'11.6"	49'10.7" 50' 1.3"	99' 6.6" 100' 5.5"	198' 1.6" 201'10.9"	20508' 6.4"
1/11	NEAR FAR	7' 7'	10' 10'	14'11.9" 15' 0.1"	19'11.8" 20' 0.2"	29'11.4" 30' 0.6"	49'10.2" 50' 1.8"	99' 4.5"	197' 5.3" 202' 7.6"	14916' 2.3" œ
1/16	NEAR FAR	7'	9'11.9" 10' 0.1"	14'11.8" 15' 0.2"	19'11.7" 20' 0.3"	29'11.2" 30' 0.8"	49' 9.5" 50' 2.6"	99' 1.2" 100'11.1"	196' 3.6" 203'10.2"	10255'10.9"
f/22	NEAR FAR	7' 7'	9'11.9" 10' 0.1"	14'11.8" 15' 0.2"	19'11.6" 20' 0.5"	29'10.9" 30' 1.2"	49' 8.5" 50' 3.5"	98' 9.1" 101' 3.3"	194'11.3" 205' 4"	7459' 8.8" ©
f/32	NEAR FAR	7' 7'	9'11.9" 10' 0.1"	14'11.7" 15' 0.3"	19'11.3" 20' 0.7'	29'10.3" 30' 1.7"	49' 6.9" 50' 5.2"	98' 2.5" 101'10.3"	192' 8.8" 207'10.2"	5129' 7.1"
f/45	NEAR FAR	7' 7' 0.1"	9'11.9"	14'11.5" 15' 0.5"	19'11.1" 20' 0.9"	29' 9.7" 30' 2.4"	49' 4.9" 50' 7.3"	97' 6" 102' 7.6"	189'11.1" 211' 2.7"	3648' 7.9"





*Starlight

COLOR RELOADS WITH PROCESSIN

Guaranteed fresh, in-date 20 Exposure rolls with processing included. Daylight (A.S.A. 32) or Flash

1	Roll		\$ 2.10	Mounted
5	Rolls	***************************************	10.00	Mounted
10	Rolls		19.50	Mounted
20	Rolls	***************************************	38.00	Mounted

(These rolls can be mixed)

ANSCOCHROME, EKTACHROME & KODACHROME RELOADS (Processing NOT included)

35 mm. 20-exposure Daylight or Flash. Guaranteed fresh, in-date.

1	Roll	********	\$ 1.30		10	Rolls	*******	12.00
5	Rolls		6.25		20	Rolls		23.50
		199	 11-	-	1			

FILM PROCESSING

(One Day Service)

35 mm. Anscochrome and Ektachrome

20 Exposure Mounted\$1.00 ea.			20 Rolls
36 Exposure Mounted1.70 ea.			
828 Bantam Mounted90 ea.			
Stereo Mtd. (15 Pairs)1.75 ea.	1.65 ea.	1.60 es.	1.50 ea.
Mercury (36 frames)1.50 ea.	1.45 ea.	1.40 ea.	1.35 ea.
		_	

120-620-127 in Sleeves..1.00 ea. .95 ea. .90 ea. .80 ea. Mounted at 25c per roll extra

35 mm. Kodachrome

20 Exposures\$1.40 Mtd.	Stereo (15 pairs)\$2.15 Mtd.
36 Exposures2.45 Mtd.	828 Bantam1.00 Mtd.

8 MM. & 16 MM. KODACHROME PROCESSING

8 mm 25' Magazine \$1.20	16 mm100' Roll3.60
8 mm 25' Roll1.50	
16 mm - 50' Manarine 1.45	KODACOLOR

16 mm.- 50' Magazine ..1.45 KODACOLOR
16 mm.- 50' Roll2.15 PROCESSING80c per roll

Starlight

DELUXE Christmas Cards, envelopes and Color prints from COLOR TRANSPARENCIES

15	
25\$ 3.30	31/
25 3.30	31/4×41/2
25	13
100 10.00	25 5.25 50 8.25
100	
100 19.00	30 0.25
	100 8.25
2½ x 3½ from 35 mm. &	100
TAX 3 1/2 from 2 F	VITH YMAN
33 mm. &	BOO AMAS FOLDERS
10 411	oze only in-
13 Inis siz	tel cropping of
214 500	50
31/2 x 31/4 4	50\$ 9.50
72 from steren	1000
Kodarala- squar	10 127
15 negative a	square 120 can
3½ x 3½ from stereo, squar Kodacolor negative e 15 \$4.50	rransparen
3 1/2 × 5 4- 0.75	100
110m 35mm 800	
name of the same o	11 24.00
3½ x 5 from 35mm, 828 and a negatives and tran 25 \$\frac{15}{25}\$	rectangular Was
\$ 5 to Wan	Sperenci. "Nodecolor
All w 7.50	50\$14.00
Modacolor Xm	00
Armas Orders mus	27.00
All Kodacolor Xmas orders mus December 15th	Do in the lat .
A - 15H	h. ab by
חחוחיו	

COLOR SLIDE DUPLICATES

1-1020¢ ea. mid.	to 35 mm.
21-5013¢ eq. mtd.	101-50012¢ ea. mid.
From Super Slides, 120	DUPLICATES ad. mid.
11-2025¢ ea. mtd. 21-5023¢ ea. mtd.	51-10022 ea. mtd. 101-20021 ea. mtd. 201-up20

PRINTS FROM ANY POSITIVE COLOR TRANSPARENCY

									1	-	Any	-	Any	12
		31/4						5	.20	eq.	\$.18		\$.15	
31/0	×	45%								eq.		86.	.30	
4	×	5											.35	
		7							.75	80.			.70	
		10							1.50	86.	1.40		1.25	
		14							4.00	eg.	3.75		3.00	
16	×	20							10.00		9.50		9.00	

KODACOLOR PRINTS

			From Roc						
21/4	X	31/4	(from 35mm	& 828	only	1)	 !	6 .15	eq.
372	ж	372	(Trom square	negati	wes!			23	-
372	-	3 .	1 2 61 00	*****			 	.25	
- 3	-	10	1 er 2 \$1.00	eg. 3	96	more	 	.90	ea.
11		14	1 or 2 \$3.00	ed. 3	90	more	 	2.75	80.

KODACOLOR PRINTS

N	sco	CH	IRC	M	E, EKT	AC	HRC	ME	an	d	K	Ñ	3/	AC	H	ROM	E)
×	31/4	(1	rei	m	35mm	&	828	oni	y).					• •	.1	.30	
ж.	372	OIL		72	X 5 .											40	-
-	10	i	or	2	\$1.00	98	. 3	90	me	re	,		0.			.70	es.
×	14	1	90	2	\$4.75	80	. 3	00	me	re re				0.4		4.75	*6.
	***	x 31/4 x 31/2 x 7 x 10	x 31/4 (4 x 31/2 or x 7 1 x 10 1	NSCOCHRO x 3½ (free x 3½ or 3 x 7 1 or x 10 1 or	NSCOCHROM x 31/4 (from x 31/2 or 31/2 x 7 1 or 2 x 10 1 or 2	NSCOCHROME, EKT x 3 ¹ / ₄ (from 35mm x 3 ¹ / ₂ or 3 ¹ / ₂ x 5 x 7 1 or 2 \$1.00 x 10 1 or 2 \$3.00	NSCOCHROME, EKTAC × 3 ¹ / ₄ (from 35mm & × 3 ¹ / ₂ or 3 ¹ / ₂ × 5 × 7 1 or 2 \$1.00 eu × 10 1 or 2 \$3.00 eu	NSCOCHROME, EKTACHRO × 3¼ (from 35mm & 828 × 3½ or 3½ x 5 × 7 1 or 2 \$1.00 ou. 3 × 10 1 or 2 \$3.00 ou. 3	NSCOCHROME, EKTACHROME x 3½ (from 35mm & 828 onl x 3½ or 3½ x 5 x 7 1 or 2 \$1.00 ou. 3 or x 10 1 or 2 \$3.00 ou. 3 or	NSCOCHROME, EKTACHROMÉ and x 31/4 (from 35mm & 828 only). x 31/2 or 31/2 x 5	NSCOCHROME, EKTACHROME and x 3¼ (from 35mm & 828 only) x 3¼ or 3½ x 5 x 7 1 or 2 \$1.00 ou. 3 or more x 10 1 or 2 \$3.00 ou. 3 or more x 10 1 or 2 \$3.00 or 3 or more x 10 1 or 2 \$3.00 or 3 or more x 10 1 or 2 \$3.00 or 3 or more x 10 1 or 2 \$3.00 or 3 or more x 10 1 or 2 \$3.00 or 3 or more x 10 1 or 2 \$3.00 or 3 or more x 10 1 or 2 \$3.00 or 3 or more x 10 1 or 2 \$3.00 or 3 or 3 or more x 10 1 or 2 \$3.00 or 3 or	NSCOCHROME, EKTACHROMÉ and KO x 3¼ (from 35mm & 828 only) x 3½ or 3½ x 5 x 7 1 or 2 \$1.00 ou. 3 or more at 10 1 or 2 \$3.00 or 3 or	NSCOCHROME, EKTACHROME and KOI x 31/4 (from 35mm & 828 only) x 31/2 or 31/2 x 5 x 7 1 or 2 \$1.00 eq. 3 or more x 10 1 or 2 \$3.00 eq. 3	x 31/4 (from 35mm & 828 only) x 31/2 or 31/2 x 5	NSCOCHROME, EKTACHROME and KODAG x 31/4 (from 35mm & 828 only) x 31/2 or 31/2 x 5 x 7 1 or 2 \$1.00 eu. 3 or more x 10 1 er 2 \$3.00 er.	NSCOCHROME, EKTACHROMÉ and KODACH x 3¼ (from 35mm & 828 anly). x 3½ or 3½ x 5. x 7 1 or 2 \$1.00 ou. 3 or more	NSCOCHROME, EKTACHROME and KODACHROM x 31/x (from 35mm & 228 only)

NO CROPPING ON 35 MM

NO CKOPPING ON 35	MM.
Kodacolor Processing (all sizes)	.90 per roll
or 828 Kodacolor negatives	
or 21/4 x 21/4 Kodacolor negatives	.30 eg.

P.O. BOX 36617 DEPT. M.
LOS ANGELES 36, CALIFORNIA

TESTS

NEWEST CAMERAS · LATEST FILMS · IMPORTANT ACCESSORIES

MODERN PHOTOGRAPHY'S exclusive monthly equipment report devoted to informative, unbiased field tests of production models submitted to and passed as acceptable by our technical department.

TWIN-LENS OPTIMA 35 ELECTRIC-EYE REFLEX



Manufacturer's specifications: Agfa Optima Reflex twin-lens reflex electric eye 35mm camera. Lens: 45mm f/2.8 Agfa Color Apotar with stops to f/22. Shutter: With automatic, speeds from 1/30 to 1/500 sec., plus B and flash setting. Viewing: Eye-level prism reflex, clear viewing screen with central split-image rangefinder. Other features: Built-in electric eye exposure meter coupled to lens and shutter speed, controls for E.I. 10 to 250; red/green sufficient-insufficient light signal inside viewfinder. Price: \$169; case, \$15.95. Importer: Agfa, Inc., 516 W. 34 St., New York 1, N. Y.

Replace the manual shutter and aperture controls of the Agfa Reflex with the electric eye exposure system of the Optima IIIs described in the August Modern and substitute an eyelevel prism for the waist-level finder: the camera you've got is the Agfa Optima Reflex.

The field seen through the viewing lens of the Optima Reflex seems exceptionally bright and clear, as we would expect from a non-focusing clear glass viewing screen. The twin lenses are mounted so close together that the manufacturer has deemed parallax correction unnecessary for this snapshooter's camera.

Like the other Optimas, the Reflex has three symbols engraved atop the twin-lens mount indicating different distance settings: mountains and a church (infinity) for scenics; three full figures holding hands (approximately 14 ft.) for group shots; two heads (about 6 ½ ft.) for head-and-shoulders portraits. Actual distances, in feet and meters, are engraved on the bottom of the lens mount.

The shutter operates in the same fashion as the Compur Special employed in the Optima Ills: both shutter speed and aperture change on a continuous scale as the light level varies. For complete details, see the August MODERN, page 82.

The red/green stop/go exposure indicator in the viewfinder is, like that of the Optima IIs, activated by pressure on the shutter release.

Photographs taken in a variety of lighting situations on Kodachrome II were universally well exposed, and 11 x 14 enlargements from black-and-white were sharp from corner to corner, indicating that the lens was more than good enough for making snapshots.—P.C.

50MM F/1.9 WESTRO-COLOR FOR 35 EXAKTAS

Manufacturer's specifications: 50mm f/1.9 Isco Westrocolor automatic lens for all 35mm Exakta cameras. Features: Apertures to f/22, focus to 1.7 ft.; automatic ex-

ternal diaphragm. Price: \$80.00. Importer: Exakta Camera Co., 705 Bronx River Road, Bronxville, N.Y.

This lens with its fully automatic diaphragm looks suspiciously like the Schneider lens of the same aperture and focal length. This isn't surprising. Schneider does have more than a passing financial interest in Isco, but both companies are separate as far as designs are concerned. The Westrocolor automatic diaphragm does work precisely in the same manner as the Schneider: press in on an external plunger, the lens closes; remove your finger, it reopens. If you twist the plunger the lens will let you preview your depth of field.

The mount is nicely finished in black alloy with a well-knurled chrome focusing ring which, in our test lens, was just slightly stiff—this will disappear with use. The apertures are easily set by turning a ribbed aperture ring. There are half-stop markings. The front lens element is deeply recessed in the mount, which forms a shade.

Performance followed the pattern of many similar focal-length and aperture lenses for SLR cameras. Sharpness at maximum aperture was very good centrally with much edge falloff. The edges improved measurably at f/4 while central sharpness continued very good. There was some overall decrease in sharpness at smaller apertures. Our tests indicated that the edge fall-off at large apertures was caused primarily by curvature of field. Unless you were to photograph a flat subject at such apertures, loss in edge sharpness would be of little importance.-H.K.

MECABLITZ 106, 107: TWIN ELECTRONIC UNITS



Manufacturer's specifications:
Mecablitz 106 and 107 self-contained electronic flash units with
Transistor-Automatic Circuit. Operation: Rechargeable nickel-cadmium battery. Recycling time: 8 to
11 sec. Flash duration: 1/1000 sec.
Other features: 40 watt-sec. output; 60 to 65 flashes; reflector angle of coverage, about 65°; 2100 ECPS;
5500K color temperature; external

recharging unit, with control light, for 110- and 120-volt current; ready light and open flash button on back of flash head. Price: model 106, \$79.95; model 107, \$84.95. Importer: Burleigh Brooks, Inc., 420 Grand Ave., Englewood, N. J.

The latest versions of the Metz twin electronic flash units, Mecablitz 106 and 107, are smaller, lighter, and more compact than their older brothers, Models 102 and 103. The shape of the reflector has been cut down to account for most of the change in size, but the operation is much the same. Inside (rechargeable nickel-cadmium battery, transistormonitor circuit) they're indentical twins. Both models weigh about 1 ½ lbs. and have similar operation and performance claims.

S

1

d

2.

r-

y |-

y

1-

r-

er

e

25

d.

aŧ

je

S

15:

ith

pd-

to

ec.

gle

Model 107, with everything packed into one piece, stands 71/2 in. high with a 4 x 3 1/2 x 2-in. flash head. But the two-piece 106 consists of a 51/4in.-long power pack that can be slipped into your pocket and a mere 4 ½-oz. rectangular 3 ¼ x 1 ½ x 2 ¼in. head that clips onto your camera's accessory shoe and fits on top of the power pack when not in use. The cord connecting these two pieces is nearly 3 ft. long, giving you enough room to maneuver. With a bracket you can use Model 107 on camera. Just wind the cord around a reel, push the reel down into the pack and clip the head onto the pack.

In use the Mecablitz gives off a low whistling sound between flashes until it's primed and the circuit cuts off. If you're shooting rapidly and don't want to keep checking the ready light on the back of the flash head, you can use this whistle as an audible signal.

In testing these units we came up with some interesting results, in some cases more generous than the manufacturer's claims. The 106 unit gave us between 60 and 65 flashes per charge with an initial recycling time of 8 to 9 sec. (both values claimed by the manufacturer). After about 30 flashes, recycling time increased from 13 to about 30 sec. at the end. The 107 unit did much better, giving us 75 to 80 flashes. (The company claims identical performances for both units.) Recycling remained at the 9- to 11-sec. level for nearly 50 flashes, then increased gradually to 30 sec. Though identical, the components of these units can vary because of individual differences in the manufacturing tolerances which can vary output and recycling time. In this case it showed up.

For both units we found the best guide number for Kodachrome to be 28.—D.L.M.

BALOMATIC 755 SHOWS ALL 21/4, 2 x 2 SLIDES



Manufacturer's specifications: Bausch & Lomb Balomatic 755 21/4 x 21/4 slide projector. Lens: 7-in. f/3.5 Balcoted. Lamp: 500watt CZA. Operation: Automatic and semi-automatic. Other features: Illuminated control panel, editing slot, and preview screen; 4to 90-sec. automatic slide interval timer; single knob for forward, reverse control; blower system for cooling, pre-popping, and slide holding; permanently stored power cord. Price: With one slide tray and carrying case, \$179.50. Extra trays, \$1.95 each. Manufacturer: Bausch & Lomb Inc., Rochester 2, N. Y.

This big, beefy, 22-lb. Balomatic 755 is the first automatic 21/4 x 21/4 slide projector we have tested and found acceptable. In the past, 21/4 projectors have all been manually operated. With special plastic adapter mounts, it also accepts 2 x 2 slides—both sizes can be intermixed in one 40-capacity magazine. You can project 21/4 slides in cardboard or glass mounts or use the special B & L plastic mounts (\$3.95 for box of 40) which fit easily into the magazine. With these special mounts you place the transparency against just one piece of thin glass and slip this sandwich into the plastic frame. In pushing the sandwich all the way into the mount, you have to grasp it with a handkerchief, clean cloth, or lens tissue to prevent putting fingerprints on the slide.

The smaller slides (any slide in a 2×2 mount) must be in a cardboard mount which then is fitted into a plastic frame (\$1.25 for 20) the same size and thickness as the 2% frames.

Physically (except for size) and operationally the 755 is just like its baby brother, Balomatic 655 for 2 x 2 slides only (see "Modern Tests," February 1961)—neat and square, measuring 12 x 12 x 6 in., with no external frills. All controls are grouped on a small illuminated panel on the right side. The small preview screen on this panel lights up when the master control knob is either on "edit" or "tray rel." In the former position, you can remove the slide in viewing posi-

tion by pressing a lever which pushes the slide up through a slot in the top of the projector. While on "tray rel" there is no slide in viewing position and you can move the tray to any position you like, either by pushing it directly or turning the manual selector knob. A small window near the edit slot shows the number of the tray's groove in viewing position.

Press the elevation lever and you release a spring leg in the front part of the projector. Raise the projector to the desired level, release the lever and the leg locks in place. If you must tilt the projector, you just turn a small leveling foot in the rear right corner.

Now turn the master knob to "operate" and you're ready to go. Press the change button and a new slide comes on the screen. You can reverse direction by holding the button down a little longer (a few practice tries will give you the right length of time). If you keep holding the button down, the magazine keeps going backward until you let go. The Balomatic also works automatically on a timer with variable intervals between slide changes from about 4 sec. to a minute and a half. This timing cycle can be interrupted by any other operation (edit, etc.) without damage or the need to reset the mechanism. There's a 15-ft. accessory remote control cord (\$4.95) with a button in the handle that works just like the projector change button.

It's a good idea to let the projector run for a couple of minutes before you start showing slides, so that slides waiting to be projected can be prewarmed. This pre-popping system worked well during our tests. However, it was sometimes necessary to refocus whenever a slide of a different size or mount was shown.

Other features of the 655 carrying over into this larger model are: the focusing knob on the control panel; the open groove tray with metal spring clip in each groove so that you can turn the tray over with very little chance of the slides spilling out; automatic blackout of the screen during slide changing and at the end of each magazine load, provided there is a slide in the last groove. However, if there is an empty groove in the magazine, this blackout does not work.

We deliberately mangled a cardboard-mounted 2½ slide to test the dejamming mechanism. By turning the projector off, tipping it on its side, and turning the dejam shaft with a coin, this jammed slide was loosened and could then be removed by the usual editing procedure or with a pair of tweezers. Slides in the plastic mount did not jam unless they had not been

(Continued on page 110)

MODERN TESTS

(Continued from page 109)

pushed all the way down the slot during editing. In this case they were easily unjammed. Lens sharpness and illumination tests showed only slight corner fall-off with 2½ x 2½ slides, and virtually none with 35mm.

For \$22.50 you can have an accessory 5-in. f/3.5 lens with an iris diaphragm. For very bright or overexposed slides you close the diaphragm, thus controlling illumination and increasing depth of field. The standard 7-in. f/3.5 lens does not have this diaphragm control.—D.L.M.

BELL & HOWELL 35MM WIRELESS PROJECTOR



Manufacturer's specifications: Bell & Howell 764W Tele-Sonic Wireless Remote Explorer Slide Projector. Lens: 100mm f/3.5 Trionar. Lamp: 500-watt DAK. Operation: Semi-automatic by ultrasonic, wireless remote control. Other features: Remote focusing and slide changing; manual control lever for reverse; built-in previewing panel; provision for inserting or removing slides during projection. Price: With one 36-slide Micro-Mount tray, \$269.95. Manufacturer: Bell & Howell, 7100 McCormick Rd., Chicago 45, Ill.

Wireless remote control? Now, isn't that a real useless gimmick very liable to go right out of whack in short order? Picking up the tiny wireless control unit, no larger than that on wired sets, gave us an eerie sensation. Nothing at all remained to tie us to the projector. We inserted the slide tray, turned on the projector and pressed the advance button. With a mind of its own, the Explorer shifted to the first slide. Unnerved, we dropped the control unit on the hardwood living room floor and looked down to find the pieces. No pieces. It remained intact and failed to rattle when shaken. We gingerly gave the advance another pressing and the slide changed. (Prospective owners should not take our accident as an open invitation to kick the control around. It does state, "Precision Instrument, do not drop.")

The out-of-focus picture needed correcting. We pressed the focusing button and the picture became even fuzzier. Another push of the button halted the lens movement and a third push started the lens traveling in the other direction. It complied, shifting slowly so we were able to stop right on what we thought was the button. However, someone felt that a sharper picture was possible, so we marched, control in hand, right up to the screen until our nose nearly touched it. Then, a full 16 ft. from the projector, we focused with a precision impossible with a non-wireless control projector.

In experiments with the control unit we found that we could control operation up to 40 ft. in front of the projector, and change slides at a rate of nearly one a second. The maximum working distance of the unit depends upon its position in relationship to the front-mounted microphone. When in the rear of or to the side of the projector, the distance is understandably less. Behind the projector (and the mike) it's 4 ft.

In short, we became so intrigued with the convenience, simplicity and freedom of the remote control we almost forgot the projector itself.

When we first pulled it from its foam-cushioned shipping box we were annoyed to see that the foam and the very sensible rubberized stripping which cushions all edges of the Explorer had an affinity for each other. The foam stuck to the rubber and had to be scraped off with a fingernail. When we had finished fingernail scraping, we had a handsome, goodsized projector with a rubber-stripped carrying handle which also serves as a front foot when the Explorer is used. (When not in remote use, the control unit fits into a compartment beneath the projector's top cover.)

The Explorer is built around B & H's own slide tray design, a compact 7 1/4 in. plastic tray with plastic Micro-Mounts. Unlike all other slide tray mounts, you project through the transparent Micro-Mount. To load each Micro-Mount, you remove it from the tray, turn it on its side, slip the transparency in from the bottom and return the Micro-Mount to the tray. It does take time and only cardboard

slides can be accommodated, but the end seems to justify the means. The projector does not jam. The optical design of the Micro-Mount, which has a circular grid in the center, seems to aid the overall sharpness of the image. The 35mm slides projected were clear and brilliant to the edges with no change in focus before, during or after projection. (Because of the variance in some cardboard mounts, a slight correction in focus was very occasionally necessary.)

In a check of illumination evenness our cadmium sulfide cell meter could detect virtually no change in illumination between the center of the picture area and the picture corners. In the superslide area, however, the very corner tips exhibit slight darkening.

The projector is exceptionally coolrunning. You can feel heat only at the
exhaust side of the quiet fan. Slides
remain well within acceptable tolerances. The projector is extremely convenient, aside from two negative
points—a fairly heavy carrying weight
(20 lb.) caused by an extremely
rugged construction, and the necessity
of using a switch on the projector
when you wish to reverse the slide
tray direction.

Press a top button. The back and front covers flip open to reveal an illuminated rear panel with elevation and lamp controls and the lens and microphone at front. You can easily remove or insert slides during projection. The editing-previewing light is actually a full-sized, evenly illuminated panel with its own semi-automatic loading clip which allows you to flip the slide right into the tray during projection.

We were wondering, however, what ultrasonic sounds aside from the control unit might cause the projector to operate, particularly since we have several nice brown bats inhabiting the trees outside our house. Either the machine left them speechless, or they weren't tuned in on our frequency.

—H.K.

ELMO ZOOM POWERED BY ELECTRIC MOTOR

Manufacturer's specifications: Elmo Zoom 8-E electric eye movie camera. Lens: 10 to 30mm f/1.8 Elmo zoom. Viewing: Through-thelens with beamsplitter in front of diaphragm. Focusing: Down to 5 ft. on ground-glass spot in viewfinder. Fps: 12, 16, 24, 32, and single frame. Other features: Drop-in loading; electric motor drive; automatic electric eye for E.I. 10 to 40, and manual control; reverse filming at 16 fps; frame counter; cable re-

lease and remote control sockets.

Price: \$189.95. Importer: The FR
Corp., 951 Brook Ave., New York
51, N. Y.

The Elmo 8-E looks precisely like the 8-S (see "Modern Tests," February 1961) with some important differ-



ences. The 8-E has an electric motor operated by four penlight batteries and has a top fps speed of 32 rather than 48. The 8-E has several features not found on the spring model—reverse filming, frame counter and remote control socket.

The viewing system is the same as that of the 8-S. Since the beamsplitter is in front of the diaphragm, image brightness is high at all openings.

In testing the electric motor we found that the fps rate was extremely accurate. The reverse on the electric motor works smoothly, according to our tests. However, the frame counter is not adjustable, and while quite useful requires that you remember your starting point for counting frames. Provision has been made for an accessory fader.

The manual zoom action, as on the spring model Elmo, works smoothly, without binding.

The lens on the 8-E is the same one as that on the 8-S. Our lens tests on the 8-S showed that the Elmo zoom was "a bit soft over the entire frame at maximum aperture. However, at f/2.8 sharpness improved considerably. At f/4 the entire frame appeared acceptably sharp and at f/5.6 sharpness was good. The best opening was f/8 and there was no decrease in sharpness as the aperture was made smaller."—M.A.M.

B&H 8MM PROJECTOR HAS WIRELESS REMOTE

Manufacturer's specifications:
Bell & Howell Telesonic remote control 8mm projector. Lens: 23mm f/1.2. Lamp: Low-voltage Sylvania Super Tru-Flector (150-watt, 21-volt). Projection speeds: Rheostat-controlled 16 to 24 fps. Reel capacity: 400 ft. Other features: Wireless remote control; automatic threading; normal-bright lamp light

settings; power cord on springloaded reel; all controls on single panel; folding reel arms; room light outlet; swingout film gate; rewind, reverse, still projection; built-in Mylar tape splicer. Price: \$299.95. Manufacturer: Bell & Howell, 7100 McCormick Rd., Chicago, III.

Eight-millimeter projectors aren't what they used to be—and that's just fine. The Bell & Howell Telesonic is one of those machines that exhibit a good deal of thinking about what a projector should do for its owner in addition to showing his films.

First, B&H has solved the problem of what to do with the power cord when you place the cover back on the projector. Usually one tries to cram in as best one can. On the B&H the cord is wound back automatically into the projector on a spring-loaded reel.

The automatic threading feature is something we've come to accept to-day. But the one on the B&H is virtually foolproof. Film never jammed once during our tests. Our one objection is the fact that it's virtually impossible to remove film for splicing once it's engaged in the automatic threading path.

The grouping of all controls—including the framer—on one panel is a real convenience. We found that



with only a little practice we could operate any of the controls in the dark without error.

The Telesonic also has a two-level light control—average and bright. Frankly, we found that with film underexposed about a stop or more the bright setting helped only slightly to improve the image.

Now for the wireless remote control system. The tiny hand transmitter sends out signals to a receiver inside the projector by means of click switches and controls forward, reverse, stop and start. Usually, the projectionist sis right next to the machine—about the worst place to watch the show. With the remote control we were able to sit where we chose. All that's necessary is that you have a straight line view of

the machine—though in some cases the signal can be bounced off a wall.

The 23mm f/1.2 lens provided a large amount of light on the screen—even at the average light setting. We were able to project a 7-ft. (largest we tried) image without trouble. Image sharpness and brightness were good with little significant edge fall-off.—M.A.M.

SEKONIC MICROLITE: MODERATE PRICED CdS



Manufacturer's specifications: Sekonic Microlite cadmium sulfide cell reflected-light type exposure meter. Features: Mercury battery power source: 40° acceptance angle; ASA indexes 6 to 12,000 (1 to 12 in new ASA scale); EV (LVS)—3 to 19; speeds 16 sec. to 1/2000 sec.; apertures f/1 to f/32; movie scale 8 to 64 fps; dual range; on-off switch; replacement batteries—Mallory RM-640 or Eveready E640. Price: Less than \$25. Importer: Sekonic Inc., 130 W. 42 St., New York 36, N. Y.

About 6 months ago in the report on CdS systems (page 102 of the May 1961 MODERN) we showed a preproduction Sekonic Microlite exposure meter as an illustration of one future CdS meter. Now we have the production version of this meter, and herewith the results of our tests.

Weighing 7 oz. and measuring about $3 \frac{1}{4} \times 2 \times 1 \frac{1}{4}$ in., the Microlite meter is slightly smaller than but equal in weight to many popular selenium-celled meters. Whereas with selenium meters, electric current is generated by the selenium itself, with the Microlite it's supplied by a 1.3-volt cylindrical battery measuring about $\frac{1}{4} \times \frac{1}{4}$ in. (said to last about a year).

You make reflected light readings with the CdS Microlite meter much the same as you would with the conventional selenium type units (as yet there is no incident attachment available for this meter). First you set the ASA speed on the meter's clickstop dial by gripping a small piece of metal with a finger nail and pushing forcibly (both conventional numbers and ASA degree numbers can be set). Then you

(Continued on page 120)

TAKE A ROOM MAKE A MOVIE

MAKE ALL the shooting plans you like -but don't expect a one-and-a-halfyear-old youngster with a mind of his own to pay the slightest attention. He'll do just as he chooses. You've probably already had the experience of chasing him or her around trying desperately to get just a few seconds of footage. Or, conversely, you may have spent hours trying to get a stubbornly immobile youngster to move just a little bit. But getting a coherent, interesting 50 ft. of 8mm or 100 ft. of 16mm film of your child can be relatively painless if you combine what you know about the youngster with basic movie making techniques.

The problem breaks down into confining him to a manageable area, arousing his interest, and getting a variety of shots.

We've found from experience that most living rooms are ideal for shooting movies of children. They're usually large enough to provide plenty of area for roaming about—but small enough to let you keep things properly under control.

Lighting should be as unobtrusive and comfortable as possible. We prefer either bounce light or window light for shooting children. Both are easy on the eyes and relatively cool. For bounce light aim your barlight at a wall or ceiling, which should be white or (Continued on page 126)



A. STRAIGHT ZOOM: Using couch or other linear object to lead viewer's eye to main subject makes zoom appear more like dolly shot.



B. TELE IN CLOSE: Tele lens need not be confined to shooting from long distances. Here, it provides tight framing and at the same time throws distracting background out of focus.




C. QUICK CUTTING: By adding cuts of related toys before and after shot of child, even briefest play action can be made into full sequence.



D. ANGLED ZOOM: Shooting down on subject from above helps to relieve monotony of constant eye-level zooming. In making a shot like this, you should take care to zoom slowly.











F. CHANGE OF PACE: Not every scene has to be composed of rigid long shot, medium shot, close-up sequence. It can, as above, start with tight close-up, progress to even tighter framing, and then, for a change of pace, shift back to medium or even long shot. Quick cutting combined with interesting images add up to good motion picture pace.

bring within EVERY photographer's reach subjects which would be too small if photographed at the regular 3 ft. closest camera setting: Head and shoulder portraits, children's pictures, copy work—a whole new field of picture taking.

With extreme closeup lenses, you can get as close as 8" with a Plus 10. You can use two extreme closeup lenses, with a double retaining ring, for even more extreme closeups. With a Plus 5, 154" with a Plus 10. Is just right for insects, stamps and coins. Extreme Closeup lenses make macrophotography possible with a tiny investment. Shipping Charge 15c 181 Plus 1 Plus 4 Plus 5 Plus 1 Plus 5 Plus 5

To fit filter- helders	UNCTO.	C18.	UNCTO.	CT0.	UNCTO.	CTB.	Plus 4 from 10 to 6"	Plus 5 to 7"	Plus 6 to 51/2"	Plus 10 to 31/2"
SER. IV SER. V SER. VI SER. VIII	\$1.15 1.49 1.79 3.29		1.49 1.79 3.29	\$1.54 1.34 2.44 3.74 7.29		\$1.54 1.94 2.44 3.74 7.29	\$1.75 2.25 3.25	\$1.95 2.55 3.75	\$2.25 3.00 4.25	32.65 3.50 3.25



SAVE 33% TO 50% off POLARIZING PILTERS A SCREEMS



		Polarizing	Polarizing	Screen	Leather
		Filter	Screen	with Viewer	Pauch
SER.	IV	\$1.54	\$3.75	\$6.99	.49
SER.	¥	\$1.94	\$3.75	\$6.99	.59
SER.	VI	\$2.44	\$4.75	\$7.99	.69
SER.			\$6.75	\$9.99	.79
SER.	VII	1 \$8.84	\$11.75	\$14.75	

FILTER COSTS SLASHED

IN HALF HIGHEST QUALITY OPTICAL GLASS

FILTERS

COATED FILTERS IN

LUAIEU SERIES SIZES

off: standard filterholders'

Fer B & W.: Lt. Yel., Med.,

Yel., Green, Red, Orange, Hazec
Fer Anscochrome, Super Ansscochrome Daylight: UV-15,

UV-16, 82A, 80(A), No. 10, 81A,

85B, 82C, 81A, UV-15,

NEUTRAL DERSITY: 2X, 4X,

For KO DACH ROW E, EKTA
CHROME DAYLIGHT: Haze, Skylight (1A), 82A, 80B, 81B, 81A,

80C.

80C.
For ANSCOCHROME, KOBACHROME, EKTACHROME TYPE
F: 85C, 82A, 82C, 82B.
Coated Uncoated
Uncoated
F: 154 Ser. V \$1.45
Ser. V \$1.45 Ser. V \$1.45
Ser. V \$1.34 Ser. V \$1.78
Ser. VII \$3.74 Ser. VII \$3.29
Ser. VII \$3.74 Ser. VII \$3.50
Shpg. Ckge. 1 to 4 filters 15c

OTHER FILTERS IN SERIES SIZES

Available uncoated only
Neutral Density 8X, 10X, Haze
2A, 81, 81D, Flash 1D, UV-17,
Infra-Red.

Red. Clip here for this --SPECIAL OFFER

Buy at least three Ser. VIII or five Ser. IV, V, VI, VII filters and closeup lenses at one time and we will supply COATED filters (in colors listed) at uncoated prices, saving you even more off our low prices.

CLOSEUPS ARE SIMPLE

DELUXE COPY STAND — Designed by us enough for a Polarioid, yet compact in stor-age (two-prece post) and equally well suited for copying, medical, scientific work, and movie titling. Camera bracket permits cen-feting of camera over subject. 15.18° base-board is very practical for large originals. 1½- diameter pole is 38° high. Shig. Wt. 11 lbs.

TPC PRO COPY OUTFIT — Stand, light att. with reflector floods, Proxi-\$27956 scope Sr., all as illustrated

Scope Sr., all as illustrates
GDOSENECK UIGHT 2 units.
ATTACHMENT

with C
Clamps, fit Copy stand
or enlarger pole. 6,95
2 special reflect or floods,
2 x8 additional.

Texasses

BELLOWSCOPE

Christone FILTERBANK

maximum protection. Attaches to case strap. Ser. V, \$2.50; Ser. VI, \$3.00; Ser. VII, \$3.50

at same time as \$10 worth of adapters, shades pay only HALF price (\$1.25,11.50, 1.75) with this

DUTO TO DIFFUSERS

FOLDING BELLOWSCOPE

tas two tracks for greater stordiness. For Leice, Exakta, Eur, Fraktica, Pentax, 919,95 For Minolts SR 1, 2, 3 S24,95 For Minolts SR 1, 2, 3 S24,95 For Minolts SR 2, 3 S24,95 For Minolts SR 2, 3 S24,95 For Minol SR 2, 3 S

6-PC. EXTENSION TUBE SET

FOR EXAKTA, EXA, TOPCON. Set \$795 contains two precision-littled brass adapters and four tubes, 5mm, 15mm, 30mm and 45mm, providing the grantest possible range of closeup work from Pauce a 3.4 reduction to a 2.2 magnification ratio. Shipping I

charge Jac.

8 pc. set, but with one FOCUSING TUBE from \$11.50

40mm to 55mm, alone a \$10.00 list, Complete, set 11.50

2 in 1 Adapter, makes 5mm ext. Comp. list \$10.00....\$5.55

FIG. 4-PC. EXTENSION TUBE SET for PRAKTICA, PRAKTIFLEX, PEN-\$695 TAX, PENTACON, PETRI PENTA

s exceptionally well-made set includes addition to the usual 5mm, 15mm and

in addition to the usual 5mm, 15mm and
30mm tubes a 5mm tube, thus permitting
up to 2X magnification, when the campiete set is used: a tiny object,
\(\frac{1}{2} \times \times

PROXISCOPE SR. .

An absolute must for any kin cleasup and copy work. Dougle up as perfect elevating att ment, with both tripod and a cra fittings for horizontal ac-as vertical fastening of cam Shipping Charge 60c

RENUINE FILTERBANK ROLES 6

ILEATMER FILTERBANK RITUERS

Available in Ser. IV (\$1.00), Ser. V (\$1.00)

Available in Ser. IV (\$1.00)

A



PRECISION MADE LENSSHADES (HOODS)

TESTED 35 mm RELIABLE

FRESH SAFETY KODAK B&W FILM

Buth popular speeds, Plus X and TriX are soliable in 27% It., 50 ft. and 100 ft. lengths and 20 and 30 arespectave relassic, ready for ease 17th 517 9 \$2.77 ft. \$1.00 ft. lengths any lie assertion 127th 517 9 \$2.77 ft. \$1.00 ft. lengths and 10 and

the tiey

-

A PAN 8

SIZES?

6 / OT

COMBINATION SPECIAL of Adox with daylight loader. With Deluze Leader \$14.49

35mm DAYLIGHT LOADER

INCLUDING 5 CARTRIDGES

14 5 F PURCHASE TO GETTINE THE MINISTREE TO THE THE WITH MINIMUM OF 57 35 WORTH OF BULLFILM. HE so simple to take advantage of the exceedingly low cost of 35mm bullfilm and to load any desired length into a standard Eastman cartridge, First lew reloads already make loader pay for Itself, Lasder slows with 8 cartridges, \$3.33. St. Nr. 4, 2 to.

and WHI

FILM TOMOSE CUTTER
with your order for
\$7.95 order for
57.95 order for
buikfull sader
plus buikfull sader
plus buikfull sader
plus buikful order,
for perfect happing
of longue to assure
smooth dassure
smooth dassure
for perfect flapping
of longue for processe.
Cutter alone 8cc

FRESH 35MM ADOX FILM IN CARTRIDGE

Your choice of KB14, KB17, KB21 EXPINES 1983 Sh. Ch. 10c. 20 exposure reload 55c; 3 or more (may be assorted) 58c each.
36 exposure reload 80c; 3 or more (may be associad) 78c each.
50 ft 3.79; 100 ft 5.89—Shpg. Chge. 25 per 50 ft.
50 ft Adax film w. Daylight Leader \$8.48; w. Deluze Leader \$14.48

35MM BULK FILM factory-fresh

	Kodak Panatomic X 50 ft. \$4.50, 100 ft. \$7.95
	Kodak Infrared, 50 feet 4.75
K	Kodak High Contrast Copy, 100 feet 5.80
	Kodak Direct Positive Reversal Film, 100 feet \$.75
ΤĒ	Kodak Fine Grain Positive Print Film, 100 Feet 3.55
	Kodak High Speed Infrared, 100 feet
	Super Speed Kodak Royal X Pan Recording, 100 feet 10.90
0	Ansco Duplicating Color, #538, 100 feet 9.50
<u> </u>	Kodak Ektachrome Daylight or Type F, 100 feet39.95
OR	Kodak High Speed Ektachrome, Davlight
	or Type B, 100 feet42.95

SPEED Super Associations. Designed to the Speed Super Association of the Speed Speed Super Association of the Speed Speed

Make your own full color prints in your regular blaw destroom from any color slide with Spiratone's new complete Ansco Printon Kit. Kit contains all needed chemicals (good for at least 25 4 x 53), package of 10 sheets 4 x 5° color print paper, 10 filters 3 x 3° square, instructions—all for \$9.95. Shipping Weight 4 lbs. Extra Color Printips Paper (Printen), 10 sheet 4 x 8° \$1.80; 5 x 7° \$3.25; 8 x 16° \$8.85

Silver Screen SLIDE TRAY CASE



Thanks to Spiratone's combining the facilities of a well-known projection screen with a famous case manufacturer, Islands to Sparatone's commoning the Sparato

CAirequipt MAGAZINES WITH COVERS 2 for \$3.30 1.2 for \$18.95 St. Wita. 2 & 6 lbs. OFFER A4 SILVER: 6 Airequipt Magazines \$14.22 in silverscreen case. Shpg. Wit. & lbs... \$14.22

OFFER A-6 SILVER: D Annu We. 8 lba.
OFFER A-12 SILVER: 12 Airsquirt Magazines
Liberscreen case. Shpg. We. 12 lbs. \$24.22 SLIDE TRAYS for TDC, B & H

WEST TO THE TOTAL THE TOTA

Shipping Weight: 8 lbs.

SLIDE TRAYS for REVERE 553. Sturdy trays, hold 36 card-board and glass slides, intermixed, with index. TOTAL 12 in carry- \$9.48 ing case.

OFFER R-12 SILVER: 12 trays in s14.22 silverscreen case. Sh. Wt. 6 lbs. 514.22 REVERE 888 SPECIAL: Remote Control 15 ft. Release plus 12 slide trays in carry case (offer R-12RC), \$12.49; in silverscreen case \$16.00.

SPIRATONE Dept. M.) 369 7th AVE



Kodak ROYAL X PAM
Photography a editors expected
AXA SOO!
St. 3 for \$2.40. 100 ft. \$10.90.

WANT TO DARKROOM? then't cash't, o'by complete a DARKROOM? ever, trimmber, etc. Ask for free circular "DA" at burgals prises.

Standard flashgun for AG lamps only the tiny 250



MIRANDA





H I

GRIP SPIRATONE

Accounty litt. Late of all A 135mm 12.3 pro-set (pared beiding bellows MANUAL, jest out \$2.50 te for free Spiratone Ace Jonese at hargale prices: A telephote at \$220.56, a go at \$14.96 and an en.

list on the meter at has "everything"! Soveniona EXPOSURE METER

Super Sansitive photocoli reads reflected and incident light; settings for all shutters, incl. movie, Polaroid, U.S. CPG, ANA range from 3 to 300; shop range from 1 to 32; shutter speed range from 1/1000th to 16 seconds. Sh. Ch. 3-Sec EUT was greate not an extra Sensitive booster with incident attrachment, for poor light 5-195 speed ranging, list \$3.50, only

s Make Tiny 11/2×11/4×3/4 CLIP-ON PHOTO-ELECTRIC METER
Fits accessory clip of all popular 35mm cameras, ASA
speeds to 3200, f stop range to 32, speeds to 1/2000th,
\$525 USEVS, movie scales, Hi-1 Louver, incl. leather came,
metal strap and clip, Comp. list \$3.95. Shpg. Chge. 25c

for the ARGUS - C 3, MAT.

DELAYED CCESSORY
LIP 11.00
Indeed of a single of the control of the contro ACCESSORY CLIP \$1.00 easity installed of screws into Shy cable

TIFFEN DIAPHRAGM 3 PC. EXTENSION

CONTROL 1.50
makes disphragm settings with aux. leness.
filterholders, etc.
easier: for C3
Screw-in Metal Lenscap 38c
Smm Ext. tube alone \$1.28

Spiratoria TELE, and WIDEANGLE OUTFITS MODEL ARGUS C-3, MATCHMATIC
C-3 for Midanata 1 Telephoto or Wideangie last, com-

Set of Telephoto and Wideangie Lenses, complete with proper fittings, double leather case, retaining ring, coated conversion filter, universal finder.

8 PC. COMB8 PC. COMB1 2744
CS-2A 275kip. Chg. ea. Lens 25c

135mF:2.8 PRE-SET \$29.95 For EXAKTA, PRAKTIFLEX, PRACTICA PENTAX, PENTACON, MIRANDA

Impossible! Too good to be True! We heard and read this often from customers who saw this ofter—whoever heard of a geal 135mm 12.2 Mers are under \$39?

I saw 12.5 mm 12.2 Mers are under \$39?

I saw 13.5 mm 12.2 Mers are under \$39?

I saw 13.5 mm 12.2 Mers are under \$39?

I saw 13.5 mm 12.2 Mers are under \$39?

I saw 13.5 mm 12.2 Mers are under \$39?

I saw 13.5 mm 12.2 Mers are under \$39?

I saw 13.5 mm 12.2 Mers are under \$39.5 mm 12.5 mm 12.

aerres VII Interneous 3-35. S. Prig. C. Pg. - 3.

OTHER UNUSUAL LENS VALUES
All control, color-cerrected
Sum 1:3.5 pro-set Wideangle for Exakta, Exa, Practica,
Praktifize, Pentase. Pentasea. Exa, Practica,
Praktifize, Pentasea. 3995
Praktifize, Pentasea. 3995 Praktiffex, Pentacon
135mm f:2.8 pre-sot Telephoto for Nikon F, Con
Minolta SR, Yashica Pentamatic, Praktina..... \$3695

For Exakta, Practica, Praktiflex, Pentax, Pentacan, Miranda, Milen F, Canonflex, Minelta SR, Yachica Pentamatic 200mm f:3.5 52095 400mm 52095 300mm f:5.5 \$4095 m 1.3.5 \$5995 400mm \$3995 300mm 1.5.5 \$4995 1.7.5 proset Shipping Charge \$1.00 per lens

3 UNIT REFLECTOR OUTFIT \$5.99

Two aluminum 10" reflectors for #1 or #2 bulbs One builet reflects Sturdy 4 sec. deluxe metal PNOTOFLOGG STAND with dual \$ 498 twivel action crossber, holds two reflectors, extends to 88"

north Course over Course Season Season and \$7.25 imps.—plus AS Adapter | Luxurious teather Cate 96c; Extension Bounce of Familiani \$5.55. Bucklet for use of gas on side of the course o BOUNCE OUTFIT AB: Outfit A, plus Extension Fanflash, AG Adapter-Reflector (List \$17)

Save \$2.05 to \$5.75 PROJECTION BULBS

Comp. List,each Gur price per tw Acertain and specify exact code wanted. Prices types on request. Add 25c shipping charge per

2x2"GLASS SLIDEBINDERS The finest method of mounting transparencies (35mm Argus, Loice size) between glass? The biggest bargain in quality slidebinders ever offered. The programmed Fibreboard, self-centering of slide, provision for type-on titles, ostsproof, inflience, shockpoor—all these advantages are yours for feets then the assarcost of glass alone? 200 for \$3.78. 2400 for \$40.00. Shipping Weight (200) 5 fbs. N

Sam Jeiss Pro-Tessar... 371 95
8 x 30 Monocular, with case, ell fit with case, ell fit things... \$19.95
Closup set, cid., screwin, 3 lenges, ell fit things... \$19.95
Closup set, cid., screwin, 3 lenges, ell fit things... \$19.95
Write far free backlet "Campiens Was Contaffer Dettit the Inappearies Way Which describes many other mocessaries.

TIME EXPOSURES

Wew unit fits standard cable release socket, prorides delayed action olus 11 slow speeds. 299
Licia, Vashica nigot—
25c extra...Sh. Ch. 10c

SYNCH YOUR OLD

CAMERA \$2.75 PPD
Fully adjustable* mechanical
tripper, requires no installation, works through standardcable release socket of most
old cameras. Has fitting for
Standard flesh cord. With leather
case \$2.94. "for flesh & strobe."

1/2 SECOND TO 11 SECONDS, WITH EVERY CAMERA

AUTOMATIC \$295 ATTACHMENT

42.

Turn handle, and gear Turn handle, and gear smoothly pans your camera, for those really professional panoramic movie scenes! Fits be low or on top of your present little or panhead, works with any camera, any tripod. Shipping Charge 15e



Protects your lens, Comp. list \$1.50 to \$3.25, fits Ser. V, VI, VII

RIGHT ANGLE FINDER \$1365)

ACCURA REFLEX HOUSING for LEICA, CANON \$39.95

Ships. READY TO USE—WITH DUAL.
Chg. \$1.00 RELEASE SYSTEM "ozc. M3
Mever before could to small an investment
for camers, ideal change your kins. Common with a single feel
of scientific world Focus with formerly innocessible Traction-of-inch
microstance and interesting making the cond proceedings.

SAVE MORE STILL BY BUYING COMBINATIONS REFLEX

Coated and course cerected

One of the linest Japanese lenses made—regardless ill price Rangefinder-coupled, elegant, lightweight mount, depth of field scale.

For Lake Mit and course countries and countries are considered. W

Leather Pauch \$1.96; Matching Finder \$4.95; Universal 35mm to 135mm Turret Finders, Nat \$14.95, \$6.47. Shipping Charge, 75c

Top Drawer GRAIN Gadget Bags



TOP BRAWER C 13.99 CAF TOP BRAWER 9 16.99 BAF

of AIRFOAM LINE

you'd expect to pay for sucl Shpg. Wts. 5, 6, 7 lbs.



AUX. TELEPHOTO FOR TWINLENS, 35MM. 29 POLAROID CAMERAS Deluxe Leather Case \$1.95

Dollure Ceather Date St. 95

Sensational new tens actually increases:
Sensational new tens actually increases:
Lines: changes a 50mm into 200mm, un
80mm into 320mm and so on. Wonderful
for Contaffer, Retina, Rollei (senz. 2.8),
Vashica, Minolta etc. Fits Ser. V adapter
for Ser. VII to Vitep-down rings. LifestizeFinder (for 35mm or Polaroid) \$49.5

Stapdown ring \$1.30. Sixpu. Chaps. 750

3X (8x. 3TELE similar to 4fx. 55.79, Chaps. 750

WM—Att Vitelpabla, case, aux. Witeming, case, all for \$41.85

TX TELEPHOTO

MONOCULAR for RETINA

COMPLETE WITH ALL FITTINGS, LEATHER CASE

COMPLETE WITH ALL FITTINGS, LEATHER CASE Screws directly into camera lens fall models except fi.19, making it 350mm fi.10 traighorts. Coated, color-corrected. Accepts standard filters, shade. 7:25 model, makes 350mm fi.2 traighorts 227.45 complete. Retina Longar 80mm fi.4 comp. 440 model. makes 350mm fi.2 traighorts 227.45 complete. Retina 25mm fi.2.8 Curtagen Retina 25mm fi.2.8 Curtagen Retina 25mm fi.4 fele-Arion Ret

CHANGING BAG

with special trimmer hollow-ground hardened steel knife on spring—ready to be screwed onto based. Knife for 10" model (total le \$2.49; for 14" model (total le \$2.49; for 14" model (total le \$2.49; for 14" model (total le PAPER CUTTER FOR ONLY \$249

The most advanced POCKET TRIPOD !

Parallax-correcting for 35mm, twintens Lawrence hardware case, 81.79 extra copy and Triting Rtt. available—anit \$1.49 add's FOR 35mm, TWINLERS, MOYIE CAMICRAS OFFER ELAPOCT, tripod, case, 100EL ELAPO (capy attachment—all for only \$11.99

For "Buick" Pontead, with rapid on-off plug add \$1.40

SLIDEMOUNTS for all sizes

Sturdy cardiboard mounts (like those used by photolinishers), for all size transparencies, to fit all projectors, changers, 22° mounts available in standard (doubleframe) 35mm, single-frame Ossificial, Metcury, Olympus Per etc.]

35mm, 127 superside, subministure (disolate) 35mm, single-frame Ossificial, Metcury, Olympus Per etc.]

35mm, 127 superside, subministure (disolate) 45mm—specify whitch you want. Robot-size 35mm—specify for for for fer etc.]

400 200 1,000 for for fer for fer \$21.00. CStypo, Wt. 6 lbm, per 1,000 100 for \$21.00.

All prices include excise tax. Postage and insurance MUST be prepaid, whether shipping weight is stated or not. Check with local post office

SPIRATONE

nd fully guaranteed against defects. 25% deposit on C.O.D.'s f purchase. Allow extra postage, handling for foreign orders.

369 7th AVENUE, NEW YORK 1, N. Y. :::

SENU MAIL ORDERS TO LONG ISLAND STORE (NEAR MAIN ST.) AT 135.06 NORTHERN BLVD. DEPT. M11. FLUSHING 54. N. Y.



Ginol UF G

Ultra Fine Grain
IN 5 MINUTES
Increases emulsion speed. Excellent results with all size films. Gives negatives of normal contrast—high resolution.

Ginol TE C

Thin Emulsian,
COMPENSATING DEVELOPER
Gives highest possible resolution with thin emulsion films—plus shorted developing times.

PLYMOUTH PRODUCTS CO., 1778 W. BERTEAU, CHICAGO 13

STATIC master THAN A BRUSH

The polonium strip (a peaceful application of Atomic Energy) is the neutralizing agent in STATICMASTERS that destroys surface static electricity. The bristles simply remove the loosened dust and lint.

STATICMASTERS are used by amateur and professional photographers to clean negatives, transparencies and optics.

THE DRY WAY - PROVED BEST

1" Model \$495
Illustrated 4 photographic store or order direct
3" Model \$9.95 ...sent postpaid if cash with order.

NUCLEAR PRODUCTS CO. 10177 E. Rush Street

DRY ROT IN BOOKS

(Continued from page 71)

How to Use Variable Contrast Papers, by Jacobs \$2.50. The makes of variable contrast papers are different but Jacobs sorts them out, gives practical aid on how to put 'em to work.

Lootens on Enlarging & Print Quality, \$4.95. Expert teacher Lootens has been gone these many years, but his original work updated by others is still the classic in the field.

Miscellaneous

Floyd's Photo Tips \$2.50. Simple gimmicky and ungimmicky shortcuts you can use in shooting, processing and enlarging.

How to Sell your Pictures at a Profit, by Bennett and Maschke \$2.95. Brightly written how-to-sell information plus listing of 772 markets.

Instant Lens Testing Chart and Book, by Tydings \$1.95. If you can get the chart unfolded and suitably flat you'll find it the best test kit currently available.

Mounting, Protecting, Storing Slides, by Rothschild and Wright \$1.95. Just that and very complete too.

Outer Space Photography for the Amateur, by Paul \$2.50. How to shoot upward with everything from 50mm lenses on 35mm cameras to super-grand telescopes. Easy personalized style.

Where & How to Sell Your Pictures, by Ahlers \$1.95. Best guide on finding markets, packing, keeping records, analyzing publications. Full market listing.

Words & Pictures, by Hicks \$5. The ex-executive editor of "Life" gives a valuable inside glance into the dayby-day photo operation of guess what magazine.—THE END

DO IT, DO IT, DO

CHECK YOUR PHOTO LAMPS. After buying new reflector or photoflood lamps, it's a good idea to check their brightness output and repeat the check every so often. An easy way of doing this is to set up the lamp and measure off a distance of 6 ft. Set your exposure meter at ASA 10 and hold it at this distance, aimed directly at the lamp. Make a note of the meter reading and the date. After using the lamps for some time, take another reading, paying particular attention to the lamps used for taking movies or stills with color film. The life of these lamps is generally 4-6 hours and a meter reading of an increase of one f-stop usually means a drop in Kelvin temperature, which would give an off-color cast to your pictures. If this is the case, it is best to use these lamps only for black-and-white.

UNITED CAMERA CELEBRATES THE OPENING OF ITS FOURTH STORE AT 132 E. 43 ST., CORNER OF LEXINGTON AVE. IN THE CHRYSLER BUILDING.

Hundreds of free photographic prizes—Just come in or write for your free drawing coupon-Drawing for prizes by well known celebrity Wednesday, Oct. 25-winners are immediately notified.

ACCURA

Photo Monoculars
For 35mm and 2½" x 2½"
Reflex Cameras
6x30 Magnifiles 6x
Reg. 29.95.....Spec. 19.95
7x50 magnifiles 7x
Reg. 49.95.—Spec. 34.50
W/case for Ser. V-VI Fittings

YASHICA "77" TAPE RECORDER

- Transistorized
 Tape Speed 1% IPS
 With Microphone,
- Earphone, case, Batteries Brand New85.00 **NEW CROWN** Graphic 4x5

CAMERA OUTFIT

With F4.7 Xenar, Compur Shutter Graphic Range Finder Graphlite Flash with Heavy duty mounting Brackets with cord eg, 269.95 Only 189.50

OPTA-VUE GALAXY STROBE-Only

- One Price unit 3495 Nickel cadmium batteries
- 80 flashes per charge Built in recharger Ten year guarantee • With bracket & AC Cord

BRAND NEW RETINA **AUTOMATIC III**

AIREQUIPT MAGAZINES

3 for \$4.19 Reg. 6.75

SYLVANIA SUN GUN MOVIE LIGHT

Reg. 24.95\$15.95

SPECIAL BUY **REVERE 3 Lens** ELECTRIC EYE 8mm Cameras

Choice of Spool or Magazine load Orig. Value 5950

Brand New RETINA REFLEX III

splied with Kodak Quarant

YASHICA U-MATIC 8m/m Zoom Electric Motor-Electric Eye

- F1.8 Zoom Lens Auto or Manual Control 8-16-24 FPS Speeds With pistol grip
- 9500 New

New DE JUR 500 Watt 8mm Projector

 all metal with deLuxe carrying Value 80.004450

MANSFIELD

-35mm SLIDE PROJECTOR

1995

NEW WESTON MASTER

IV EXPOSURE METER \$24.95

TESTRITE 2700/3 Superped TRIPOD Weighs 5 lbs. 6 oz.

74½" opened 28½" closed 12" elevator rise With pan head \$21.95

Bolex PICTURE TIME

Special F1.9 Lytar, 13mm Lens 36mm 1½" F28 Yvar Telephoto Compumatic Model Complete.....New 119.50

New PCA PRISMAT V-90

Single Lens Reflex Camera

48mm F1.9 Lens

Exposure Meter

coupled in Finder

Automatic Lens

1 sec to 1/500

With case only \$109

New. UNITTIC PHOTO-ELECTRIC Exposure Meter

With booster and case 7.50

TESTRITE ENLARGER SALE

BRAND **NEW**

MODEL E with Diffusion Glo Model E Less Lens \$28.50 Model E with 90mm f6.3 36.95 Model E with 90mm f4.5 41.95 Model E with 50mm f4.5 39.95 (35mm) . ACCESSORIES FOR ABOVE

3½" Condensors for 2½x2½
4½" Condensors for 2½x3½
52mm Condensors for 4.95 6.39 4.39 7.95

2.95 1.25 11.50 Copy Arm
Copying Lights per set.
Varigam Filter Holder,
W/filter 1.75 2.20 Film Cups per pair Table Top stand for

SEND FOR COMPLETE DELUXE CATALOGUE

BAIA 8mm Reviewer EDITOR

- 400' capacity Rewind
- Auto Framing &
- Fold-Away

1595

MERIT TITLE SET \$2.49

- 420 Letters Red—White—Yellow
- 3 colored Backgrounds • 13x18" Easel

ALL METAL 16mm 400' STORAGE CHESTS

· Holds 9 Reels \$249

Value 4.95

Filmosto Slide Binders

Box 100 For Mounting 2x2 Super Slides taken with 21/4x21/4 cameras, extra thin for Airequipt changer

> WE ACCEPT **TRADES**

SENSATIONAL DARKROOM BUYS!

Acufine Film Developer or Replenisher
Qt. size80c es. Gal. size 2.80
Acufine Paper Developer Qt. size48¢ ea. Gal. size88
Qt. size48¢ en. Gal. size88
Airequipt 4-Way Easel to 8x10" 6.50
Airequipt 4-Way Easel to 8x10"
Arkay 16x20 Loadmaster Print Washer
Arkay 8x10" Print Washer 4.49
Arkay 11x14" Print Washer 7.88
Bausch & Lomb Enlarging Focusing Magnifier 5.50
Brumberger 8x10 Paper Safe12.95
Brumberger 11x14 Paper Safe24.95
Brumberger Darkroom Safelites 5x7" 5.58
Brumberger 5x7 Deluxe Contact Printer22.50
Delta 35mm 100' Bulk Film Loader
Ektacolor Print Retouch Kits12.00
Fidelity 4x5 Double Cut Film Holders 3.15
Gamma Black & White Retouching Kits 4.50
Gilbert Interval Timers 15 sec. to 2 hrs 7.49
Gra-Lab Universal Timers 168 Luminous17.95
Ideal 10" Paper Trimmer 6.98
Ideal 8x10 Elec. Print Dryer 6.95
Kodak Darkroom Apron 3.18
Kodak Photo Blotter Roll 3.10
Kodak Day Load Tank 35mm
Kodak Automatic Tray Siphon 4.79
Kodak Illuminator IA to 8x10"
Kodak Timer to 60 Minutes 8.39
Kodak Projection Print Scale 1.48
Lektra Timer TM-5 Second Timer28.00
Lewco Visible Dodger 3.50
Lewco Variable Vignetter 2.25
Lewco Dodgette Set
Lott Drum-Master Rotary Dryer 8"x1234"

_			_	_				
	Lott S	tandard	12=28"	Print !	Dryer			29.95
	Lott F	rofessio	nal Print	Dryer	23x2	8"		19.95
	Lott R	otomast	er Print	Dryer	23x28	"		15.00
	Marsh	alls Oil	Color Pen	cil Set	Starter			1.98
	Marsh	alls Oil	Color Pen	cil Set	Profes	sional		4.98
	Marsh	alls Oil	Colors					
	Intro	ductory	Set					1.39
	Lear	n To C	olor Set.					2.75
	Adva	nced Se	t					6.93
	Mast	er Set .						11.00
	Minox	Develo	ping Tar	lk				13.25
		ex 35mi	n Proof	Sheeter	r (Strip	Conti	MCE.	
	Print	er)						11.95
	Morse	G-3 8-	mmce-8	Dev.	rank			10.00
	Morse	M-30	film Dry	er lon	ım-35n	m		7.10
	NIKOT	35mm	single He	ei nev	. Tank			14.25
	NIKOT	35mm	Double Ru	Sei Dev	. Tank			10.50
	MIKOT	Minor.	er Liev.	Pool (Omly			3.95
	Delou	MILITOR V	Whoto See	le Avo	du or M	fatelo		11.75
	Polyec	miree!	Pilter Ki	the war	ME OF M	section.		12.35
	8 1	in the same	Dice and C	Se	16 0	a		.59
	32 0	W		54	1 G	al.		1.75
	Precis	e 11x14	All Met	al Eas	el			6.75
	Premi	er NSP	11x14 E	namel	Drver_			9.95
	Elmonis	on Birms	22454 69	heoma	Taxtion 6	Constitute of	Throng	16 95
	Premi	er A1 R	otary Dry	rer 12:	x29"			24.50
	Premi	er A2 R	otary Dry	rer 243	128"			38.50
	Premi	er Trim	ming Bos	rds				
	8".			.50	15"-			14.50
	10".			.28	18"_			21.00
	12".			.28	24"_			32.00
	12"	Deckled	Edgef	.78				
	Premi	er Print	Rollers	PTOL. I	ype		W	
	0"		essional f		-2.19	13		3.69
	rremi	er Profe	essional !	squeegr		4.0	m	1.95
	0		95 12			1.0		2.00

	Richards Print Washers 18"
	Richards Print Washers 30"49.50
	Rondix Agfa 35mm Day Load Dev. Tank 7.98
	Seal Jr. Dry Mounting Press 81/2x111/2
	Speed-Ez-Els Metal Easels
	916 v 216 Metal Easels 5 v 7 2.30
•	
	31/2x53.15
•	4x54.49
,	Spot-O-Matie II Enlarging Meter 13.98
	Star "Focus-Rite" for Enlarger 2.49
1	Staticmaster Brushes
	1"
	Superior Prepared Processing Powders for Movie Film
	1/2 Gal. Kit 4.80
	Testrite 8 or 16mm Cine Largers
	Testrite 35mm Cine Largers
	Time-O-Lite S 50 Signaling Timer18.98
	Time-O-Lite S by Signating Timer
	Time-O-Lite M 59 Master Timer19.95
	Time-O-Lite P 59 Professional Timer28.98
5	Time-O-Lite Professional Timer Kit P 59
6	Timer & Time-O-Lite Foot Switch
	Varigam 10C Filter Set 9.95
	Votar Adjustable to 5x7 Enl. Easel 3.78
	Votar Adjustable to 8x10 Enl. Easel 5.95
	Votar Adjustable to 11x14 Enl. Easel 9.78
	Watson Bulk Film Loader 9.78
	Weston Thermometer 6.98
	Yankee Clipper Tank Adi
	Yankee 4x5 Utility Tank 2.95
,	Yankee 4x5 AgiTank Adj. 4x5 6.78
,	
•	
•	Yankee Film Squeegee 1.00
	Yankee Filter Funnels 1.25
	Yankee Hypo Bath Tray 11x16x5 6.95
	Yankee Instant Film Dryer 16 os 1.95
	Zephyr Plastic 8x10 Trays 1.57
	Zephyr Plastic 11x14 Trays 2.68
•	magnific a second a s

CAMERA EXCHANGE MAIL ORDER DEP'T.

1122 Ave. of America New York 36, N. Y. YU 4-4538

à

BRANCHES AT

1140 Ave. of Americas and 265 Madison Ave. Hew York, N. Y.

TO EXPEDITE ORDERS ADDRESS OR CALL MR. A.R. GANIS

Please enclose estims postage & insurance. cess will be refunded. C.O.D. under 10 doll Please enclose 10% C.O.D.

a 9 e e 8 rr

6

1

a

h

C-

IY

TO FARIY R

World's most helpful photographic books . . . guaranteed to help make you a better photographer.

AMPHOTO "EDITION BOUND" BOOKS

Deluxe, hard cover books, carefully selected to fill a prime need. Nothing else comparable for accuracy, reliability, usefulness. Unusually low priced at \$2.50



NEW! Amphoto "Edition Bound"

(218) HOW TO PROCESS COLOR FILM AT HOME

By Ira B. Current. Amphoto explodes another bogey. You, too, can process color film at home-quickly, easily, economically—and completely satisfying. All you need do is to follow the simple instructions in this new book. Can easily be used as a guide to darkroom technique. Hard cover.



NEW! Amphoto "Edition Bound"

(214) HOW TO RETOUCH & **SPOT NEGATIVES & PRINTS**

By Wayne Floyd. Explains professional techniques of retouching and spotting. Details what equipment is required, and how to go about it. Great emphasis is placed on using materials that can be found around the house. Can be read with profit by pros and amateurs alike.

Hard cover.

(56). OUTER SPACE PHOTOGRAPHY FOR THE AMATEUR by Dr. Henry E. Paul. How to take dramatic shots of outer \$2.50

(81). LENSES: HOW TO CHOOSE AND USE THEM by Ted Russell. The most accurate guide for selecting lenses \$2.50

(329). OFFICIAL NIKON F REFLEX MANUAL by Amphoto Editorial Board. Covers the entire Nikon F \$2.50

(49), FLOYD'S PHOTO TIPS by Wayne B. Floyd. A goldmine of short-cuts, time savers, photo tricks every photofan can use. \$2.50

(58). TAKING PICTURES AFTER DARK by Y. Ernest Satow. Detailed instructions cover equipment, techniques and treatments. \$2.50

(64). CLOSE-UP PHOTOGRAPHY WITH YOUR CAMERA by Harold Mart'n. Here is everything you want to know about taking close-ups. \$2.50

(303). HAL REIFF'S GLAMOUR MANUAL by Hal Reiff and Mildred Stagg. Advice on how to choose camera, girl, lighting, props, etc. \$2.50

(302). ELECTRIC EYE MOVIE MANUAL by Ira B. Current. How electric eye systems work; an appraisal of individual cameras. \$2.50

(300). HOW TO USE VARIABLE CONTRAST PAPERS by Lou Jacobs, Jr. The whole range of the process, from \$2.50

(82). OFFICIAL MIRANDA MANUAL

(309). HOW TO SHOOT AND SELL MONEY-MAKING

PICTURES,
by Walter L. Harter. Foolproof system for producing pictures
\$2.50

FOCAL "SUCCESSFUL" BOOKS

Make Successful Pictures

(746). NEW! Successful **Exposure in Photography**

By L. A. Mannheim. A practical book that answers practical ques-tions on exposure—indoors and out, day and night, black-and-white or color. Includes informa-tion on exposure with au tomatic cameras. \$1.95

(744). Successful Flash Photography, by Mannheim\$1.95

(743). Successful Color Photography, by Thompson \$1.95

(739). Successful 35mm Photography, by Matheson \$1.95

New, Revised Edition! (104). HOW TO DO THE SIMPLER TRICKS

By Julian Caunter. A Focal Cine Book (formerly titled "How To Produce Effects"). An invaluable right-hand to the movie maker. Covers exposure, focusing effects, lens effects, diffusion, distortion, filters, fades, wipes, etc. Hard cover. \$2.50

(189). NEW! **CANONFLEX MANUAL**

By Paul Jonas. Published by Universal. A detailed appraisal of the highly regarded Canonflex, and its role in the single lens system of photography. Expert attention to lenses, accessories, techniques.\$3.95

(372). ULTRA-MINIATURE PHOTOGRAPHY, NEW ED. by J. D. Cooper. The full story of this exciting photo development.	\$3.95
(315). CAMERAS—THE FACTS, 1961 by W. D. Emanuel and A. Mathewson. 175 cameras, all models, detailed.	\$3.95
(461). MY WAY WITH THE MINIATURE R. L. Vining. Revised 13th edition. The accepted classic book on the subject of miniature photography.	\$4.50
(217). RETINA WAY by O. R. Croy. Revised edition covers the latest series, newest accessories.	\$4.95
(395). OFFBEAT PHOTOGRAPHY by M. Rockards. Simple ways of getting trick shots and unusual effects.	\$2.50
(101). RETINA REFLEX WAY by L. Mannheim. Expert appraisal of all models and applications.	\$7.50
(52). CONTAFLEX WAY by H. Freytag. Shows how to exploit the full range of this first- class camera.	\$4.95
(40). AMERICAN CINEMATOGRAPHER MANUAL the "bible" of Hollywood cameramen. A cinematographer's "must".	\$7.50
(114). HOW TO SHOOT WEDDINGS by M. K. Arin. Step-by-step instructions. Invaluable business counselling.	\$3.95
(63). COLOUR BOOK OF PHOTOGRAPHY by L. Lorelle. Covers all color work. List \$3.95. Special	\$3.00

GLAMOUR PHOTOGRAPHY

(161). Perspective Of Nudes By Bill Brandt, acclaimed as the "Ma-tisse of the Camera." Foreword by Lawrence Durrell and commentary by Chapman Mortimer, Introducing an en-tirely new art-form in photo-raphy. \$7.95

(131). The Nude, By Andre de Dienes

One of the world's greatest photographers of the nude. Beautifully printed. \$4.95

(87). 100 Studies Of The Figure .. \$2.49 (636). Pasing For The Camera ... \$6.95 (727). Photo Et Propos Sur Le Nu \$3.95 (82). Form And Figure \$5.95 (438) Now To Photograph Women \$2.95

HERE IT IS! **New, Revised Edition!** Most Popular Book Of Its Kind!

(25). LOOTENS ON ENLARGING AND Or from Car por of incident

No

PRINT QUALITY New, revised 5th Edition. Thousands upon thousands of copies sold all over the world. Considered the most practical, most useful book ever written on the subject. Contains up-to-date information on films, developers, variable contrast papers — new processes willustrations. Better, more helpful than ever. Priceless advice for every photographer.

RLY CHRIST

Choose your books today, from these great values. Your money refunded in 7 days if not satisfied.



E

sk 93 d

0

L

its 10es, 95

15

5

0

25

50

50

95

50

95 00

d!

es d-st he n-

25

PHY

(138). KEPPLER ON THE EYE LEVEL REFLEX

By Herbert Repple, Executive Editor, Stoders Photography An unconventionally frank, sharply critical analysis of the 35mm prism reflexes, how they differ and how they should be used. The famous author spares no one while explaining what's right with the various types, what's wrong, how and where to buy your equipment, how to test it, what accessories and film are best, from, instructions on what you can do and what you can't. An AMPHOTO Book.



(650). PETER BASCH'S GUIDE TO FIGURE PHOTOGRAPHY By Peter Basch with text by Jack Rey

(382). COMPLETE ART OF PRINTING AND ENLARGING by O. R. Croy. New, revised edition of standard textbook	\$5.00
(205). MEDICAL PHOTOGRAPHY, RADIOGRAPHIC AND CLINICAL by T. A. Longmore, FSR.	15.00
(79). 35mm PHOTO TECHNIQUE by H. S. Newcombe. The classic book by one of the world's best photographers.	\$4.50
(312). ALL-IN-ONE CAMERA BOOK by W. D. Emanuel, famous textbook used by thousands of amateurs.	\$2.95
(33). CONTINA GUIDE by W. D. Emanuel. Covers both the Contessa and Ikonta as well as Contina.	\$1.95
(628). VITOMATIC GUIDE by W. D. Emanuel. Detailed instructions cover everything you need to know.	\$1.95
(141). EXAKTA-EX GUIDE. (66) CONTAFLEX GUIDE. (3). CONTAREX GUIDE All by W. D. Emanuel. Each.	\$1.95
(207). PHOTOGRAPHIC OPTICS by Arthur Cox. 12th enlarged edition. Up-to-date information	\$5.75
(27). PHOTOJOURNALISM, PICTURES FOR MAGAZINES AND NEWSPAPERS by Arthur Rothstein of Look magazine.	\$5.95
(613). THE MINOLTA 'MANUAL by J. D. Cooper. All models, single, double reflex, 35mm, 16mm subminiature.	\$3.95

UNIVERSAL PAPERBACK GUIDES

Quality books that save you money!

(227) NEWI Animal And Pet Photography
By Mildred Stagg. Shows you how to shoot all manner of beasts and fish—in the field, the soo and at home. Also chapter on story telling. \$1.95

(201) NEWI Voigtlander Bessamatic Guide
By Joseph D. Cooper. Besides giving complete instructions, the auth
shows how to use this fine camera for every photographic \$1.9 \$1.95

(180) NEWI Wedding And Purty Photography
By Barney Stein and Les Kaplan. Supporting all picture taking advice
are chapters on running a studio, and free lance operation
instructions. \$1.95

(224) NEW! The Nude in 101 Moods
By Mildred Stagg. Photos by Paul Duckworth. Information ranges from
the selection of the model to appropriate atmosphere, props,
\$1.95

(177). Photography Through Monecu-	(338).	Guide To Perfect
	lars, Binoculars and		Exposure\$1.95
	Telescopes\$1.95	(669).	How To Capture Action
(172). Nude And Figure Pho-		In Photography\$1.95
	tegraphy\$1.85	(336).	Color Photography
(170). Flectric Eve Still	4	Techniques\$1.95
*	Cameras\$1.95	(619).	Fujica Camera Guide\$1.95
(272). The Amateur's 8mm	(589).	Baby And Child
	Movie Guide, New Ed \$1.95		Photography\$1.85
(322). 35mm Camera Rating	(592).	Police And Crime
	Guide\$1.95	*****	Photography\$1.95
(591)	. Teenagers Guide To	(151).	
	Photography\$1.95	(231).	Photo Darkroom Guide .\$1.85
(673)). Argus 35mm Photography \$1.95	(175).	Available Light
(69).			Photography\$1.95
400%	Storing Slides\$1.95	(146).	8mm and 16mm Movie
(139). Single Lens Reflex	*****	Rating Guide\$1.95
.,	Photography\$1.95	(590).	Better Photography For
(593)	. The Agfa Guide\$1.95	. Jeef.	Amateurs\$1.85

A BASIC COURSE IN PHOTOGRAPHY \$ 17

And A Beautiful BOOK RACK FREE!

Here are four basic books that every serious amateur needs in his library. Each one written by a famous authority, and each providing essential information for better pictures. If bought separately, you'd have to pay \$19.75. As a "Diamond Jubilee Speciacular" we are offering them in a set for only \$17.50, and a beautiful walnut or blonde finished book rack free.

(35.4) Developing, The Technique Of The Megative By C. I. Jacobson. Answers all negative Problems. Includes tables, graphs, formulae, etc. Latest information. \$4.50 (120). Emisraging, The Technique Of The Positive By C. I. Jacobson. How to get the most out of every negative. Many disgrams and illustrations. 17th edition. \$4.50 (4.03). Exposure By W. F. Berg. A world authority helps you pick the right tools and materials to determine the correct exponents of the problems. The standard reference work covers all photo techniques up to the darkroom. Revised edition.

FREE! Beautiful Imported Alpine Hardwood

BOOK RACK

Order \$10.00 worth of books, or more, from these books or from the Amphoto Catalog, and get this beautiful imported Alpine hardwood Book Rack free of charge. Measures 16½ x 8 x 8½ inches. Holds 12 books. Choice of blonde or walnut finishes.



Ask for AMPHOTO BOOKS at Camera and Book Stores . . . or **USE THIS HANDY COUPON**

AMPHO in Canada: Montreal 8, Please ser I enclose My ord	Visual Equ Quebec. (And me pos Money	elpment Co idd 10% fo stpaid the Order	c books v	es Rd., n shipme whose n Send	nt) umbers	I have	m order, circled b	elow.
28 2 63 6 114 12 172 17 214 21 303 30 384 39 819 62	0 131 8 177 7 218 9 312 8 403	40 79 138 180 221 315 461 656	438 81 139 189 224 322 589 669	49 82 141 194 227 329 590 673	\$2 87 146 201 231 336 591 727	56 100 151 205 272 339 592 739	58 101 161 207 300 372 593 743	62 104 170 208 302 382 613 744

City State 11-5 ALL ODDERS ARE SHIPPED PORTAID. ADD 3% sales tax with orders for N. Y. Professional 50% over this for relivery of the province of the professional for the province of th



MODERN TESTS

(Continued from page 111)

point the cell and position the large easy-to-read white on black numbered plastic dial to either L (for low light) or H (for bright light). Next you switch on the juice by placing the on-off switch situated on the right side of the meter to the "on" position. The more light recorded by the CdS cell, the more current it permits to flow on through the circuit and eventually activate the thin white indicator needle. To calculate camera exposure (f-number and shutter speed), you turn the large meter dial geared to a green pointer until this pointer lines up with the thin white needle. Then you select any one of eleven f-number/shutter-speed combinations from the dial.

Tests made with the Microlite showed that it made dependable readings in virtually all normal picture taking situations. When set for ASA 400 it made accurate readings in low-light situations down to the equivalent of f/2 and 1/4 sec.

As with selenium-celled meters, the Microlite has provision for zero adjustment—you place your hand over the cell, wait until the needle settles (it takes a few seconds), then turn a small screw on the back of the meter to zero it.

However, there is no way to check battery performance with the Microlite (we hope Sekonic will add this feature in future models).—E.M.

DO IT, DO IT, DO

BATHTUB PRINT WASHING. You can use your bathtub or kitchen sink as a print washer—once you've made the right stopper. All you need is a plastic baby bottle, a few heavy rubber bands (1/4 x 21/2·3 in.), a sharp knife and a paper punch. Measure 1 in. from the base of the bottle and cut completely around. Using the hole punch, make



eight $\frac{1}{4}$ -in. holes all around the bottle, a little above the cut-away edge. (These will allow the water to flow out and prevent prints from covering the open top.) Also make four $\frac{1}{26}$ -in. holes about $\frac{1}{2}$ -in. away from the neck of the bottle, to allow hypo to escape. To assure a tight fit, twist a few rubber bands around the neck of the bottle and force it into the drain of the sink or tub.

ALL FILMS ARE FACTORY FRESH • NOV. 1962 EXPIRATION DATE

DEPENDABLE COAST-TO-COAST FILM SERVICE!



			40.00
7.50	11.95	23.00	35.00
3-R	OLLS	10-R	OLLS
	3-R 24 esp.	D DAYLIGH 3-ROLLS 28 esp. 36 esp.	OCESSING INCL D - DAYLIGHT OR TYP 3-ROLLS 10-R 20 cap. 36 cap. 20 cap. 7.50 11.95 23.00

e Sg pe LOAD YOUR OWN AND SAVE!

tage per roll

KODACHROME OR ANSCOCHROME

35mm Bulk COLOR FILM

WITH PROCESSING INCLUDED

	(10 mans	100, 20	HIGH	SPEED	EKTACHRO	ME
ron Ft.	To make	(32)-20	exp.	or (20)-36	exp.]	60.00
50 Ft.	[To make	(16)-20	ехр.	or (10)-36	exp.)	32.00
20 Ft.	10 make	(0)-50	exp.	11 (3).26	cyh.	19.33



Minimum order: \$1. Sorry, no C.O.D.'s.

Please include

a

e

C

a

e

ly

e

se

e-

1.)

n.

1

ht ne

ne

refunded.

28 ft. 21.95 • 50 ft. 37.00 • 100 ft. 70.00 FREE! Mailing bags and empty 35mm cartridges. Specify preference for 20 or 36 exposures.

BIG SAVINGS! **Developing of** KODACOLOR

WITH JUMBO COLOR PRINTS



Receive you film at home

ALL FILMS ARE EROM ORIGINAL SEALED FACTORY

FRESH BULK

8mm COLOR FILM

ASA 10 Daylight WITH PROCESSING INCLUDED 25' dbl. roll 2.25 per roll

3 for 6.45 . 10 for 20. 35mm 20 exp. ASA 10 Daylight
WITH PROCESSING INCLUDED 2.00 per rell 3 for 5.70 • 10 for 18.

AND THE PROPERTY OF THE PARTY O DUPLICATE Color Slides 35mm Mounted

From Transparencies Your duplicates are ac-tually made on Kodochrome film!

-10for 201 1.50

Licensed by Kodak B & W Sub-Ministy Developing &

Printing Ultra-fine grain de-veloped with Jumbo S.W. matte prints, per 20 exp. roll . 2.00

th Processing Included! DAY, OR TYPE A 3-Rolls

m ROLL 100' 25.00 ROLL 100' 28.50

Imm Mag. 28' Dbi. 12.00
Imm Mag. 50' 18.00
Imm Anscochrome 26.25
Imm Anscochrome 26.25
Imm Super Ansco29.00

Include 5¢ post, per 8mm 10¢ per 16mm roll

MINOX B & W DEVELOPING

AND PRINTING

Ultra fine grain developed . . . per roll 1.00

3x4 prints....per print .15

MINOX EXCLUSIVES

MINOX

COLOR PROCESSING

& PRINTING

21/2 x 31/2 color prints es. .50

MINOX FILM

(Specify ASA speed for B&W)

COLOR PRINTS

RINTED ON NEW KODAK EKTACHROME PAPER

w sizes are Studio Mounted

-2X (21/2x31/2) (from 35mm & 828)

-3S (3½x3½) (from. 120 & 620)

3-3X (3½x5) (from 35mm & 828)

-4X (approx. 4x5)-(from 35mm & 828)

Printed on Ansco Printo

5x7 95¢ each 8x10 185 each

3 for 2.75 | 2 for 3.50

COLOR PROCESSING OF

KODACHROME

mounting m x 28 exp. Stereo

MOVIE FILMS m Roll ...

35mm Anscochrome, Super

nrome ______51.0 ou may order prepaid proces g mailers at our above price

n Mag. 50'

8mm x 100' (Bolex)

Anscochrome, Ekt Same prices as show 120, 620, 127 Ansc

*35mm x 20 exp.

w/mounting ... *35mm x 36 exp.

w/m 35mm

chrome processing . . 1.50

5x7 enlargements . . each (Hand made on imported pap

Entire roll developed & enlarged on \$x10 \$. W. Glossy

Enlarged on 11x14 D. W. Glossy

8.95

m Ansce

10-Re

28.00

28.00

81.00 89 00

38 00

58.00

85.00

95.00

.75

1.95

100

100

100

100

.. 1.75

1.75

2.75

1.00

...3.95

..... 2.95

Hodachrome & Anscochrome essing only, per roll (mounted) inted) 1.50

MINOLTA . YASHICA . MAMIYA, ETC.

Black & White Film

Plus X, Tri-X, Pan-X per 20 exp. roll 1.00

Color Film Kodachrome, Ansco-chrome per 201.25 Minimum order, 2 rolls,

KODACHROME MOVIE DUPLICATES

				_	•	4	•	•	•	•	•	۰	•	•	
8mm	50	ft.	rol	١.											5.75
16mm	1 10	00	ft.	roll							 				14.50

COLOR PRINTS from KODACOLOR

JUMBO SIZE Made from Kodacolor neg. only

127, 120, 620, for 828, 35mm

5X (5 x 5 or 5 x 7) each 1.00 3 for 2.85 8X (8 x 8 or 8 x 10) each 2.75 2 for 4.95

BY POPULAR DEMANDS 8mm Kedak Train TRI-X

PROCESSING INCLUDED

8mm x 25' Dbl. 3-Rolls . . . 7.75

100'for Bolex ea. 9.00 Also available in Kodak PLUS-X (ASA 80)

35mm TRIX FILM 35mm x 20 exp. 3-ROLLS . . . 1.50

10-ROLLS . . . 3.95 35mm x 36 exp.

3-ROLLS . . . 1.80 10-ROLLS . . . 4.90

8 exp. roll . . . 2.00

12 exp. roll . . . 2.75

20 exp. roll . . . 3.70

any size roll : ..70€

Developing

35mm BULK FILM

DO IT YOURSELF AND SAVE!

28 ft 1.35 50 ft. 2.00 100 ft. 3.50

FREE: Empty cartridges in cluded with every bulk order. Include 25¢ postage. PANCHROMATIC ROLL FILM

120, 620, 127

ASA Day.-Tung 80 64 10 rolls

95

CUSTOM DEVELOPING

& PRINTING ing and professional print quality... COMPLETE WITH A FRESH ROLL OF FILM Specify size.

8 exposures . . 1.00 12 exposures . .1.25 20 exposures . .1.50 36 exposures . . 2.50

Send for FREE

KIMAC Slide Protectors Instant slide protection. Prevent scratches and abrasion marks. Fit all standard cardboard mounts.

100 for 1.88

2 x2 1000 for 16.50 24x24 100 for 2.98 stereo 100 for 2.88

8mm or 16mm Bulk film Winder

era spool

Holds up to 400'
Will load any camera sp
Specify 8mm or 16mm
Pays for itself with first
bulk film order. film order. (Include 65≠ postage)

mailing bags and price list

EAST COAST

P.O. Box 243 New York 51, N. Y.

WEST COAST

P.O. Box 46478 Los Angeles 46, Calif

HOW TO ADD

success

TO YOUR FUTURE!



AT HOME

It's today's fast-expanding technical field. Photography is finding more widespread use each day...not only as a means of expression and as the largest hobby in the United States... but in industry, research and science. And the camera repairman is the most needed member of the new photographic team. Manufacturers and service organizations are eager to hire trained, well-qualified photo-technologists. Now you can get the training so important in filling the jobs that are open.

BE A TRAINED CAMERA CRAFTSMAN

Camera Repairmen are greatly needed!
Now you can learn manufacturers' service
methods at home in your spare time! Successful men and women everywhere have
gained camera repair skill through NCRS.
You can, too! For your NCRS course includes lesson materials, tools, practice
equipment and test instruments
everything you need for complete training.

Send for FREE booklet today!

NATIONAL CAMERA

REPAIR SCHOOL

Dept. MX-11, Englewood, Colo.

Dept. MX-	11, Englew	ood, Col	0.
	h me with co		NCRS
nformation a	bout your tra.	ning progra	im.
nformation a	bout your tra	ning progra	Age

TOO HOT TO HANDLE

(Continued from page 69)

Tower Type 3 camera, but know the 50mm f/2 Summar quite well. Leitz discontinued it some time ago. It's noted for its extremely poor corner definition even at smaller apertures and will definitely not give sharp pictures wide open when compared with even moderately priced modern lenses.

I purchased a Contaflex Super 35mm single-lens reflex with a 50mm f/2.8 Zeiss Tessar lens. Now I'd like to acquire wide-angle and tele component lenses. Can you suggest something that would be cheaper than the \$75 for the Zeiss units? Also, would you recommend using a monocular to get greater tele effects than permitted by the 85mm Pro-Tessar? — Al Tortosa, Dorchester, Mass.


As far as lenses are concerned, only the Pro-Tessars manufactured by Zeiss will work properly with the Contaflex Super. While other companies offer accessory components, they are of extremely inferior grade, and we can't in good conscience recommend them. We'd definitely recommend the Zeiss monocular, which we have found to be a splendid unit.—THE END

Correction: Readers who noticed the answer to the question on the comparison of the 58mm f/1.4 Nikkor and the 50mm f/2 Nikkor in the October "Too Hot To Handle" column may have been a bit confused. It would appear that we had never tested the f/2. But the September issue carries a complete comparison between the two. Unfortunately the October item was written several months ago-long before we received the f/2 for testing. The type should have been thrown out, but accidentally got into the magazine in the last-minute rush of going to press.

DO IT, DO IT, DO

EFFICIENT SQUEEGEE. A windshield wiper makes an excellent squeegee for wiping prints, roll film and cut film. Be sure to purchase a good quality wiper in a fairly large size.

DIFFUSE THROUGH HOOPS. You can make a handy diffuser for photoflood reflectors from a pair of embroidery hoops, a piece of thin fabric and a few paper clips and tacks. Wooden or metal embroidery hoops of the same diameter as your reflectors can be bought at the dime store. Bend the paper clips into the shape of hooks to fit onto the rim of the reflector, and fasten the inside hoop to the rim. Then stretch the fabric over the hoop and place the outer hoop over it to hold it tight.



The G-E PowerMite II, crawl-in toy for kids of all ages. Great setting for flash pictures, great Christmas gift. Made of sturdy corrugated board, 4' 4" high. Complete with working instrument panel, battery-powered electric motor, space helmet. Just \$5.00 and 1 front panel from any G-E Flashbulb 12-pack.

Order from: Capsule, Box 5500E, Cleveland 1, Ohio. Make checks to "General Electric Co." Offer expires Feb. 1, 1962. Limited to continental USA and Hawaii. Void where restricted or prohibited. Allow 3 weeks for delivery.



GENERAL ELECTRIC

Photo Lamp Dept., Nela Park, Cleveland 12, Ohio

HINO **EUROPE'S FAMOUS**

SINGLE WEIGHT GLOSSY ENLARGING PAPER

High Speed Glossy for pro and amateur use. For commercial, press and exhibition type photos. Vields good rendition of detail and density of range. Amazing ability to retain maximum detail with no loss of brilliance. Available in contrasts 1.2.3 (Specify "F")

1, 2, 3 (S	pecify	100	500	1000	SHEETS
127	=1	2.29	9.30	17.70	3 × 10
8x10	-	4.40	19.50	37.50	A 40
22-14	4.25	8.50	39.50	79.00	4

5.00 Minimum Add postage & insurance

New! LUX O

A double weight CHLORO-BROMIDE, mono-contrast paper designed primarily for printing where speed is desired without sacrificing qual-ity. Requires reduced enlarger Illumination per-mitting the lens to be stopped down for maxi-num sharpness. Available in two desirable surfaces LUXOR "E" is off-white, fine-grain lustre; and, LUXOR "is a cream-white SILK. Fine contrast; Ideal for portraits. 100 SHEETS

	50	100	500
5x7	-	2.63	12.50
8x10	-	5.79	24.95
11x14	5.65	-	47.00

5.00 Minimum order Add postage & insurance

DOUBLE WEIGHT ENLARGING PAPER

Fast BROMIDE paper which yields blue-black prints for all types of enlarging work. Choose matte and "C" for a fatter and matter in popular contrasts 1, 2, 3, 4.

5x7	00	100	500	1000	in po
8x10		2.59	12.25	22.05	100
11x14	5.50	5.69	24.25	46.95	8x10
Add	-	Minim		-	569

8 x 10 **MULTI CONTRAST PACK**

ASSORTED CONTRAST PACK TO GIVE YOU CORRECT PRINTS FROM EVERY NEGATIVE.

NO FILTERS NEEDED

He ined to carry extensive stocks of any particular contrast since you have everything. Each 100 sheet box contains: 10 sheets contrast (1), 45 sheets Enlarging paper packed separately in light proof containers. **5**⁸⁰

SINGLE WEIGHT GLOSSY, 100 SHEETS

DOUBLE WEIGHT SEMI-MATTE, 100 SHEETS

 6^{95} \$5.00 Minimum. Add postage & in

No price rise here! German made PANCHRO-MATIC film at a fraction of prices you've been accustomed to paying. Fresh 1953 dating. Ali-purpose ASA 100 in all sizes. 4x5 & 5x7 also in ASA 200. 120/420 also available in ASA 450.

x5 x5 x7 x7	100 sheets7.19 500 sheets34.75 100 sheets13.25 200 sheets62.50	8x10 25 sheets6.89 8x10 100 sheets .24.99 8x10 500 sheets 118.50
	5.00 Minimum. Ad	ld post & insurance

	ASA 40, 100
25 relis	
188 relis	19.95

120/620 ASA 200 25 relis8.08 100 relis23.50 Minimum order 5.00. Add post & insurance

8 x 10 E79

PORTRAIT PAPER

	50	100	500	1000
5x7	-	2.79	12.75	23.95
8x10	-	5.95	26.25	48.95
11x14	5.75	11.50	48.25	

5.00 Minimum. Add postage & insurance CONTRASTS

100

SHEETS

E 95

LAST MONTH'S QUOTA OVERSOLD

PHOTOGRAPHIC FILM & PAPER

10 x 12 DARKROOM SAFELIGHT **COMPLETE WITH 3 KODAK**

WRATTEN FILTERS

-metal unit, with baseboard and hand chain. PLUS 3 Kodak wratten filter ries O, I, II). Suspends from ceilin direct or indirect illumination. Conte with electric surd. BRAND-NEW 1195

NO LOWER PRICE ANYWHERE!

25mm to MAGNALUX 21/4x31/4 MAGNALUX DOUBLE CONDENSER ENLARGER

BRAND-NEW 2995 FOR, N.Y.
With 90mm (31/2") f 4.5 Amiter lens with click-stops 39.75

Enlarging bulb



79.95

GET TOP VALUE

250mm F4.5
FOLLO-FOCUS LENS
FOCUSING LEVER FOR EX-



BRAND NEW. Only
Mundreds sold at a price better
than twice ours. Thousands of
photocopiers being sold to-day for
four to five times our price. Artists,
printers cut copying
bills down printers cut copying
Doctors, Office Workers report
enormous savings.

Boctors, Office Morters report stormer available. Photographers use for reteauching MACHINE or Photographers use for reteauching MACHINE or Photographers use for reteauching MACHINE or prints, tracting, letters, pictures, manuscripts, cards. And material erinted on one side or two sides. Two degrees of light; soft and powerful, cards. And material erinted on one side or two sides. Two degrees of light; soft and powerful. Sides with the sides with the sides of the sides

AUTOMATIC TIMER

SUPPLY LIMITED:

PAMOUS PROFESSIONAL 8mm & HOV



cusing through ions USED

TIME-PAYMENTS 10% DOWN
SWAPS—TRADES—SUREII With 3 lenses
(Illust.) ""177.50

Dept MS-1 561 East Tremont Ave New York 57, N. Y.

hio

SAVES YOU MORE!

35mm REFLEX CAMERAS	
Optima Reflex	
Agfa Reflex	
Agfaffex I, II, IV, V	
Besier Topcon f1.8	
CANON	
Canonflex R-2000D f1.8	
Canonflex f1.8 Canomatic	
Canonflex RP f1.8 Canomatic	
EDIXAFLEX A BIOTAR /2	74.95
Edixaflex LM Biotar f2	89.50
Edixa Reflex B Steinheil Auto-Quinon f1.9	124.95
EXA MX body only	24.50
Exa MX 12.8	44 50
Exa II f3.5 Zeiss Tessar P.S. w/case	63.25
Exa II f2.8 Zeiss Tessar P.S. w/case	77.25
Exa II 50mm f2.8 Domiplan Auto	77.23
EAR 11 DUMM 72.8 DOMIDIAN AUTO	89.00
Exa II f2.8 Zeiss Tessar Auto	99.50



AUTOMATIC EXACTA VEITO SOMM SINGLE LENG REFLEX CAMERA WITH PENTA PRISM EYE-LEVEL VIEWFINDER AND AUTOMATIC SPLIT-IMAGE RAMEEFINDER

With f1.9 Somm Isco Westrocolor (automotic)198.60
with f1.9 Somm Steinfeel Arts-Gaines (automatic) 284.00 with f1.9 Somm Steinfeel Arts-Gaines (automatic) 294.00 with f1.9 Somm Steinfeel Arts-Gaines (automatic) 294.00 with f1.9 Somm IncMat 10 (automatic) woundaries make 284.00
With 11, 9 Somm Schneider Ronne (perlematic). 298,500 With 13, 9 Somm Jone-Met LH (schneide; w/rappoure melve: 298,501 With 12,0 Semm Zeria Bielar (sertematic). 229,501 With 12,0 Semm Zeria Bielar (sertematic). 229,501 With 12,0 Semm Zeria Fessar (sertematic). 229,501 Ableve (Expla; cameras with Light-Mother Pessa Prism and Rangerinder vorial sertematics meter instruction of Ranger Peter Prism and Rangerinder. 40,501 serteman meter instruction of Rangerinder Prism American Security (Security Security S
With 12.8 Somm Zeiss Tessar (evtematic) 224.00
with 128 John Joseph Chapter Period Prism and Rangelmicer and Nove Usable countries with high-blober Period Prism and Rangelmicer, and 320 to Sale Price Manual of Regular Period Prism and Rangelmicer, and 320 to Sale Price Manual Commission (Light-Maler Penis Prism and Rangelmicer and Sale Price Above Exakts commence with Light-Maler Penis Prism and Rangelmicer debut; \$20 tems Sale Price, VIEW results.
Sale Price
Above Exects comerat with Light-Moter Pents Prism and Rengelinear with
VITWEIMAGER
LIGHT METER PENTA PRISM eye-inval priamatic viewflader with built-in
"LIGHT METER PENTA PRISM eye-trust prismetic viewfader with built-in electric cell exposure meter and split-image rangelinder and direct optical viewfinder." Prist Prism eye-level prismatic viewfinder with split-image rangefiner 28.50.
viewfalor Print gru-level prisantic viewfalor with agith-mage rangeline 23.33 (mill or willhalf of the first seed of the
Leather Everandy carrying case for Exakta with lenses up to 58min
(with or without Light-Motor)
WINE ANGLE LENGES
35mm (2.6 force Met 1M (automatic) w/o malor 110.00
35mm 12.8 Steinheil Auto-Quinaron (automotic)119.00
3 mm 2 Arquetiers Retrofucus (submestic)
35mm (4.5 Hugo Mayor Guarlitz Primagon (proset)
PELEPHOTO LENSES
25mm M.O. Zolas Pichtogen (columnatic) 122,00 122,0
SOmm 12.8 Zeisa Tessar (preset) 47.95 SOmm 13.5 Hugo Meyer Goerlitz Primeter (preset) 38.80
The proper service from the convents of the co
100mm (2.) Sign shelf Auto-Coloner 18.66 20mm (2.) Zign Biometer (enricentitic) 15.66 135mm (2.) Sign Biometer (enricentitic) 13.66 135mm (2.) Sign Biometer (enricentitic) 140.56
135mm f3.5 (acc-Mat LM (automatic) vs/ meter133.00
120mm 7,2 Zins Secretic (authoritic) 12,5 as 120mm 7,2 Zins Secretic (authoritic) 120mm
135mm 72.8 Steinmeil Quinter (preset) w/case
135mm 13.5 Steinheil Auto-Quinar
135mm f2.8 (sco Telephoto (preset)
135mm (3.5 Plugo Mejor Goeritiz Primotar (preset) 39.00 135mm (4.0 Zeiss Triotar (preset) 42.00 135mm (4.0 Zeiss Triotar (preset) 50.00
150mm 15.5 Hego Meter Goerlitz tele-mager (preset)
190mm f2.8 face Tele-Iscaron (preset)
100mm f3.5 Hugo Meyer Coertitz Primotar (Preset) 63.00
The second grant of the se
250mm f5.5 Hugo Meter Goerlitz Tele-Magor (presst)
300mm 14.5 Hugo Meyor GoerHtz Tole-Megor (preset)90.00
Street IS 3 TV fernings Toles (Including Biter)
MISCELLANGOUS ACCESSORIES
600mm (I). 3 for fermines folion (Including Bilter)
Thages get of 3 extension tubes and 2 adepters 4.50 Thages Two-lo-one adapter for extremely short extension 4.50 Thages Type 1 himped microscope adapter, complete set with 2 extension 1.50 Thages Type 11 Two-lock pressure microscope adapter with 2 extension 1.50 Thougan Type 11 Two-lock pressure microscope adapter with 2 extension 1.50 Thougan Type 11 Two-lock pressure microscope adapter with 2 extension 1.50 Thougan Type 11 Two-lock pressure microscope adapter with 2 extension 1.50 Thougan Type 11 Two-lock pressure microscope adapter with 2 extension 1.50 Thougan Type 11 Two-lock pressure microscope adapter with 2 extension 1.50 Thougan Type 11 Two-lock pressure microscope adapter with 2 extension 1.50 Thougan Type 11 Two-lock pressure microscope adapter with 2 extension 1.50 Thougan Type 11 Two-lock pressure microscope adapter with 2 extension 1.50 Thougan Type 11 Two-lock pressure microscope adapter with 2 extension 1.50 Thougan Type 11 Two-lock pressure microscope adapter with 2 extension 1.50 Thougan Type 11 Two-lock pressure microscope adapter with 2 extension 1.50 Thougan Type 11 Two-lock pressure microscope adapter with 2 extension 1.50 Thougan Type 11 Two-lock pressure microscope adapter with 2 extension 1.50 Thougan Type 11 Two-lock pressure microscope adapter with 2 extension 1.50 Thougan Type 11 Two-lock pressure microscope adapter with 2 extension 1.50 Thougan Type 11 Two-lock pressure microscope adapter with 2 extension 1.50 Thougan Type 11 Two-lock pressure microscope adapter with 2 extension 1.50 Thougan Type 11 Two-lock pressure microscope adapter with 2 extension 1.50 Thougan Type 11 Two-lock pressure microscope adapter with 2 extension 1.50 Thougan Type 11 Two-lock pressure microscope adapter with 2 extension 1.50 Thougan Type 11 Two-lock pressure microscope adapter with 2 extension 1.50 Thougan Type 11 Two-lock pressure microscope adapter with 2 extension 1.50 Thougan Type 11 Two-lock pressure microscope adapter with 2 extension 1.50 Thougan Type 11 Two-lock pressure microscope 1.50 Thougan
hages pat of 3 extension tokes and 2 adeplers . 0.56 hages two-index objects for extremely short extension . 0.56 hages Type 1 hinged microscope adoptor, complete set with 2 extension tucks
below hope Type 11 Two-place pressure microscope adapter with 2 extension takes
.6.5 105mm Steinheil leas with Exakta Adapter for Bellows Extention 24.6s Capy Met optical bench system copystand complete with accessories. 185. Versal Assembly Complete Outfit
M.5. (185mm Stainheil lens with Exakta Adaptive for Beilness Estantico 23.06 Copy Mart optical bennich system copyrated complete with accessories. 186.56 Versul Assembly Complete, Curtil Accessory Shape for Perita Prism Exakta Classic Electronic Flash-limit transistantees membershad winickel commission bettery, Rit line and recharger.
M.5. (185mm Stainheil lens with Exakta Adaptive for Beilness Estantico 23.06 Copy Mart optical bennich system copyrated complete with accessories. 186.56 Versul Assembly Complete, Curtil Accessory Shape for Perita Prism Exakta Classic Electronic Flash-limit transistantees membershad winickel commission bettery, Rit line and recharger.
M.5. (185mm Stainheil lens with Exakta Adaptive for Beilness Estantico 23.06 Copy Mart optical bennich system copyrated complete with accessories. 186.56 Versul Assembly Complete, Curtil Accessory Shape for Perita Prism Exakta Classic Electronic Flash-limit transistantees membershad winickel commission bettery, Rit line and recharger.
M.5. (185mm Stainheil lens with Exakta Adaptive for Beilness Estantico 23.06 Copy Mart optical bennich system copyrated complete with accessories. 186.56 Versul Assembly Complete, Curtil Accessory Shape for Perita Prism Exakta Classic Electronic Flash-limit transistantees membershad winickel commission bettery, Rit line and recharger.
. (4.5. Iddison Statistical Ions with Castla Adaptive for Belliows Extension 8.6.6. Copy the Golden bards springer convolution conjust consistence with accessories. 18.6.6. Accessory Since for Period Prison Leates Clause. Extension Florabilitat Unsequiples and monitoring or 1.6.0. Leates Clause. Extension Florabilitat Unsequiples and processories of 1.6.0. Leates Clause Clause and reclusive contaminate and processories only from Leates of the State of the Clause of the State of Clause
. (4.5. Iddison Statistical Ions with Castla Adaptive for Belliows Extension 8.6.6. Copy the Golden bards springer convolution conjust consistence with accessories. 18.6.6. Accessory Since for Period Prison Leates Clause. Extension Florabilitat Unsequiples and monitoring or 1.6.0. Leates Clause. Extension Florabilitat Unsequiples and processories of 1.6.0. Leates Clause Clause and reclusive contaminate and processories only from Leates of the State of the Clause of the State of Clause
. (4.5. Iddison Statistical Ions with Castla Adaptive for Belliows Extension 8.6.6. Copy the Golden bards springer convolution conjust consistence with accessories. 18.6.6. Accessory Since for Period Prison Leates Clause. Extension Florabilitat Unsequiples and monitoring or 1.6.0. Leates Clause. Extension Florabilitat Unsequiples and processories of 1.6.0. Leates Clause Clause and reclusive contaminate and processories only from Leates of the State of the Clause of the State of Clause
14.5. (Idliam Statistical Ions with Castla Adaptive for Billiam Citatesian 8.4 to Copy Me Golgical Insired sprince convictant complete with accessive 1.8 to Mean Copy Me Golgical Insired sprince 1.8 to Mean Copy Me Golgical Institute Citatesian 1.8 to Mean Copy Me Golgical Ion Copy Mean Copy Me Golgical Ion Copy Mean Copy Me
14.5. (Idliam Statistical Ions with Castla Adaptive for Billiam Citatesian 8.4 to Copy Me Golgical Insired sprince convictant complete with accessive 1.8 to Mean Copy Me Golgical Insired sprince 1.8 to Mean Copy Me Golgical Institute Citatesian 1.8 to Mean Copy Me Golgical Ion Copy Mean Copy Me Golgical Ion Copy Mean Copy Me
14.5. (Idliam Statistical Ions with Castla Adaptive for Billiam Citatesian 8.4 to Copy Me Golgical Insired sprince convictant complete with accessive 1.8 to Mean Copy Me Golgical Insired sprince 1.8 to Mean Copy Me Golgical Institute Citatesian 1.8 to Mean Copy Me Golgical Ion Copy Mean Copy Me Golgical Ion Copy Mean Copy Me
14.5. (Idliam Statistical Ions with Castla Adaptive for Billiam Citatesian 8.4 to Copy Me Golgical Insired sprince convictant complete with accessive 1.8 to Mean Copy Me Golgical Insired sprince 1.8 to Mean Copy Me Golgical Institute Citatesian 1.8 to Mean Copy Me Golgical Ion Copy Mean Copy Me Golgical Ion Copy Mean Copy Me
14.5. (Idliam Statistical Ions with Castla Adaptive for Billiam Citatesian 8.4 to Copy Me Golgical Insired sprince convictant complete with accessive 1.8 to Mean Copy Me Golgical Insired sprince 1.8 to Mean Copy Me Golgical Institute Citatesian 1.8 to Mean Copy Me Golgical Ion Copy Mean Copy Me Golgical Ion Copy Mean Copy Me
14.5 (Idem Statistical lone until Casalta Angles de Belleux Electrica 3.4.6. Gry Me lopical bende spriete convisated compless with Seconstructure 1.4.6. Accessory Sides for Pariet Prim. Accessory Sides for Pariet Prim. Local Casalta Casalta (Santania Casalta
14.5 (Idem Statistical lone until Casalta Angles de Belleux Electrica 3.4.6. Gry Me lopical bende spriete convisated compless with Seconstructure 1.4.6. Accessory Sides for Pariet Prim. Accessory Sides for Pariet Prim. Local Casalta Casalta (Santania Casalta
14.5 (Idem Statistical lone until Casalta Angles de Belleux Electrica 3.4.6. Gry Me lopical bende spriete convisated compless with Seconstructure 1.4.6. Accessory Sides for Pariet Prim. Accessory Sides for Pariet Prim. Local Casalta Casalta (Santania Casalta
14.5 (Idem Statistical lone until Casalta Angles de Belleux Electrica 3.4.6. Gry Me lopical bende spriete convisated compless with Seconstructure 1.4.6. Accessory Sides for Pariet Prim. Accessory Sides for Pariet Prim. Local Casalta Casalta (Santania Casalta
4.5. (Offenn Statebeal Loss with Casala Angles for Belleum Estatebea Sch. Versel Angework Commonly (Med Statebeaum) with Eccusive Sch. Locassor State for Period Print Common Statebear Common Common Statebear Co
4.5. (Offenn Statistical Loss until Casalas Angles de Balleure Literation 3.4.6.) Corp Marquele bende sprace conversate conservative descriptions of the Corporation
4.5. (Offenn Statistical Loss until Casalas Angles de Balleure Literation 3.4.6.) Corp Marquele bende sprace conversate conservative descriptions of the Corporation
4.5. (Officem Statistical Loss unto Casalta Analyse for Belleven Extension 3.4.4. Versal Ancester Commonly of Milk Statistics with Scotsomer's 1.4.4. Locassory Loss for Periad Prints Common bellevier, 82 into and reclastage in Security Common Loss for Common Lo
4.5. (Offenn Statebeal Loss with Casala Angles for Belleum Estatebea Sch. Versel Angework Commonly (Med Statebeaum) with Eccusive Sch. Locassor State for Period Print Common Statebear Common Common Statebear Co
4.5. (Officem Statistical Loss unto Casalta Analyse for Belleven Extension 3.4.4. Versal Ancester Commonly of Milk Statistics with Scotsomer's 1.4.4. Locassory Loss for Periad Prints Common bellevier, 82 into and reclastage in Security Common Loss for Common Lo
4.5. (Officem Statistical Loss unto Casalta Analyse for Belleven Extension 3.4.4. Versal Ancester Commonly of Milk Statistics with Scotsomer's 1.4.4. Locassory Loss for Periad Prints Common bellevier, 82 into and reclastage in Security Common Loss for Common Lo
4.5 (100mm Statistical loss unto Canala Analyse de Saltenes Estados (100mm) (1
4.5. (Officem Statistical Loss unto Casalta Analyse for Belleven Extension 3.4.4. Versal Ancester Commonly of Milk Statistics with Scotsomer's 1.4.4. Locassory Loss for Periad Prints Common bellevier, 82 into and reclastage in Security Common Loss for Common Lo
4.5 (100mm Statistical Loss unto Canala Analyse de Balleons Estateira S.A. 1.4.5 (100mm Statistical Loss unto Canala Analyse de Balleons Estateira S.A. 1.4.5 (100mm Statistical Loss unto Canala Analyse de Balleons (100mm) and 100mm) 1.4.5 (100mm) and 100mm Statistical Loss unto Canala Loss u
4.5 (100mm Statistical loss unto Canala Anguler de Salmem Estateira S.A. 1.4.5 (100mm Statistical loss unto Canala Anguler de Salmem Estateira S.A. 1.4.5 (100mm Statistical loss unto Canala Anguler de Salmem Statistical loss unto Canala de Cana
4.5 (100mm Statistical loss unto Canala Analyse de Saltenes Estados (100mm) (1
4.5 (Often Statebell Case with Casala Angles for Statemen Extension 1.4.4.) Versat Angeword Companies (Cont. 1.4.4.) Land Companies and Cont. 1.4.4. Land Companies and Cont. 1.4.4. Land Cont. 1.4. Land Cont. 1.
4.5 (follows Establish) lines with Casalta Angles for Bellews Estates 24.6 Verent Assessor Companies (1000 Mill Andiconjour with Estates) 1.1 Lecasion State for Period From Lecasion State of Period From Companies (1000 Mill Andiconjour State of Mill Andiconjour State (1000
4.5 (folium Estimbul lone with Casala Angles for Belleum Estambul And Vertical Control
4.5 (folions Statistical loss with Casalta Analyse for Ballous Extension 3.4.5 Versel Ancester Commonly of Milked Composition 1.4.5 Versel Ancester Commonly of Milked Composition 1.4.5 Lecasary Same for Period From Accessory Same for Period From Rechapter (Corteste Light Same Accessors has bean) operation in health of the Composition of the Compos
4.5 (folium Estimbul lone with Casala Angles for Belleum Estambul And Vertical Control

Kodak Retina Reflex III f2.8 w/case & flash___164.00 Kodak Retina Reflex III f1.9 w/case & flash___184.00

35mm f5.6 CurtarS	27.50
35mm f4 Curtar	48.95
SUMM 14 Longar	51.95
28mm f4 Wide-Angle	61.95
35mm 12.8 Wide-Angle	47.95
85mm f4 Tele-Photo	48.00
135mm /4 Tele-Photo	67.00
Close-Rangefinder Kit	24.95
	28.95
Microscope Kit	41.95
Right Angle Finder	13.50
Close Up lenses N	7.50
Close Up lenses R.	16.50
80mm Auxiliary lens	9.50
6x30 Photomonocular	24.50
7x50 Photomonocular	42.50
MINOLTA Minolta SR1 #2 w/case1 Minolta SR3 #1.8 w/case1	28.95 74.95
MIRANDA	
Miranda Automex f1.9 w/case2	18 50
Miranda D f2.8 P.S. w/case	04.00
Miranda D f1.9 Auto w/case1	94.00
Miranda D 11.9 Auto W/Case1	19.95
Miranda S f2.8 w/case	77.00
PCA Prismat f1.9 w/case1	19.95
PETRI PENTA 12 AUTO	
PENTACON f1.9 PRIMOPLAN P.S. W/case	99.25
Pentacon f2.8 Westagon	
Pentacon f2 Biotar w/case1	00.05
**************************************	49.33



BRAND NEW PRAKTICA FX2

35mm Single-Lens Mirrorf-Reflex Equipped With Ultra Sharp Meyer Trio-plan 50mm 1/2.9 Click-Stop Lens

Compact, lightweight, remarkably easy handling Guaranteed for two full years. The ideal camera for every subject — for family portraits to fast action. So versatile it's used in addition, by scientists, industral photographers, students and teachers for copy work — micro, macro and photomicography. Hide-away color-corrected 6-power magnifier. Special ahutter setting for electronic flash. Accepts a host of custom-grafted accessories — prismatic eye-level finder. BC flashgun, extension bellows, extension tubes, microscope adapter set, double cable release.

PRICE

PRAKTICA FX2 W/Ultra Sharp S0mm f2.0	PRICE
Meyer Trioplan Click-Stop Lens	49.99
PRAKTICA FX2 W/High Quality Ludwig Meritar 50mm f2.9 Pre-Set Lens	54.45
PRAKTICA FX2 W/World Renown Steinheil Culminar f2.8 Pre-Set Lens	
PRAKTICA FX2 w/Famous Carl Zeiss Tessar 50mm (2.8 Pre-Set Lens	59.75
PRAKTICA FX2 W/Famous Carl Zeiss Biotar High Speed 58mm f2 Pre-Set Lens	79.50
PRAKTICA FX3 W/Meyer Primotar 50mm f/3.5 Lens with Internal Fully Automatic Diaphragm Control	
PRAKTICA FX3 W/Steinheil Cassarit S0mm f2.8 Lens with Internal Fully Automatic Diaphragm	
PRAKTICA FX3 W/Westanar 50mm f2.8 Lens	
with Internal Automatic Diaphragm Control	69.95
PRAKTICA FX3 W/Westagon 50mm f2. Lens with Internal Automatic Diaphragm Control	79.95
TELEPHOTO & WIDE ANGLE LENSES FOR PRAKT	TICA

with Internal Automatic Diaphragm Control	79.95
ELEPHOTO & WIDE ANGLE LENSES FOR PRAKT	TICA
24mm f4 Lithagon	99.00
28mm f3.5 Lithagon	79.00
28mm f3.5 Angenieux Betrofocus	99.50
28mm f4 Schneider Fully Automatic	99.50
30mm f2.8 Rodenstock Eurygon Click-Stop	79.50
35mm f4.5 Lithagon Pre-Set	29.95
35mm f3.5 Schacht Travagon Automatic	56.00
35mm f2.8 Isco Fully Automatic	74.00
35mm f2.8 Schneider Fully Automatic.	89.50
35mm f3.5 Lithagon	39.00
35mm f1.9 Lithagon	99.00
35mm f2.8 Lithagon	59.95
35mm f2.5 Angenieux Retrofocus Pre-Set	79.00
35mm f3.5 Travagon	47.95
35mm f4.5 Primagon	23.95
35mm f4.5 Lithagon	23.95
40mm f3.5 Cassaron	16.00
75mm f1.9 Primoter	26.50
75min f1.9 Meyer Primoplan Pre-Set	67.50
80mm f2.8 Tessar	33.00
	33.00
	53.00
85mm f2.8 Steinheit Praktics	62.00
	39.95
85mm f1.5 Ennalyt 85mm f2.8 Schacht Travenar Pre-Set	
domm 12.6 Schacht Travenar Pre-Bet.	49.50
90mm f2.8 Schacht Travenar Fully Automatic.	57.00
90mm f2.5 Angenieux Y-12	69.00
90mm f1.8 Angenieux	99.00
90mm f2.8 Travenar	43.00
95mm f2.8 Ennalyt	49.00
105mm f3.5 Schacht Travenar (Short Mount	
for Macro Photography)	29.60

	.00
	.00
	.00
	.50
135mm to 225mm f2.8 Converto Tamron 77	.00
135mm f3.5 Y-2 Angenieux 79	.00
135mm f4.5 Zeiss Trioter 55	.00
135mm f2.8 Quinar 58	.00
135mm f3.5 Primotar 43	.00
	.00
	.00
	.50
	.00
	.00
	.00
	.00
	.00
	.50
	.00
	.95
	.50
360mm f5.5 Schneider Telexenar Pre-Set129	.00
	.50
400mm f7.5 Tamron 49	.95
	.00
600mm f5.6 Tele-Ennalyt250	
buomm 13.5 lete-Ennalyt	.00



THE AUTOMATIC PRAKTINA FX

35mm Single-lens Mirror-reflex camera with Pentaprism and Split-image rangefinder.

Full ground glass viewing for parallax-free portrait and scenic photography. Built-in split-image optical rangefinder prism system for action photography, interchangeable lenses, choice of automatic or pre-sets from 35mm to 500mm focal length, all in quick change bayonet mount for precision positioning. Fully corrected (image erecting) solid optical glass, precision ground, polished, silvered, penta-prism finder. Additional optical built-in sportSinder. Focal plane shutter speeds to 1/1000 Set and builb. Automatic lenses with internally coupled diaphragm, Full flash synchronization, self-timer, interchangeable finders. New Praktina FX 35mm single-lens mirror-reflex camera with Pentaprism and split-irmage range-finder, with 38mm 12 Carl Zeiss Jena Biotar Lens

PRAKTINA	
Praktina FX Auto f2.8 Tessar w/case Praktina FX Auto f2 Biotar w/case Praktina FX Auto f1.9 Quinon w/case	123.95
LENSES FOR PRAKTINA	
24mm f4. Lithagon	99.00
28mm f3.5 Lithagon	79.00
35mm f3.5 Lithagon	39.00
35mm f1.9 Lithagon	99.00
35mm f2.8 Lithagon	59.95
35mm f2.8 Zeiss Flektagon	75.00
35mm f2.8 Schacht Travagon	
85mm f1.5 Ennalyt	99.00
95mm f2.8 Ennalyt	
120mm f2.8 Zeiss Biometer	
135mm f3.5 Meyer Primotar	30.00
135mm f4.5 Steinheil Culminar	26.00
180mm f5.5 Meyer Tele-Megor	50.00
200mm f4.5 Quinar	56.00
300mm f4.5 Quinar	60.00
240mm f4.5 Tele-Ennalyt	79.00
400mm f4.5 Tele-Ennalyt	99.00
600mm f5.6 Tele-Ennalyt	250.00
ACCESSORIES	
Deluxe extension tube set	9.00
Electric motor and Magnetic Remote Control	110.00
Magnifying Focusing Eye-piece	24.00
Deluxe Eveready case	9.90
Rapid-sequence Spring motor	9.00
Waist-level finder	4.00
50 foot bulk film magazine without counter	50.00
with exposure counter	65.00
AC power pack for electric meter, housed in	
compact metal case	21.00
Portable battery pack for electric motor boused	
in top grain leather carrying case, less	

batteries rate leather carrying case, less batteries rate leather carrying case, less bitteries can be less than the less than t	22.00 16.00 10.00 34.00
Nikon F f2	114.00
ZEISS	
Contaffex Super w/case	159.50

Contarex Special Planar f2 w/case.... Contarex Special Tessar f2.8 w/case... ALL TELE-PHOTO LENSES, WIDE ANGLE LENSES SUN SHADES, FILTERS ACCESSORIES ETC., AVAILABLE

SAVES YOU MORE!

21/4×21/4 CAMERAS	WOLLENSAK T1700, home and car189.00
BRONICA	and car189.00
BROOKS Plaubel Veriwide 100.	WOLLENSAK T-1616-4229.00
WALIMAR.	NANAOLA TRANSISTOR TAPE RECORDER New portable model with self contained shock resistant plastic case. Includes microphone
Reflex f3.5 82.00	New portable model with self
ROLLEIFLEX	contained shock resistant plastic
	microphone,
SUB MINIATURE	case. Includes microphone, built-in speaker, reels and tape. Deluxe model. 99.00
CAMERAS	Deluxe model. 99.00
CAMIBNOX	
GAMI222.00 MAMIYA	ELECTRIC FLASH
MEC 16 39.00	HEILAND
MEC 16 39.00 16 SB f2 99.00 16 SB f2.8 84.00	FUTURAMIC STROBONAR II 65a
MINOLTA 16 II 29.00 16 P 18.00	MECABLITZ
16 P 18.00	106 or 107 49.50
YASHICA Y 16 25.00	OPTA VUE GALAXY 37.54
ALLDE BROLECTORS	STROBOFLASH
SLIDE PROJECTORS	ULTRASLITZ Mono-Jet II \$1.00
AGFA KARATOR	METERO 11 65.00
Superba 77	WALTZ Autofiash V 29.91
AIREQUIPT Superba 77 Superba 66 Superba 44 Superba 33	
Anscomatic 84.00	TRIPODS
ARGUS	DAVIDSON Star-D D-18 10.21
Balomatic 655_ • Balomatic 755_ •	
Balomatic 755. •	DAVIDSON Star-D D-20 14.21
BRUMBERGER	Star-D D-28 17.21
FERRANIA	DAVIDSON Star-D D-35 12.91
Constellation • Mark II	KALIMAR DE7 elevator 14.29
KEYSTONE	QUICK-SET
K-511 74.00	Elevator 24.25
MANSFIELD	QUICK-SET Husky III Elevator 36.21
MINOLTA Mini 16 28.00 Mini 35 29.00	Elevator 36.31
Mini 35 29.00	QUICK-SET Hi-Boy III Elevator 42.21
REALIST	WHITEHALL All models
SAWYERS	All models
Viewlex	EXPOSURE METERS
WOLLENSAK 815 99.00	
7100 000000000	GENERAL ELECTRIC Golden Crown PR-3 w/case 23.00
TAPE RECORDERS	PR-3 w/case 23.00
785	KALIMAR A-1 w/case 6.00 clip-on
785X	P-A-L w/case 4.50
BELL & MONETAL	
	W/case 11.50 B-1 w/case 8.50
FUJIYA MTR 252 91.25	NIKON
WARMAN 4-Track S. & M279.25	SEKONIC
GRUNDIG "Niki" 64.25	Movie Meter
	neck cord 4.91
POCKET "SOO" Trans249.28	w/case and neck cord 5.20
Trans249.25 NOREICO ''400'' Continental266.25	w/case, neck
PENTRON178.25	direct read-
**T2200"	attach 22.00
Stereo178.25	attach. 22.00 Movie Pet 3.50 Polaroid Pet 3.50 L-6 w/case 4.91
"T2000" Monaural132.25	LC-2 clip on
Monaural132.25	with case 7.49 L-38 w/case 8.90
Stereo159.00	Complete 21.90
(records)	BROCKWAY YS 21.70
YASHICA-CORDER,	SPECTRA 79.80
w/case, batteries, mike & earphones \$6.00	WESTON Master IV W/case 24.91
& earphones \$6.00	SANKYO Electric
WOLLENSAK "T1515-4"169.00	SANKYO Electric Exposure Meter for Movies 8.25
	The second secon

eve more at KELLY on NEW CAMERAS and EQUIPMENT, latest models shipped in original acking. Practically every brand and type of camera, leas and accessory from all over e world is available at KELLY at great discounts. Our rapid turnover, direct buying and rect sales do save you more. Compare with other sale prices and suggested monu-cturers list prices. Take advantage of our low cost operation and buy from KELLY!

direct sales do save you a facturers list prices. Take	80
35mm CAMERAS	Г
Agfa Optima IIS Optima IIIS Ambi Sliette	ı
Optims IIIS AMBI SILETE STATE	ı
Argus C-3 Matchmatic Kit. 49.00 Argus C-44 f2.8 Kit. 102.00 CANON Canon VI f2.8	ı
Canon VI f2.8	ı
Canon P f1.8. Canon P f1.2. All lenses and acc. available All lenses and acc. available All lenses and acc. available BACORAMATIC [2.8. KALIMAR AT [3.5 w/c	
f2.8 w/c 75.95 Kodak Brownie Starmatic w/c 33.95	Г
Kodak Motormatic f2.8 w/c 96.95 NU-TARON EYE-MAGIC EE f1.8 w/c 58.95 Nikorex.35 f2.5	١
### ### ### ### ### ### ### ### ### ##	-
w/c 75.25 Olympus Pen w/e 25.95 Olympus Pen-EE w/c 25.95 Olympus Pen-EE w/c 35.95 PETRI 7 ELECTRIC EYE w/c 59.95 Petri E BN f1.9 w/c 69.95	ľ
RICSOR 12.8 R.F. w/c 24.25 Ricohmatic 35 12.8 E.E. w/c 57.25 Ricoh 300 12.8 Kit 34.95	ı
Ricoh 519M f1.9 W/c 64.95 Ricoh Auto 35 E.E. f3.9 W/c 40.95 Ricohmate f2.8 W/c 51.95 SAMOCA LE-11 f2.8 W/c 34.95	Ļ
Samoca MR 72.8 w/c	
SWFE-30 to 30 % Digeoffit	ı
KOMURA LENSES FOR: Praktica, Exakta, Nikon F, Leica, Canon Reflex, Contax D, Pentagon, Pentax, Minoita, Pentamatic, Nikon F, Canon, Konica F	
28mm f2.8 82.95 35mm f2.5 64.95	L
35mm f2.8 47.95 35mm f3.5 41.95 85mm f1.4 119.50 105mm f2.8 53.95 135mm f3.5 41.95 335mm f2.8 53.95	ı
135mm f2224.50 200mm f4.579.95	ı
200mm f3.5 95.50 300mm f5 114.50 400mm f6.3 114.50 500mm f7 149.50 800mm f8 495.00	H
	ı
Argus Cinetronie M-3 89.28	ı
Finm MOVIE CAMERAS ARVA Cinetronic M-S . 89.28 ARVA CINETRONIC M-S . 142.28 A	ı
f1.8, with cord 45.95 Keystone K-7 Zoom, f1.8 \$2.95 Keystone K-10 Power Zoom _ 132.25	Ī
Kodak Zoom 8 fl.8 Automatic 97.98 Kodak Zoom Reflex, fl.9	ı
Auto 146.98 Mansfield Holiday Reflex Zoom 67.28	
ZOOM 67.38 Revere CA116 A, Power 128.95 ZOOM 119.25 Revere C141 119.25 Revere C143 154.25 Ricoh Auto Zoom f1.8 99.25	Ī
Ricohmite SSE with case 40.25	

elec. dr. Yashica 8E III, fl.8 Turret 59.25 Yashica 8E Zoom Reflex... 69.25 Yashica Umatic Zoom, fl.8 97.95

mm CAMERAS	8mm MOVIE
IIS	PROJECTORS Ansco Memo 49.24 Argus Showmaster 1000w. 111.25 Bell & Howell
f2.8 w/c 59.00 rk "M" f2.8 w/c_104.00 rk "M" f1.9 w/c_122.00	DeJur Metropolitan 707 99.25 DeJur Ambassador 810118.25 Kalart VP88 62.25 Keystope K-98 Auto Load 73.25
3 Matchmatic Kit_ 49.00 44 f2.8 Kit102.00	Keystone K106 Auto Load Zoom 114.25 Keystone K-112 Auto Load
I f2.8	25.00m 25.28 25.
utomatic "35" /c 75.95	16mm MOVIE
otormatic f2.8 w/c 96.95	PROJECTORS
35 f2.5 If f1.4 Deluxe f2.8 w/c_ 36.95	Bell & Howell
ACE 12.8 W/c 66.25 Auto Eye f2.8 W/c 66.25 Electro Set f2.8	MOVIE ACTION EDITORS
Pen w/c 25.95 Pen-EE w/c 35.95	Bala Reviewer Editor 16.95

RS

There is a considerable additional saving in purchasing a complete outnit together all famous brand sew
nit together all famous brand sew
PENTACON CAMERA WITH PENTAPENTACON CAMERA WITH PENTAPENSA ET-LEVEL VIEWFINDER58mm 12 famous Carl Zeiss Blotar
Pre-Set-155mm 13.5 Wide-Angle
Photo lens or S5mm 13.5 Wide-Angle
close up photography—beluxe Eveready case—BC fan-type folding flash
gun.

COMBINATION OFFER

PETRI PENTA CAMERA WITH EYE-LEVEL PENTA PRISM VIEWFINDER -Rapide return Mirror-50mm f2 Orrikor lens—135mm f3.5 Pre-Set Tele-Photo lens and 35mm f3.5 Wide-Angle lens—Deluxe Eveready case— BC fan-type folding fissh gun. **KELLY DISCOUNT PRICE only \$145.50**

MIRANDA D CAMERA WITH WAIST-LEVEL FINDER-50mm 1.9 Soligor lens-135mm 13.5 Pre-Set Tele-Photo lens or 35mm 13.5 Wide-Angle lens -BC fan-type folding flash gun-De-luxe eveready case. KELLY DISCOUNT PRICE only \$174.85 Penta Prism Eye-Level viewfinder in-stead of waist level finder add \$14.00

YASHICA PENTAMATIC CAMERA-55mm 11.8 Auto Yashinon-Eye-Level Mirror-135mm 13.5 Tele-Photo lens or 35mm 13.5 Wide-Angle lens-De-lux severady case-SC fan-type fol-long flash guin.

ZEISS CONTAFLEX SUPER CAMERA WITH 50mm Automatic f2.8 Zeisz Tessar lens-Haze filter-Type A filter -Sunshade — 6x30 Photomonouilar makes 50mm lens into 300mm Tele-Photo lens-Everesdy case—BC fan type flash gun. KELLY DISCOUNT PRICE only \$199.95 7x50 Photomonocular makes 50mm lens into 350mm f7 tele-photo lens add \$19.95.

PRAKTICA FX3 CAMERA WITH SPORTS FINDER AND WAIST-LEVEL FINDER—50mm f2.8 Auto Westenar lens—135mm f2.8 P.S. lens or 35mm f3.5 Wide-Angle lens—Deluxe Eve-ready case—BC fan-type folding flash gun—Extension tube set for close-ups. KELLY DISCOUNT PRICE only \$89.00. PRAKTINA FX CAMERA WITH 50mm f2.8 Auto Tessar lens-Waist-level Split-image rangefinder—ex-tube set for close-ups— f2.8 Tele-Photo lens—Deluxe y case—BC fan-type folding

KELLY DISCOUNT PRICE only \$148.95 58mm Auto Biotar instead of f2.8 Tessar add \$9.50. Penta Prism rangefinder instead of waist level add \$9.95.

Contaflex Super Camera With: 50mm. F2.8 Carl Zoiss Tessar Lens, Aux. Wide Angle and Aux. Tele Photo lens Deluxe Leather Ev-eready Case for Contaflex and BC Fan-Type Folding Flash gun

TRADE-IN MONTH

Greater trade-in deals, send your camera or equipment and let us Know what you want to trade it for. HIGHEST Trade-in Allowance Given.

KELLY Pays More, for all types of cameras and photographic equipment. We need Leica, Con-tax, Hasselbladt, Speed-Graphic Rolley, Poloroid, Nikon, Linnhof, Exakta, etc.

PRAKTICA FX3 with Automatic isco Westenar 50mm. f2.8 and 135mm Tele Photo lens for Praktica \$109.50

NEW TARON SUPRA VIS

45mm. fl.8 lens, built in self timer, one stroke advance lever, Automatic Exposure Counter, Flash gun, Wide Angle and Tele Photo Attachment, with finder, and Gadget Bag

KELLY price ONLY \$61.95

NEW TARON EYE-MATIC consisting of 45mm. fl.8 lens, built in self timer one stroke advance lever, Automatic Exposure counter Flash gun, wide angle and Tele Photo Attachment, with finder and gadget bag plus Built in exclusive monitor for Automatic exposure setting

KELLY price only \$84.95

COMBINATION BONUS OFFER

With Any Camera Or Lens Pur-chased you may order at the same time:

A GENUINE LEATHER GADGET BAG Regular Price \$12.00

ONLY . . \$4.00

A BC FAN-TYPE FLASH GUN WITH CORD AND BATTERY Regular Price \$9.00 ONLY. . \$3.00

EVERYTHING LISTED IN THIS AD IS BRAND NEW. All merchandise sold one year guarantee and warranty, covering everything mechanically and optically plus manufacturers and importers guarantees whenever available. All items offered are subject to prior sale. There are limited quantities of some items and orders are filled as received. Prices subject to change without notice. 10% Deposit required on C.O.D. orders. KELLY CAMERA CORPORATION DEPT. M-11, 157 SO. FRANKLIN AVE. VALLEY STREAM, L. I., NEW YORK PLEASE WRITE FOR FREE QUOTATION. No obligation to buy PLEASE SHIP ME ITEMS CHECKED V

NAME	DATE I ENCLOSE
ADDRESS	I am interested in
CITY	wish to trade
ZONE STATE	

ES.

PHY

PANORAM

DIRECT TO CONSUMER!

FACTORY FRESH COLOR FILM

FILM SIZE	PRICE PER 3 ROLLS	PRICE PER 6 ROLLS	PRICE PER 10 ROLLS
KODACHROME (135-20 Exp. ANSCOCHROME (135-36 Exp.	6.60 9.85	12.75 18.55	30.00
New, High Speed 135-20 Exp. EKTACHROME 135-36 Exp.	7.90 12.40	15.50 23.40	24.50 36.95
SUPER 135-20 Exp. ANSCOCHROME 135-36 Exp.	7.15 10.95	13.95	21.95
KODACHROME 8mm Rolls 25' Dble. 8mm Mag. Dble. 8mm 100' Dble. Bolex with 200' R&C	8.05 9.45 26.00	15.90 .18.50 51.00	26.00 30.00 84.50
SUPER 8mm Rolls 25' Dble. ANSCOCHROME 8mm Mag. Dble.	9.75 10.40	18.90	30.50 33.00
High Speed 8mm Rolls 25' Oble. EKTACHROME 8mm Mag. Dble. 8mm 100' Dble. Bolex with 200' R&C	16.25 17.30 62.25	31.50 33.60 114.00	47.50 51.00 180.00
KODACHROME 16mm Roll 100'	22.50	44.90	72.50
B&W MOVIE FILM PLUS X Reversal ASA 80 or TRI X Reversal ASA 200	6.45 7.50 20.25	12.25 14.35 39.00	19.50 23.00 62.50

ANSOCHARM - KODACHARME - EXTACHARME - MARTINE - MARTINE

120-620-127-0nm10. 171	a somm so exp. mig	sets n	110. 1.75		2.75 15mm	100 roll 2.50
	COLOR PR	INTS AND	COLOR EN	ILARGEME	NTS	Maria Caracteria
	50 COLOR P	RINTS 20c	COLOR PRIN	ONLY ons 25		TON OR PRINTS V KODACOLUI
PROM THIS YOU CAN SHAVE	21/2 31/2 cany assertment	31/2×31/2 any assertment	31/2×3 any assertment)	4x5 eny assertment	5x7 any assertment	8x10 any assertment
35mm COLOR	5 for 1.00 20 for 2.99	> <	P 3 for 1.00 12 for 2.99	P 50¢ each 5 for 2.00	P 3 for 2.00	P 1.75 each 2 for 3.00
2x2 COLOR		P 4 for 1.00 15 for 2.99	><	P 50¢ each 5 for 2.00	P 85¢ each 3 for 2.00	P 1.75 each 2 for 3.00
35mm KODACON		> <	K 5 for 1.00	> <	K 35¢ each 3 for 2.00	K 2.25 each 3 for 5.95
620 SQUARE		P 4 for 1.00 15 for 2.99	><	P 50¢ each 5 for 2.00	P 85¢ each 3 for 2.00	P 1.75 each 2 for 3.00
127 SQUARE 620 KODACOL 120 NEGATIV	OR	K 5 for 1.00	> <	\times		K 3 for 5.95
127 RECTANG 620 KODACOL 120 NEGATIV	OR	> <	K 5 for 1.00 12 for 2.25	X	K 85¢ each 3 for 2.00	K 3 for 5.95

COLOR SLIDE DUPLICATING

35 mm

1.5¢ each mounted

1.00 assigned \$2.99

The second complete 1.50

COLOR SLIDE DUPLICATING

1.5¢ each mounted

1.50 assigned \$2.99

The second complete 1.50

COMPLETE PRICE LIST

ON ALL FILM

ON

KODACOLOR FILM PROCESSED including 1 print from each negative Per 8 Exp. roll-2.25 Per 18 Exp. roll-3.2 Per 12 Exp. roll-2.75 38mm 20 Exp. - 2.9 INCLUDE 10¢ POSTAGE

BLACK & WHITE PROJECTION SLIDES
From your developed 35mm negatives BI. & Wh. positive slides, mounted ready for projection.

20 Exp
Roll

Developing of film, 50g addl

Now! Directly To Consumer From Panoram!

KODACOLOR MAILER

DIRECT SERVICE

*35 Kodacolor Film Including Developing & Jumbo Color Enlargements

Add 5¢ per roll Postage and handling *21/4 x 31/4

PANORAM

FILM LABS. INC.

1190 AVENUE OF THE AMERICAS N. Y. 36, N. Y. Circle 7-1811 IN CALIFORNIA: BOX 35064, LOS ANGELES

MOVIE IN A ROOM

(Continued from page 112)

close to it. With either type of light, use a somewhat faster color film than for normal shooting conditions. With bounce light use Kodachrome II (Type A, E.I. 40) for 8 and 16mm cameras, or Anscochrome (Tungsten, 32) or Ektachrome ER (Type B, 125). For window light use Kodachrome II (Daylight, 25), or Moviechrome (Daylight, 20).

If you use sunlight coming through a window, as we did for shots on pages 112 and 113, we'd also suggest a faster color film.

Props—toys, for example—play an important part in keeping action and interest alive. But don't force props on the child. Let him find them himself.

Now for one of the most important a pects of shooting youngsters—good use of your lens equipment. You can get excellent results if you have one lens, three different lenses, or a zoom lens.

The sequence of sequences

The key is a change of framing and camera-to-subject distance for each shot. For example, we start off with an overall view of the boy in the photo top page 113. This establishes the scene. We chose to shoot from a position on the stairs above the living room to add visual interest. Then we let Terry take over. He went from one thing to another, and we followed him.

For example, he discovered the rocking horse. Since the horse was shown right in the middle of the long shot there was no need to establish its shape again. So we moved in for a close-up, followed it with a second from a different angle, and then cut to a third. A fourth cut is a medium long shot of the youngster on the horse. All the shots were made with a normal lens.

In the pillow shots, B page 112, however, we switched to a tele. Instead of moving in on the scene, we let it come to us. Terry grabbed a pillow off the couch, brought it out to the center of the room, and then lay down on it. Here, it was he who created the change in framing and camera-to-subject distance.

The piano sequence, D page 112, could be shot with a zoom lens. Zoom shots from above the subject make a fresh approach to an effect that is currently in danger of becoming trite through over-use.

Quick cutting, as in the sequences C and E pages 112, 113, is another way to create good footage. But quick cuts should be mixed with more leisurely paced footage.

As you can see, letting the child take over—within limits subtly imposed by the cameraman—can be an effective way to shoot better movies.—M.A.M.

PHOTOGRAPHERS ACCLAIM PHOTOGRAPHIC PLAN!



th

or

a-

W

gh

es

er

an

on

nt

get

ns.

ns.

nd ot.

er-

We

he

er. nd ckwn ere

ed cle,

is

on

ith

owof

me


of ere,


in


ice.

112, com e a currite s C y to cuts rely by way

PHY







Photographers International has the answer for those who wish to supplement their income, and for others who are looking for a full time photographic business requiring no investment. This photographic plan is in no way to be considered a school or training course. Our copyrighted program will show you how to earn up to \$12,500 a year-Immediately. All you need is: a reflex camera, a tripod, and an electronic flash unit.

This unusual opportunity for financial advancement through our photographic program will cost you only \$2.00 for the complete plan—There is nothing else to buy! You will receive detailed information enabling you to start increasing your earnings without delay.



SOME OF THE HIGHLIGHTS:

- · A proven method of increasing earning power through photography.
- · Your own photographic business with no investment.
- · A qualified staff to solve any technical problems.
- A picture marketing division to help sell your photographs.
- · Clear, concise information detailing every step of the plan.

DON'T DELAY!

Act on this amazing offer now and join the many thousands of ambitious amateur and professional photographers who are already reaping the benefits of our unique program. Fill out and mail the application blank below to: PHOTOGRAPHERS INTERNATIONAL



Please circle the camera(s) you have:	35MM	21/4	4x5	View	3D	Movie	Tape Recorder
ADDRESS	······································	*******************	CITY	******************	STATE		
Gentlemen: Enclosed is my a all materials and							
1110 Clinton Ave	HERS INTE					OFFICE	E USE

UNBELIEVABLE VALUES

DEVELOPING SERVICE AVAILABLE

8mm 25' double	 .60

35mm COLOR FILM

Available in ANSCO TUNGSTEN
35mmx100' \$22.00
Available in TUNGSTEN or DAYLIGHT AERO
EKTACHROME—DAYLIGHT SPEED—100 ASA
20 exp. rolls, including processing.
\$1.50 (3 for 4.25)
20 exp. rolls INDOOR ANSCO COLOR
\$1.00 (3 for \$2.75)
AERO EKTACHROME CHEMICALS-
1½ gal\$2.95

1½ gais 50 ft. 35mm—85€ Plus X or XX 100 ft. 35mm XX or Plus X or infra red or background X \$1.40. If you buy \$25,00 worth of film—one 35mm loader free regular price

of film—one 35mm loader free regular price \$5.00
A \$100.00 purchase of film (color or B&W) will allow a brand new Eastman Kodak Brownie 8mm for \$1.00—Regular price for such a camera alone—\$35.00
This offer is in addition to our Unbelievable Value of film on which you save 50%.
A \$200.00 purchase will entitle you to a Kodak Brownie camera and a 8mm projector for \$1.00. Regular price close to \$100.00
A \$50.00 purchase will entitle you to a brand new Brownie Camera with flash and film and bulbs. Regular price for Camera and film color as well as B&W) \$25.00—in any store.
A \$25.00 purchase entitles you to a 127 Camera and 3 rolls of color film and 6 rolls of black and white. Real value in store—\$10.00
Additional \$25 purchase entitles you to Eastman Kodak carrying case of genuine leather. Reg. price of case alone—\$11.25

35mm BLACK & WHITE **BULK TRI X KODAK FILM**

Respooled & repackaged Price \$1.50

ACCESSORIES

FILM DRIERS—good for paper and films only \$1.50
CHEMICAL KITS—D88, one gallon size good for reversal or straight B&W processing—for paper & film. In powder form\$1.25
(Include postage)

Take advantage of these bargains.

DOW Sim 100 th on Bolow Connel #4.0
B&W film-100 ft. on Bolex Spool\$4.0
100 ft. Ansco Color on Bolex spool 8mm 5.5
With devel 6.5
Empty 16mm magazines made by Kodak 75
8mm empty mag 75
omm empty mag
16mm 100 ft. camera reels
Cans for such reels 10
Empty cartridges for 35mm 20 or 36 exp.
10€ each, \$1.00 a doze
Cans for 35mm cart 10
800 ft. reels, 16mm 75
16mm—1200 ft\$1.00, Cans— 50
1600 ft.—16mm\$1.25, Cans— 50
Cement for film50¢—best available
Kodachrome reloads-20 exp\$1.2
EO 44
50 ft
Special offer Ansco 10 exp 45
400'-8mm empty reels 50
Dble. cans35¢, 3 for \$1.0
35mm Bulk film Loader daylite
100 ft. Negative 35mm film, Plus X or XX
12 cartridges
Roscoe Cement—(bottle) 50

PHOTOGRAPHIC CONTACT PAPER

	Semi-matte-Contrast #4
100 sheets per box,	10x10\$2.50

10 x 10 Projection Paper, Contrast #3 \$3.75

COLOR IN BULK

16mm—4¢ per ftmin. orde 8mm—25 ft. on camera spools 100' 8mm	er 50 ft
8mm-25 ft. on camera spools	\$1.25
(Processing not included)	\$3.00

CLEARANCE SALE

CARTOONS APPROX. 400'
AVAILABLE IN SOUND OR SILENT
\$495 For Home Use Only

COLOR FILM

WITH PROCESSING

8mm 25' dbl. roll	
8mm 25' dbl. mag	2.75
16mm 100' available in both	
sound or silent	.5.00
16mm 50' magazine	3.50

MOVIE FILM

ANSCOCHROME Weston 32-

100 ft. 16mm roll 50 ft. 16mm Magasine	4.50
8mm 25 ft. double roll	3.00
8mm 25 ft. double Magazine	3.50
16mm KODACHROME 100 ft. relis-processing incli	uded.
Developed by Eastman Kodak. Price \$6.00 per	roll.
25 ft. double, 8mm High Speed, B&W	
EASTMAN KODAK, Weston 250-developed	
free by Eastman Kodak. 50 ft. 16mm B&W EASTMAN KODAK—developed	1.75
50 ft. 16mm B&W EASTMAN KODAK—developed	
free by Eastman Kodak.	2.00
free by Eastman Kodak. 100 ft. 16mm B&W EASTMAN KODAK—available	
in GIIPER Y and GIIPER XX developed free by	
in SUPER X and SUPER XX, developed free by Eastman Kodak.	4.00
Destinant briefs	

ANSCO MOVIE FILM BLACK AND WHITE WITH PROCESSING

8mm 8mm 16mm	25'	dbl.	mag	 		
sour 16mm	d or	sile	nt	 	 	1.90

SPECIAL OFFERING IN 8mm AND 16mm COLOR SUBJECTS (CARTOONS AND FAIRY STORIES)

			COLOIT	
50	ft.	8mm	\$ 2	.00
200	ft.	8mm	7	.50
100	ft.	16mm	5	.00
400	ft.	16mm	(silent)20	.00
400	ft.	16mm	(sound)25	.00

SPECIAL OFFERING IN 8mm **AND 16mm SUBJECTS** (CARTOONS AND FAIRY STORIES) BLACK AND WHITE

50	ft.	8mm	(silent)		 \$	1.00
200	ft.	8mm			 	3.50
100	ft.	16mm	*********		 *****	2.00
400	ft.	16mm	(silent)		 	7.50
400	ft.	16mm	(sound))	 	10.00

KODAK FILM ALL SIZES almost 8mm-16mm 50%

Regular OU Price Price	
\$10.80 KODACHROME 100' 16mm with	
	0
dev	20
3 7.40 Iomin magazine	
\$ 4.50 25 ft. double\$2.5	0
\$ 7.40 16mm Magazine	5
\$15.00 100 ft. perforated for 8mm for	
Bolex Camera with developing\$8.5	0
Black and White ASA 50 with developing	
\$ 5.50 100 ft. 16mm\$2.5	0
\$ 2.75 25 ft. double 8mm roll with dev\$1.2	16
\$ 2.75 25 ft. double offirm foll with dev\$1.2	-
\$ 4.00 50 ft. 16mm Black & White Mag\$2.0	U
\$ 4.00 50 ft. 16mm Black & White Mag \$2.0 \$ 3.25 25 ft. double 8mm Magazine\$1.5	0
#127, 120, 620, 116, 616	
Black & White, 10 for\$1.9	5
120 & 620 color	11
35mm 20 exp. Black & White 25	4
Committee on the committee of the commit	

	43
35mm 36 exp. Black & White	49¢
AERO EKTACHROME #120 and #620	
Weston 403 for \$2	2.85
35mm BLACK & WHITE BULK 100 FT.	
EKTACHROME 20 exp\$1	
Super X or Double X and Plus X\$1	.40
35mm 20 exp. KODACHROME\$1	.10

BULK MOVIE FILM

8mm x 400' dble		22.00
8mm x 100' dble	ce of 6!	\$1.79 60¢ each
SIZE 54 rolls 16mm x 25'\$8.95 16mm x 50'19.95 *16mm x 100'49.50 *Camera spooled	\$4.95 10.95	15 rolls \$2.75 5.95 17.95

SOUND MACHINE **BELL and HOWELL AMPRO** Our Price 149.00

AVAILABLE IN 8mm and 16mm

THE FOLLOWING FULL VERSION REELS

Religious Films Available 7 reels 8 reels 8 reels 9 reels 9 reels 9 reels 7.50 per reel

HAL ROACH COMEDIES—
Snub Pollard & other famous stars, full version—svailable in 8mm approx. 200 ft. \$5.00 per reel\$10.00 silent per reel and \$12.30 sound. Approx. 400 ft. ORIGINAL OUR GANG COMEDIES—
available in 8mm and 18mm \$5.00 for 8mm approx. 200
ft. \$10.00 per reel for 18mm silent approx. 400 ft.
per reel—available in 1 and two reelers.

PRIZE FIGHTS HEAVY WEIGHT FEATHER WEIGHT LIGHT WEIGHT

Full Version
Available 200'
Available 400'
Fights From Early Days Till Present
15.00 Laurel & Hardy Comedies
2 reel comedies, available in 8mm and 16mm \$5.00 for
8mm approx. 200 ft. \$10.00 per reel for 16mm.

MOVIE FILM SPECIAL

100' 8mm double Packed on 4 Camera spools 25' processing not included

OPEN EVENINGS TILL 7. ALSO OPEN SATURDAYS.

PLEASE VISIT OUR STORE. DON'T FORGET TO INCLUDE POSTAGE.

ASTRA PHOTO PRODUCTS 243 WEST 55TH STREET NEW YORK 19, N. Y.

Unusual Bargain



Famous Steinheil 35mm F4.5 Coated Culmigon Wide Angle for Exakta

- Highly Corrected
- 100% Flat Field
- Excellent for Color

a true Steinheil lens in performance and appearance

Special Purchase Seymour priced at ..

Post. 85c Plus Case \$3.85

Magnear Lens View Finder for the Exakta

For ultra critical focusing, the Magnear combines the advantages of the waist-level finder and the eye level finder. Interchangeable glasses. Can use Exakta lenses as focusing magnifier.

Magnear Lens View Finder With Groundglass (special) \$14.85 With Lumilite 32.35 Clear Glass (for photomicrography) 3.75 Flat bisected glass (flat groundglass) 3.75 SPECIAL: Powerful Magnifier with bayonet 12.70

15 days money back trial, or course

Sale on Rangefinders

Genuine Exakta Extenar Rangefinder Glass, First Quality, Brand New \$9.75

This is the first time we can bring you this desirable item at such a deeply slashed price!

Used Rangefinder Glasses, guaranteed accurate, while they last \$6.75.

Plain Groundglass, new \$2.85. Polished Clear Glass, new, \$3.75.

Flat bisected groundglass (for Magnear only) \$3.75.

Our Most Successful Combination Offer Exa II with F1.2 Harigon



For theatre photography, the Exa II with its very quiet focal plant shutter and the F1.2 Taika Harigon make an unbeatable combination. We received many requests for a special "package" price for the Exa II with the Harigon. We bowed to these requests and chopped another healthy chunk from the price. Brand new Exa II with built-in Penta-Prism, equipped with F1.2 58mm Harigon Super Fast Lens, \$198.50 plus \$1.25 postage. (15 Days Trial, of course!)

15 DAYS MONEY BACK



The famous

World's **Most Versatile** Single Lens Reflex

- 4 Formats in 1 camera (from 21/4 X 31/4 to 15/8 X 21/4)
- Rollfilm—Cutfilm—Filmpack
- Interchangeable Backs
- Interchangeable Lens Boards
- Complete line of Lenses to 400mm

The professional camera priced for the amateur.

Send coupon below for full details.

..................



350-FF West 31st Street, New York 1, N.Y.

350-FF WEST 31ST STREET, NEW YORK 1, N. Y.

- Please ship the items which I have listed on the attached sheet. ☐ Please send complete details about the Optika IIa Single Lens Reflex, descriptive literature, and prices
- ☐ I would like to trade equipment and have listed it on a separate sheet.


- ☐ I own an Optika. Please send accessory information.

☐ I would like to establish credit.
(Please hand print or type name and address)

Address

City, Zone, State

HY



CENTRAL CAMERA

The Midwests

Photographic Headquarters Since 1899

230 SO. WABASH AVE.

CHICAGO 4, ILL.

STATEMENT REQUIRED BY THE ACT OF AUGUST 24, 1912, AS AMENDED BY THE ACTS OF MARCH 3, 1933, JULY 2, 1946 AND JUNE 11, 1960 (74 STAT. 208) SHOWNING THE OWNERSHIP, MANAGEMENT, AND CIRCULATION OF MODERN PHOTOGRAPHY published MONTHLY at NEW YORK, N.Y. for OCT 1, 1961 OCT. 1, 1961.

1. The names and addresses of the pub-1. The names and addresses of the publisher, editor, managing editor, and business managers are: Publisher, Everett Gellert, 14 Pasture Lane, Roslyn Heights, N.Y.; Editor Jacquelyn Balish, 115 W. 86, New York 24, N. Y.; Managing Editor, William Johnson, 540 West 112 St., New York 25 N. Y.; Business Manager, Irving P. Richter, 86-11 Sancho St. Hollis 23 P. Richter, 86-11 Sancho St., Hollis 23, N. Y.

2. The owner is: (If owned by a corporation, its name and address must be stated and also immediately thereunder the ing or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual member, must be given.) PHOTOGRAPHY PUBLISHING CORP., 33 W. 60 St., New York 23, N. Y.; Everett Gellert, 14 Pasture Lane, Roslyn Heights, N. Y.; Augustus Wolfman, 209-26 30th Ave., Bayside 60, LI, N. Y

3. The known bondholders, mortgagees, and other security holders owning or holding 1 percent or more of total amount of bonds, mortgages, or other securities are: (If there are none, so state.) None other than above.

4. Paragraphs 2 and 3 include, in cases where the stockholder or security holder appears upon the books of the company as trustee or in any other fiduciary relation, the name of the person or corporation for whom such trustee is acting; also the statements in the two paragraphs show the affiant's full knowledge and belief as to the circumstances and conditions under which stockholders and security holders who do not appear upon the books of the company as trustees, hold stock and securities in a capacity other than that of a bona fide

5. The average number of copies of each issue of this publication sold or distributed, through the mails or otherwise, to paid subscribers during the 12 months preceding the date shown above was: (This information is required by the act of June 11, 1960 to be included in all statements regardless of frequency of issue.) 222,400

Everett Gellert (Signature of editor, publisher, business manager, or owner) Sworn to and subscribed before me this 18 day of August, 1961. Irving P. Richter, Notary Public (State of New York) No. 41-8568700, qualified in Queens County. (My commission expires March 30, 1962)

Lowest Prices in the USA on SOUND PROJECTORS



BELL & HOWELL

SOUND PROJECTOR Original List \$485

SPECIAL \$24950 These machines, while not



DeVRY 16mm SOUND PROJECTOR List \$550 SPECIAL

Not new, but completely checked over by our factory-trained men, and guaranteed to run like new. Sound and silent speeds, F/1.6 lens, deluxe speaker and input jack for use with mike or turntable.

TRADE GUNS ON PHOTO EQUIPMENT

We make generous allowanees—often full list prise—on standard models of guns, pistole and riffes on the above projectors, or any other type of photo equipment. Let us know what you have and what you want.

NATIONAL CAMERA EXCHANGE

114 South 5th Street, Minneapells, Minneacta

INSTRUCTION

EARN DEGREE IN PHOTOGRAPHY IN CALIFORNIA

Art Center School's working pros make you an artist with the camera. Bachelor's Degree. Accredited. Coed. 31st year. Terms: Feb., June, Sept. Write Lee Mason, 5353 W. 3rd St., Los Angeles 5, California.

THE ART CENTER SCHOOL

STUDY PHOTOGRAPHY COMMERCIAL . PORTRAIT . ILLUSTRATIVE



This is 1 of 90 photographs from Edna Bennett's PORTRAIT GUIDE

containing pictures and text that will show you how to get better, more expressive portraits. 128 pages. \$1.95 or camera stor AMPHOTO, N.Y.C. 23

BOOK

Regularly \$1.95 Sellers

Priced

CONTAFLEX GUIDE Covers models I, II, III, IV, Apha and Beta Contaffex eye level reflex cameras, attachments and accessories. Regularly \$1.95.

BOLEX B-8, C-8 GUIDE Covers Bolex B-8, C-8 and B-8 with variable shutter . . . and accessories. Explains all operating principles, special effects. Regularly \$1.95. Sele Priced \$1.00

RETINA GUIDE Details on all Retina models through Ilic and Retinette. Lenses, accessories, and explanatory operating data. Regularly \$1.95. Sale Priced \$1.00

2 IMPORTANT UP-TO-DATE **BOOKS FOR MOVIE MAKERS**

MOVIE TECHNIQUES FOR THE ADVANCED AMATEUR, by George Regnier and My-ron B. Matakin. The first ex-planatory book in important professional movie making techniques. Regularly sells for \$4.95.

e

e S

L

HY TIVE

0 11.

E

APHY

For \$195

ELECTRIC EYE MOVIE MAN-UAL, by Ira B. Current. Tells the whole electric eye story, a useful guide to camera buying, and how to get most satisfying results. Regularly sells for \$2.50.

\$7.45 Value

BOOKS ON SALE ONLY AS LONG AS QUANTITIES LAST. USE THIS COUPON—GET FAST DELIVERY

-----AMPHOTO, 33 W. 60th St., H. Y. 23, H. Y.

Please send me the following sale-priced books:

NAME ADDRESS

ZONE STATE

...CheckM.O.C.O.D. (Postage Extra) Add 3% Sales Tax on N.Y.C. Orders

CUSTOM COLOR NEGATIVE

PROCESSING

Dodged - cropped - Color corrected

16x20 ... \$6.50 11x14 ... \$4.50 8x10 \$1.50 5x7 \$.65 31/2x5 ... \$.15 21/2x1/2 .. \$.10

First Run Price List

Special Price Offer for color candid weddings

36-8x10's from uncut rolls (3-12's or 5-8 exposure rolls) 3600

60-5x7 color candids

(3—35mm or 5—12' expos- 2750

Professional Quality Prints Price includes film processing

AGFA COLOR—KODACOLOR

"Plus" 250 A.S.A. meter "Experimental" Color negative. Send \$5.00 for film including processing and 12 prints

35mm Kodacolor our specialty

Roll film orders printed to size when film is developed. Add \$.50 for film processing

EXPOSURES	31/2"	31/2×5	5x7	8x10
8	\$.80	\$1.20	\$4.00	\$10.00
12	1.25	1.80	6.00	15.00
20 (35 mm)	1.60	3.00	9.00	

Minimum order \$3.50

Orders under \$10.00 must be prepaid. Orders over \$10.00 are prepaid or C.O.D. Credit slips returned on over paid orders.

SEND FOR COMPLETE PRICE LIST

HAUSER COLOR

1466 South 92nd Street West Allis 14, Wisconsin

PHOTO MART

MOONGLOW COLOR PRINTS

INQUIRIES FROM HOME PORTRAIT STUDIOS WELCOMES

COLOR FILM PROCESSING

35mm Ancochrome, Super, Ekischrome 20 Exp.\$1.00 Mtd.36 Exp.\$1.75 Wtd. 120, 127, 630\$1.00 in Sleeves...\$2.25 Wtd. KODACHROME PROC 20 Exp \$1.40 Mtd.; 36 Exp \$2.45 Mtd.

SUPER SIZE SLIDE DUPLICATES—25¢ ea. mtd. (from Super, 120, 127, 828 or 35mm)

Fresh 35mm. RELOADS rome, Ansorchrome, Kodachron 5_____86.28 10___ --812.00

KODACOLOR PRINTS FROM KODACOLOR HEGATIVES

MOONGLOW COLOR PRINTS

P. O. Bex 75622—Sanford Station Los Angeles 5, Calif.



STANRITE SUPERPOD GEARED TWO WAYS... FROM \$1695

Horizontal gear for smooth movie panning. Geared for fast elevation up-down action. Extra 90° tilt on panhead. Ball level, many new features that have never been offered on any tripod before.

WRITE FOR FREE CATALOS On Tripode, Enlargers Smm to ScS, Barkroom & Copy Equipmen

TESTRITE INSTRUMENT CO

RELOADED KODAK TRI-X BOX NEW PLUS X BOX NEW PLUS X



EASTIN-PHELAN BLDG., DAVENPORT, IOWA



Color Prints from 1/2 35mm to 4 x 5 Trans. 21/4 x 31/4 - 25¢ 31/4 x 41/2 - 50¢ 5 x 7 - 51.00 8 x 10 - 52.00 16 x 20 - 512.50 Color Ouplicating __20¢ ea. Super Size Ouplicating __25¢ ea.

SUNSET COLOR LAB

Box 46145, Dept. M . Los Angeles 46

PRINTS 50¢

COLOR FILM PROCESSING Ansco, Anscoch

35mm 20 Exp. Mounted, Roll\$1.00 120, 620, Roll\$1.00 35mm Color 35mm Color Duplicating Super Size (127) Dupes

Color Prints45c1.002.005.0012.25 8x10 . 11x14 16x20 35mm Kodachrome 20 Exp. Roll \$1.40 Mtd. Minimum Order \$1.50 No C.O.D.

CANYON COLOR CO.
BOX 36536 LOS ANGELES 36, CALIF:

30¢ SUPER SLIDE DUPLICATES 30¢

mtd. (From Super Slides, 120, 127, 828 or 35mm.) Mtd 35mm Duplicates from 35mm Slides .. 20¢ ea mtd. Finest Quality, Sharpest Reproduction

24 HOUR COLOR FILM PROCESSING QUALITY COLOR PRINTING ALSO AVAILABLE ATKINSON/STEDCO COLOR FILM SERVICE 7610 Melrose Ave., Dept. M. Los Angeles 46, Calif. WE 3-5954

20 Color Transparencies &-

FIVE 20 Solected, c:forful views—widest and mest interesting sariety of subjects including Birds, Somics, Sonsts, Animals, Models, famous places and points of interest, etc. Full, "Woulde frame" Same size.

AMOUNT YOUR OWN SLIDES—med Served Each! SLIDE SUPPLY, Bex 1031, Canten Ohio 85%

KODACHROME MOVIE FILM 8 MM Roll

35 MM 20 Exp. Developed and Mounted

Processed First Order Only Send films now or Write for Free Mailing Envelopes

EASTERN COLOR STUDIOS BOX 125 P

CATALOG

PHOTO FRAMES • MOUNTS
• ALBUMS and MAILERS
• PICTURE FRAME MOLDINGS 25 Years of Progress WRITE TODAY! **Fastest Service! Lowest Prices!**

INTERNATIONAL SALES CO., Inc., Dept. A 19 W. Baltimore St., Baltimore 1, Maryland

35 MM DEVELOPING

FILMS FINE GRAIN DEVELOPED.

FULL SIZE

36 EXPORTED TO PREVENT SCRATCHINGS

BLASTER STREET STREET

THE STREET STREET

STREET STREET

STREET STREET

FILMS FINE GRAIN DEVELOPED.

FULL SIZE

STREET SCRATCHINGS

STREET SCRATCHINGS

STREET SCRATCHINGS

FILMS FINE GRAIN DEVELOPED.

FULL SIZE

STREET SCRATCHINGS

STREET SCRATCHINGS

FULL SIZE

STREET SCRATCHINGS

FULL SIZE

STREET SCRATCHINGS

STREET SCRATCHINGS

FULL SIZE

STREET SCRATCHINGS

FULL SIZE

STREET SCRATCHINGS

STREET SCRATCHINGS

FULL SIZE

STREET SCRATCHINGS

STREET SCRATCHINGS

FULL SIZE

STREET SCRATCHINGS

STREET SCRAT

TICE! HIGHEST QUALITY PHOTO FINISHING! UNIVERSAL PHOTO SERVICE, LaCrosse 22, Wisconsin



SLIDE DUPLICATOR

With Achromatic Lens

Duplicote 35mm color slides with your
camera – sove money Duplicator may
be used with 35mm, Poloroid, 828 and
many other cameran. First stendard
adopter rings. Instructions included. 50c ther rings, instructions included, 50c itonal on C.O.D. er-Give comera model 895 rostrato Bens F.L. Satisfaction Guaranteed

Satisfaction Guaranteed
ELECTRON DEVELOPMENT CO.
P. O. Sex 11152, Indianapolis 1, Indian

YOUR COLOR SLIDES IUMBATAB

Numbatabs keep slides in sequence, right side up. index your stereo slides, film holders, negatives, motion picture reels.

SAUNDERS CO. Box 111. Rochester 1. N.Y.



Numbers 1 to 100 25¢ Numbers 1 to 500 \$1.25 Numbers 1 to 1000 \$2.50 Four alphabets 25¢ Choice of red, blue, green, orange or black.



DRAW ANY PERSON

in one minute! NO LESSONS!



pulldings, vases, bowls of fruit. copy photos, comics, designs, maps, arything-comics, and the comments of the CAN'T DAN'A Straight Line! Anything you want to come any the comments of the 'Magic Art Reproducer.' Then easily follow the lines a pencil for an original 'professional looking' draw-ing. Reduces or enlarges. 'Professional looking' draw-ing. Reduces or enlarges. Day Trial! Pay Fostman on delivery \$1.98 plus post-sage. Or send only \$1.98 with \$2.00 plus post-sional comments of the com-gramments of the com-page. Or send only \$1.98 with \$2.00 plus post-sional comments of the com-page. Or send only \$1.98 with

NORTON PRODUCTS, Dept. 638, 286 Breadway, N. Y. C. 7

PICTORIAL PHOTO SERVICE

KODACHROME 20 Exp. Mtd. ANSCOCHROME 20 Exp. Mtd. EXTACHROME 20 Exp. Mtd. SEND FILM G OODWORK STUDIOS Box 184, DEPT. M11, ORADELL, N. **Automatic Daylight Developing Tank**

Micro Record Corp. 487-11 South Av.

Processes up to 200 Ft.

8mm-16mm-35mm-70mm

Movie—X. Ray—Microfilm
Motor-Driven—Portable
Uniform Density Assured
400 Ft. Tank Available
Guaranteed Write for Free Literature

"CHILL-CHASER" IMMERSION HEATERS

Canvasiest, perhable "Chill-Chaoer" Mexters automatically mainten solution temperatures to ±1°f. There's a light, rigid "Chill-Chaoer" Tank or Tray unit in sizes and writings for every noed. Protition-made of acid-resistant stainless stool. Was adjustable therecant. 115 V., AG, Avall, in 5° to 40° lengths priced from \$22.00 to \$30. See your Dasher or Write...

STILL-MAN Equip. Corp., 426 E. 164th, N. Y. 86, N. Y.

PROFESSIONAL QUALITY
...in black & white

Developing • Proefing • Enlarging • Copies

Write for price lists The Laboratory for Professionals and Advanced Amateurs

LECO PHOTO SERVICE MC. 1938 13 W. 42nd STREET, Dopt. M-3, NEW YORK 30

READY-MADE 8mm HUMOROUS SLIDES TRAVEL OLO. TIME COMEDY MAP CUSTOM-MADE SIGNATURE WESTERN AND NATIONAL PARK SLIDES

QUICK, LOW-COST PROTECTION WITH KIMAC PROTECTORS



Skin-tight, sealed square-fold Kodapak sleeves. Pre-vent scratches, fingerprints, projectors, PREE SAMPLE. Specify size: 2 x 2, 2½ x 2½ of stereo. Give dealer's name.

KIMAC, Box MA 115, Old Greenwich, Conn.

ASTRONAR "200" An oxtremely rapid focusing 1/1.5 200mm to less that focuses down to 3 feet? Guaranteed 1400 lines per inch Available in Parkics and Scatta mounts. Special Vacation Frice 1995 ENCINO ENGINEERING

FREE ILLUSTRATED CATALOG

CINELARGERS



YOUR PICTURE ON YOUR MAIL



DUPLICATES MOVIE 8 or 16mm—Color or B&W

*High Quality ** Fast Service*
8mm— .11 ft., 16mm— .14 ft. (incl. meunts)
Min. Order \$5.50. Send remittance, please, to
Dept. COLOR, Box 11547-A, Polo Alto, Calif.



CLOSE-UP PHOTOGRAPHY WITH YOUR CAMERA

An Amphoto "Edition Bound" book by Harold Martin. Covers every aspect—cameras, lenses, equipment—and other useful information. \$2.50 At camera and bookstores, or from

AMPHOTO Now York 23, N. Y.

S

AN Plea

HAN

ADD

CITY

...CI

Nove

\$9.50

SATISFACTION GUARANTEED

PROCESSING CHEMICALS set add water structions in-

add water.
Instructions included.
For SAW Reversal
/s gal. \$2.85
I gal. \$4.65
Anscechrome
Chemics

NEW! 8mm/16mm JUNIOR HOME

SUPERIOR BUY OF THE MONTH!

8mm Electric Drive FUJITA Movie Camera with Telephoto & Wide Angle Lons Attachment

Sensational at only While They Last! Attachments give turret camera action! f1.9 13m: Color-corrected lens. Runs of batteries!

PROCESSING

KIT for Color or

B&W Film

Unbreakable plastici Compacti Self-atoringi Holds 32 feet of 8/8mm or 16mm B&w or Color film. Simple 2-plece unit requires no extra drying rack. Step-by-step instruc-tions included. Uses 1 gallon of chemicals. Shipping wt. 3 lbs.

2995

SATISFACTION GUARANTEED

SATISFACTION SUARANTEES
Some and 16mm Mevie Enthesiasts
Sond 10c! New Mevie Mater's Stanual of Simm, 16mm, 86W and Colo
equipment, hints, tips and cormulas
for home processing movie film

SUPERIOR BULK FILM CO. 442-44 N. Wells St. * Dept. MP-11 Chicago 10, Illinois

KODACHROME II

new high speed film **PROCESSING**

35mm 20 exp.\$1. DEV. & MTD. 36 exp.\$1.75 8mm Movie | Magazine75c PROCESSED | Roll\$1.10

FRESH FILM

with processing included Guaranteed fresh Kodak-packed Kodachrome II film at discount. Prices include processing & mounting

1 Roll 3 Rolls \$2.95 \$ 8.45 ... 4.40 13.00 3.85 11.00 ... 4.50 13.20 35mm 20 exp. 35mm 36 exp. 8mm Roll 8mm Magazine

Send your exposed film for processing now, or write for FREE mailers and complete price list of laboratory services on all color film.

NASTER COLOR LABS GPO BOX 30-P, NEWARK 1, N. J.

35mm KODAK* 3 for 85¢

* (Factory packed from bulk) unconditionally guaranteed *20 Exposure PlasX or Tri-X 4 for \$1.60 10 for \$2.50 20 exposure -PX or Yx complete with developing 4.20 Jumbo Prints 31.69

Kodak* Negative Color

20 wallet prints guaranteed 35.09
Anscochrome* 20 Exposures
• Factory packed from bulk
3 for....\$6.00 6 for...\$11.40
Write for our complete list of prices on ell
films and custom photofinishing
(Add 10¢ per order for postage and packing)

BOLAR CAMERA 1007 Sixth Ave. New York 18, N. Y.

THE



5 X 7 . 8 X 10 . 11 X 14 \$ 595

The secret lies in four Offi-Center rubber pogs that held paper. PLUS — in-structions once given how to use the four Clerke Rubber Pags and make any special or larger size cased; such as 14x17 or 16x20 for less than ONE DOLLAR. Ofter DER NOW — From your dealer or send check to us direct — money back guer-entes. Write for brochure and see how to have the BEST FOR LESS.

CLARKE COMPANY BOX 2123 ROANOKE, VA

BORDERLESS





De HYPO TURBULATOR PRINT WASHER Efficiency Plus for Sink or Bathtub. Prints Kept in Constant Motion.
Professional Results. Nothing to
Rust or Break.

mat white, silk-screen or glossy.

In America, only Minox

AGFA CN-14 FOR THE MINOX

Ask your dealer to send all your Minox film, including the new Agfa

Minox Processing Laboratories P. O. Box 94 • Forest Hills 75, N. Y.

3-Day Custom Service

Processing Laboratories process

CN-14 for the Minox, to:

ONLY \$295

finishes-eggshell.

SPEED-EZ-ELS



A. J. GANZ CO. See These Fine Items at All Better Camera Shops

PRINTS

15

COLOR PRINTS

FROM KODACHROME,
ANSCO, AND EKTACHROME

2x3...20¢ • 4x5...45¢ 3x4...35¢•5x7...1.00

SUPER SLIDES DUPED AT 30¢ EACH. ANSCO OR EKTA \$1.00 - KODACHROME \$1.68.

KODACOLOR ROLL DEV. AND PRINTED:

8 EXPOSURE 3½ x 5... \$2.35
12 EXPOSURE 3½ x 3½... 3.15
20 EXP. 35mm 2½ x 3½... 3.15
51ANDARD SIZE PRINT... 20¢ EA.
25.2½ PRINT FROM 55mm ONLY 16¢ EA.
MINIMUM ORDER \$1.00. INCLUDE POSTAGE.

5

20¢ WASHINGTON PER SLIDE
E. MONTGOMERY AVE., ROCKVILLE, MD.

NOW!! NEW!!



Use Powerful Edwal **Hi-Speed** LIQUID FIX

4 oz. size only 99c Te Make Your Own Monobalk 1 oz. Edwal Hi-Speed LIQUID FIX concentrate added direct to any "single-use" developer right in the tank fixes your film in 2 to 6 minutes. No used solutions to save.

Ask or write for free Edwal "CONTROLLED MONOBATH BULLETIN"

EDWAL SCIENTIFIC PRODUCTS CORP

ON COLOR FILM PROCESSING

KODACHROME ANSCOCHROME • EKTACHROME KODACHROME II

35mm 20 exp. 85° 2½ x 3½ prom 35mm slides

KODACOLOR TRANSPARENCIES

Magazine 65 ROLL \$1.00

MODACULE S. 43.5 12 st. 5325 35 mm 15 case agazine 31/515 5225 31/513/5 325 35 mm 15 case agazine QUALITY GUARANTEEN QUALITY GUARANTEED

SEND FILM or write for FREE Mailers and Price List GLO-COLOR LABS GPO BOX 9L, NEWARK 1, N. J.

MODEL RELEASES

Complete-Long Form Covers every con tingency, compensation, and guardian con-sent. 81/2x11. Pad of 50, \$1.00 (Minimum order \$3.00.)

AMPHOTO, 33 W. 60th St., N. Y. 23, N. Y. Please send pads of MODEL RELEASES at \$1 each.

PRINTS

Now 9

FROM SLIDES

DUPLICATE COLOR SLIDES Each . . . 20¢

CHINACOLOR LABORATORIES

Dept. 6111-8, 715 Kennedy St. N.W., Wash. 11, D.C.

FOTOLARGERS

FROM \$29.95

Professional results at the lowest price possible for fine, precision made equipment. Only low price enlarger offering full line of accessories such as con-

densers, copy back, copy lites, etc.

No Enlarger at Any Price Will Make Better Prints. Made in U.S.A.

Made in U.S.A. Free Catalog On Tripods, Darkroom

& Copy Equipment.

HY

INDEX OF DISPLAY ADVERTISERS — NOVEMBER 1961

Advertiser	Page Ne
ACME COLOR LABS AIREQUIPT MFG. CO. ALLIED IMPEX CORP. ALLIED RADIO CORP. AMPHOTO ANSCO ARGUS CAMERAS ART CENTER SCHOOL ASTRA PHOTO PRODUCTS	39, 49, 52, 5 31, 118, 119 Cover I 131, 131
BAIA CORP. BASS CAMERA CO. BELL & HOWELL BRIGHT STAR BROOKS INSTITUTE OF PHOTOGRAPH BROOKS, INC.	4, 1 1APHY 4
CENTRAL CAMERA CO CINE-PAK CINEMAGNETICS	
DIMCO-GRAY CO. DURST (USA) INC. DYNEX	
EASTMAN KODAK 24, 25, 26, 2 EDMUND SCIENTIFIC CO EXAKTA CAMERA CO	13
FR CORP. FUJI OPTICAL PRODUCTS GENERAL ELECTRIC GAUTHIER, ALFRED (PRONTOR)	11, 19
GRAFLEX HABER & FINK, INC. HAUSER COLOR LABS, INC. HENRY'S HENRYS HERSHEY HEILAND RESEARCH HICO CORP.	21 131 61 44
IDEALS PUB. COIDEAX CORP.	
KELLY CAMERA CORP. KEYSTONE CAMERA CO. KINNARD CO. KLING PHOTO CORP. KONICA CAMERA CO. KOVO (MEOPTA)	15, 16, 1; 18, 50

Advertiser LEITZ, E. INC	Page No. 6, 7, 66
MARSHALL, JOHN G. MFG. CO MINOLTA CORP.	45 63
NATIONAL CAMERA EXCHANGE NATIONAL CAMERA REPAIR SCHOOL NATIONAL PHOTO LABS NEW YORK INSTITUTE OF PHOTOGRAPH NIKON, INC. NUCLEAR PRODUCTS CO.	Y48, 41 8, 9, 14 116
OLDEN CAMERA CO	
PAILLARD, INC. PANDRAM FILM LABS PEERLESS CAMERA STORES PHOTOGRAPHERS INTERNATIONAL PLYMOUTH PRODUCTS CC. POLAROID POST COLOR SERVICE	
RAY VOGUE SCHOOLS	130 45 Y43
SCHOOL OF MODERN PHOTOGRAPHY SCIENCE & MECHANICS MAGAZINE STYMOUR'S SIMMONS OMEGA SOLAR CINE PRODUCTS SPIRATONE, INC. STARLIGHT COLOR LABS STERLING-HOWARD CORP. SUPERSCOPE, INC. SYLVANIA ELECTRIC PRODUCTS	
UNITED CAMERA EXCHANGE U. S. COLOR PHOTO U. S. PHOTO SUPPLY	36
VM CORP. VOIGTLANDER VOSS PHOTO CORP.	.43, 45, 47
WALL STREET CAMERA EXCHANGE	60, 61
YASHIMA OPTICAL CO	23
ZEISS, INC., CARL	30

Although we attempt to keep this index as accurate as possible, we cannot be held responsible for errors which may occasionally occur.

Supersensitive PHOTO METER



Surplus Bargain Kit!

- ___ Uses newest cadmium sulfide ligh
- Measures foot lamberts 0 to 10,000

 ASA speeds 3 to 25,000

 F stops .7 to 90
- Exposure time 1/15,000 sec. to 8 hrs.

 Measures moonlight to bright sun-
- Measures moonlight to bright sunlight
 Range selection
- 4 Range selection
 Use with still or movie camera
 EV-EVS-LV settings
- Use as densitometer
 Practical dark room meter
 Use with microscope and telescope
 Weighs only 10 ozs.

instructions make it easy.

And yet, this all inclusive kit can be assembled with hand tools in less than two hours. Our step by step

Here is a real surplus scoop that we're anxious to share with you. The components of this kit when purchased individually cost \$34.00. Yet, because of a surplus windfall we're able to send it complete to you postpaid for only \$19.95. (Add \$1.00 postage for shipment outside the USA). Still in spite of this remarkably low cost we unconditionally guarantee this meter to be more sensitive than any meter available today. If you are not completely satisfied with the performance of the \$5.84 super sensitive light meter, return it to us within ten days and your money will be completely refunded.

SCIENCE and MECHANICS Magazine, Dept. 806, 450 E. Ohio St., Chicago 11, III.

Enclosed is \$19.95. Please send me your complete kit and plans for assembling the S&M super sensitive light meter. I understand that if I am not completely satisfied, I may return the kit within 10 days for a complete refund.

N	A	k	Ř	E		
				_	_	_

ADDRESS.

CITY, ZONE, STATE

CLASSIFIED ADS . . .

Classified Want Ads may be inserted in MODERN PHOTOGRAPHY by any reliable individual, camera dealer, or specialty house. To avoid chance of error, submit copy typed. Terms: 70e a word. Each word including each item in the address, counts as one word. 10e additional for each word in Capital letters. Send cash with order. 5% discount for 6 consecutive insertions, 10% discount for 12 consecutive insertions, if entire bill is paid in advance. Forms close on the 15th of the third month preceding date of issue. For example: Oct. 15th is deadline for Dec. issue.

electronic flash

"ELECTRONIC FLASH equipment factoryto-you saves \$\$\$. Send for free illustrated catalog. HICO Corporation, 76J Coolidge Hill Rd., Watertown 72, Mass."

help wanted

First rate photographer. Also first rate stripper and printer. Air conditioned photo engraving plant. Excellent up to date equipment. Located in New Jersey. Night work. Empire Photo Engraving Corp., 290 George St., New Brunswick, N. J. P.O. Box 1030.

PHOTOGRAPHERS—Earn Part Time. Write PCI, Dept. M-18, Glen Echo, Maryland.

agents wanted

Run a spare-time Greeting Card and Gift Shop at home. Show friends samples of our new 1961 Christmas and All Occasion Greeting Cards and Gifts. Take their orders and earn up to 100% profit. No experience necessary. Costs nothing to try. Write today for samples on approval. Regal Greetings, Dept. 68, Ferndale, Michigan.

Move up to more sales. Reach over 200,000 active, interested, money-spending readers of Modern Photography through your ad in these columns. Try a low-cost ad in our next issue. Immediate results.

costumes

SKYSCRAPER-HEEL Shoes! Photo Catalog. \$1.00. Finecraft, Box 442-M, Hollywood 28, Calif.

canvas enlargements

From your pictures, transparencies, negatives, drawings, film, we will make enlargements to any size on genuine linen canvas. Exclusive KELLY process guaranteed not to crack or peel. Original light shadow and half-tone faithfully reproduced with the right proportions. Ready for painting or mounting. Price list on request. Kelly Corporation, 157 South Franklin Avenue, Valley Stream, L. I., N. Y.

negative retouching

Learn Portrait Negative Retouching. It's profitable to know, specially to photographers, house wives and some disabled persons who want to earn money at home. Finest professional HOME instruction, modern method, simple as A B C. \$1.50 weekly or \$6.00 monthly. Write now!!! Continental Retouching Club, Box 2204, Detroit 31, Michigan.

Move up to more sales. Reach over 200,000 active, interested, money-spending readers of Modern Photography through your ad in these columns. Try a low-cost ad in our next issue. Immediate results.

N

Classified Ads...

Classified Want Ads may be inserted in MODERN PHOTOGRAPHY by any reliable individual, camera dealer, or specialty house. To avoid chance of error, submit copy typed. Terms: 70s a word. Each word, including each item in the address, counts as one word. 10s additional for each word in Capital letters. Send cash with order. 5% discount for 6 consecutive insertions, 10% discount for 12 consecutive insertions, if entire bill is paid in advance. Forms close on the 15th of the third month preceding date of issue. For example: October 15th is deadline for December issue.

cameras & accessories for sale

ONE OF WORLD'S LARGEST CAMERA TRADING CENTERS—Cameras, lenses, accessories—purchased, sold, traded—new-used SUNDAYS 11-2 pm, Daily 10-7 pm. CHROMOPTICS, 943 N. State, Chicago 10.

VISITING? Jay Reed's really well-stocked, worth seeing! Free guidemap available, write: CHROMOPTICS, 943 N. State, Chicago 10.

"1961 CATALOG Over 500 Illustrations Sensational Savings! Send 25¢ Olden Camera, 1265 Broadway, New York 1, N. Y."

JAYREED'S Desires Opportunity to Undersell! Tremendous, top-quality, namebrand store, well-stocked specialists, offering immediate-action service, undersells when told what prices to underbid! Chromoptics, 943 North State, Chicago 10.

CAMERA FANS: Don't Buy that camera or projector until you see our 1961 Giant Photo catalog—all standard brands. King For Price, Box 5, Monsey, New York.

WOLLENSAK T1515 Tape Recorder \$229.50 Shipped Prepaid. For Special Catalogs Send \$1.00. Stereo City, 7206 W. Center, Milwaukee 10, Wisconsin.

MECAFLEX, unique single-lens reflex, 35mm equal to new. With 3 Kilfitt lenses: 40mm f/3.5, 100mm f/4, Macro-Kilar D 40mm f/2.8. Value \$340; sacrifice for \$125. N. M. Grossman, 250 First Avenue, New York 9, N. Y.

CHICAGO VISITORS—if you like cameras, stop in for a "look" or a free cup of coffee. We're friendly here, ALTMAN'S, 16 S. Wabash, Chicago 3, Ill.

CHICAGO VISITORS—see a "real" camera store, see ALTMAN'S, 16 S. Wabash, Chicago 3, Ill.

IF IT'S JUNK—we won't sell it. A customer is more important than one sale, ALTMAN'S, 16 S. Wabash, Chicago 3, Ill.

REMEMBER—ALTMAN is a TRADER, ALTMAN'S, 16 S. Wabash, Chicago 3, 111.

LINHOF HEADQUARTERS in the MID-WEST, ALTMAN'S, 16 S. Wabash, Chicago 3,

CATALOGS and PROMISES everyone hasbut ALTMAN'S has the merchandise IN STOCK NOW for immediate delivery, ALTMAN'S, 16 S. Wabash, Chicago 3, Ill.

IMPATIENT? want immediate delivery? try the truly well stocked camera store, try ALT-MAN'S, 16 S. Wabash, Chicago 3, Ill.

REMEMBER—ALTMAN is a TRADER, ALTMAN'S, 16 S. Wabash, Chicago 3, Ill.

28mm F3.5 Nikkor in Leica screw mount— ALTMAN sale price \$54.50 with case, brand new, we pay shipping, ALTMAN'S, 16 S. Wabash, Chicago 3, Ill.

35mm F2.5 Nikkor in Leica screw mount— ALTMAN sale price \$49.50 with case, brand new, we pay shipping, ALTMAN'S, 16 S. Wabash, Chicago 3, Ill.

KODAK SIGNET 80, interchangeable F2.8 Ektanar, special sale price \$59.50, case \$10.50, we pay postage, ALTMAN'S, 16 S. Wabash, Chicago 3, Ill.

HEILAND PENTAX H-3, automatic F1.8 Takumar. We like this camera and wish to recommend it to our friends. Ask for the ALTMAN PRICE, ALTMAN'S, 16 S. Wabash, Chicago 3,

CAN YOU TRUST A MAIL ORDER CAMERA FIRM? You can trust ALTMAN'S, 16 S. Wabash, Chicago 3, Ill.

OF COURSE—the BEST DEALS are made over the counter. Get the ALTMAN PRICE on that next trip to Chicago, ALTMAN'S, 16 S. Wabash, Chicago 3, Ill.

85mm F2 Nikkor in Contax mount—ALTMAN sale price \$59,50 with case, brand new, we pay shipping, ALTMAN'S, 16 S. Wabash, Chicago 3, Ill.

ALTMAN'S is too big to "play games." We say what we mean and mean what we say, ALT-MAN's, 16 S. Wabash, Chicago 3, Ill.

ALTMAN'S is NOT a LOFT with a CATA-LOG. Our store is one of the largest, finest, and most respected in photographic retailing. Deal with a responsible firm. Get what you order, at the price quoted, and promptly, ALTMAN'S, 16 S. Wabash, Chicago 3, III.

IT'S NOT FAIR—to advertise merchandise in stock at the time an ad is written when this ad will not appear in the magazines until about 2 months later. The particular item may be sold in the interim. What are your requirements now? Let us advise availability and price as of right now, ALTMAN'S, 16 S. Wabash, Chicago 3, Ill.

4 x 4 BABY ROLLEIFLEX, F3.5 Xenar, ALTMAN SALE price \$68.50 with case, brand new, we pay shipping, ALTMAN'S, 16 S. Wabash, Chicago 3, Ili.

WEBCOR MICROCORDER—the ultimate in miniature transistor tape recorders, push button controls, good sound, dependable performance—\$175 value, ALTMAN sale price \$119.50 with 10 rolls of tape, brand new, we pay shipping, ALTMAN'S, 16 S. Wabash, Chicago 3, Ill.

wanted to buy

IMMEDIATE AIRMAIL PAYMENTS— One of The World's Largest Camera Trading Centers offers TOP PRICES for Cameras, Lenses, Accessories in excellent condition! CHROM-OPTICS, 943 N. State, Chicago 10.

SEND US YOUR FINE CAMERAS, LENSES, ACCESSORIES. We will send cash or make offer immediately. Specify cash or price quotation. Return postage guaranteed, Altman's, 16 S. Wabash, Chicago 3, Ill.

ALTMAN URGENTLY NEEDS FINE USED CAMERAS, LENSES, ACCESSORIES. If you want to deal with one of the largest and most respected firms in photographic retailing, and want prompt action, send your equipment in or write for an offer, Altman's, 16 S. Wabash, Chicago 3, Ill.

ALTMAN'S is too big to "play games." You will get what we offer for your equipment—not a new and lower offer, once the equipment gets here, Altman's, 16 S. Wabash, Chicago 3, Ill.

ALTMAN PAYS MORE, BICKERS LESS, REPLIES IMMEDIATELY, Altman's, 16 S. Wabash, Chicago 3, Ill.

ALTMAN'S is known for fast action, no delays, no stringing you along, Altman's, 16 S. Wabash, Chicago 3, Ill.

LARGEST CAMERA STORE IN LOS ANGELES WILL PAY MORE! Due to Our Tremendous Sales Volume, We Pay More Than Market Prices For Clean, Used Equipment. We Immediately Airmail Check Upon Receipt Of Merchandise And Wait 15 Days For Your Approval. Especially Interested In: Hasselblad. Linhof. Graflex Super "D" Leica M2, M3... Nikon "F". Graphic View. Rolleiflex . Superikonta "A" and "C", Etc.; also Lenses for above cameras. HENRY'S CAMERA, 516 WEST EIGHTH ST., LOS ANGELES.

Hundreds of thousands of dollars in merchandise are sold each year through these classified columas. Here's a proven, low-cost way to sell what you have. Try an ad now for fast, prompt results.

camera repairs

FOREIGN-DOMESTIC CAMERA RE-PAIRS: 15 years experience with inventor of Contax (Zeisa) assures 100% efficient service by highly qualified technician. Internal synchronization installed on Contax, Leica, Rollei, etc. Factory authorized Service Station for most American manufacturers. Strauss Photo-Technical Service, Inc., 930 F Street, N.W., Washington, D. C. FOR SPECIALIZED CAMERA REPAIRS. Camera Technicians, Inc., 115-17 West 31 Street, New York 1, N. Y. WRITTEN GUARANTY— FREE ESTIMATES.

EFFICIENT—FAST—INEXPENSIVE: All Makes Cameras, Movie Cameras, Light Meters, Binoculars. Free Estimate. Modern Technical Supply Co., Dept. MPH, 55 West 42nd Street, New York 36, N. Y.

photo supplies

ALBUMS! Wedding, Commercial. Photographer and customer's names in gold. MOUNTS, Sales Aids. Free catalog! Crestwood, 3601 West 71st. Prairie Village, Kansas.

PHOTOMOUNTS: Send \$2.00 large assortment Folders, Easels. WEDDING ALBUMS. Wholesale Price Lists. Robin Mounts, 245 Seventh Ave., New York.

35mm, film: magazines, bulk. Free catalog. FICOA-D Box 5811, Cleveland 1, Ohio.

Move up to more seles. Reach over 200,000 active, interested, money-spending readers of Modern Photography through your ad in these columns. Try a low-cost ad in our next issue.

color photo finishing

12 Exposure Kodacolor developed, enlarged prints \$2.00. 8 exposure \$1.50, reprints 15¢. Indiana Photos, Box 707 M, Muncie, Indiana.

ANSCOCHROME-EKTACHROME developed mounted 35mm 20 exp. 85¢. Pacific Color, Box 234, Daly City, Calif.

photo finishing

Canadians professional and amateur custom finishing 4x5 15¢. Technophoto, 1481 Bleury, Montreal, Canada.

ENLARGEMENTS: 5x7, 30¢; 8x10, 40¢ 11x14, 80¢; 16x20, \$2.95. New Negatives 60¢. Barzell, 1157 Elderwood, Anaheim, California.

MINOX—16mm-35mm films hand processed. Custom Processing, Box 1241, Tulsa, Okla.

Three 4x5 enlargements 25¢. Color prints 15¢. Color 35mm film \$1.25. 8mm's \$1.50; color processing mailer 75¢. Bi-Chrome, Berkeley Hfs 36, N. J.

No Negative? For \$1.00 new negative plus 5x7 enlargement from snapshots, transparencies, colorprints, albumprints. Although conversions into projection slides three for \$1.00. Colorprints into colorsides four \$2.00. Reversed processing of Panatomic, direct positive 35mm films \$1.50 (useful for XRay copy stereo). Curiophoto, 1187 Jerome, New York 52.

oil coloring

OIL COLORING PHOTOGRAPHS—A fascinating hobby or profitable sideline for those with artistic talent. Learn at home. Easy simplified method. Free booklet. National Photo Coloring School, 835 Diversey Parkway, Dept. 111B, Chicago 14.

Increase your sales at low cost. Your ad in the classified columns of Modern Photography puts you in fast touch with over 200,000 buyers. Try this proven method of selling and see for year-self.

any LY inal

ting

rofitnouse nt to OME B C. ow!!! etroit

0 acrs of these issue.

APHY

special savings for readers of Modern Photography

Do you want to sell your old camera or equipment? Are you looking for a hard-to-find photographic item? Want to make a good trade? Put your own personal ad in the Classified Columns of MODERN PHOTOGRAPHY. Special moneysaving rate, to private individuals only, of 50¢ a word, including name and address. Send cash or money-order with your ad. Forms close on the 15th of the third month preceding date of publication—for example, 0ct. 15th is deadline for Dec. issue.

movies, movie film & titles

8MM—16MM KODACHROME MOVIES. Travel, Adventure, Wild Animals. Free Illustrated catalog, Colonial, 247D, Swarthmore, Pa.

"SURPRISE" assortment 8-MM colorful titles, \$1. Postpaid. Guaranteed. LeMoine Films, Nevada, Mo.

8mm-16mm Color and B&W film and supplies. Save \$\$\$\$. Free Catalog. Superior, 450 N. Wells, Chicago 10.

14 Pages. Choice 16mm sound subjects. Lowest prices. Also 8mm movies (specify). Gaines, 13735 Victory (MP), Van Nuys, Calif.

MOVIE CLASSICS. 8mm-16mm. Send stamp. Box 1463, Philadelphia 5, Pennsylvania.

MOVIE film! Free catalog! ESO-G, 47th Holly, Kansas City 12, Missouri.

FREE LARGE SALE CATALOG, FILMS, EQUIPMENT, COLOR TRAVEL, ADVENTURE. (Specials With Ad) NEW FILM. 8mm 200 ft. Official Cartoon, or Charlic Chaplin \$3.49. 16mm 400 ft. Sound Starring Cole & Calloway \$5.95. Add 25¢ Postage. Full Length Sound Features \$16.50. Imperial, 34 Park Row, New York 38.

5,000 New-Used 8-16mm Silent-Sound Films. International-D, Greenvale, L. I., New York.

8mm, 16mm, camera film. Free catalog. FICOA-C. Box 5811, Cleveland 1, Ohio.

Hundreds of thousands of dollars in merchandise are sold each year through these classified columns. Here's a proven, low-cost way to sell what you have. Try an ad now for fast, prompt results.

photos, b & w slides

MOUNTED SLIDES 35mm 7¢ Optical Reductions 13¢. Kirwin Slidefilm Laboratory, Crystal Lake 1, Illinois.

2x2 Black & White slides mounted from any photo 35¢ or from any size B&W negative 15¢. B. J. Anderson, Box 26072, Indianapolis, Indiana.

color slides

MISSING TRAVEL SLIDES? We have them. 10,000 35mm standard size color slides of the U.S.A. and all over the world. Historic, scenic, exotic subjects featuring hard to get shots, matchless air views, restricted interiors, spectacular night scenes, maps and titles. Professional quality. Send \$.25 for 140 page catalog with 42 color illustrations. Henry Cobb Shaw, 105-2 Washington St., Boston 8, Mass.

COLORSLIDES, Travel, nature, etc. Free list. Sample 30¢. Kelly M. Choda, Box 15, Palmer Lake, Colorado.

FREE, color illustrated catalog color slides. Free title slides. 10¢ mailing charge, Inter-American Features, Jenkintown 13, Penna.

COLORADO Scenic, Railroad, Trolley slides by Thirty-Five Slides, Green Mtn. Falls, Colorado. Free Lists, specify. 50 Interesting, assorted slides, with mounts (unassembled) \$2.00. Sample, catalog \$.50. Sanford Co. (Established 1941) Lake City, Pa.

PROJECT COLOR STEREOS full screen on any 2x2 projector using new low cost guaranteed system. Large selection special stereos at 2x2 prices. Sample, list, \$2.5. Your stereos convertible. SPI, Box 1155S, Sherman Oaks, Calif.

"17,000 subjects in stock offers wide choice and quick delivery. Production by Captain M. W. Arps, U. S. Navy, retired, insures satisfaction. 108 page Catalog United States, Canada, Mexico and Cuba, 166. If interested other countries, add 4¢ for each additional list. World-Wide coverage (100 countries). Roloc, Box 1715, Washington 13, D. C."

10 Slides \$1.00 Unconditional guarantee, HOP-SON 2524 Sichel, Los Angeles 31, Calif.

HAWAII—largest 35mm selection, Send \$1.00 for list and 4 sample slides. Also available, STEREOS and 8MM, 16MM HAWAII FILMS. Pacific Camera, Box 3683-M, Honolulu, HAWAII.

New Reduced Prices; famous collection of Color Slides. Sets of 6-\$1.00 per set. Over 1,000 sets, U.S.A. and foreign countries (also 5,000 individual slides). Send 10¢ for catalog. Universal, 132 West 32nd St., N.Y.C.

FIVE CENTS EACH! Sampler Assortment 20 Beautiful 35mm Scenic Color Transparencies \$1.00. Five samples 25¢ Mounts 36 for 50¢. SLIDE SUPPLY, Box 1031, Canton, Ohio.

AMERICA'S Largest Selection — Colorful Title, Map, Comic, Travel Slides. Exclusive! Free Illustrated Lists. Colonial, 247-D, Swarthmore, Pa.

ARTISTS—Photographers: Human interest subject references. Free Listings: Slides, Box 384, Chicago 90.

Rose Parade-Alaska-Mexico-Western U.S.A. Ten Colorslides. One Subject \$1.00. All 110 one subject \$10.00. EDDINGS, 8-M Roberts, Corning, N. Y.

Collection of 10 color slides (35mm) of a subject \$1.75. Write for FREE list of subjects, Dept. P, PHOTO LAB., INC., 3825 Georgia Ave., Wash. 11, D. C.

BEAUTIFUL COLOR SLIDES 10¢ each—select from hundreds. Send dime for sample and latest issue "Slide News." SLIDE SUPPLY, Box 1031, Canton, Ohio.

London-Paris-Tokyo-Rome-Madrid. Eight Colorslides one city \$1.00. All 48 \$5.95. EDDINGS, 8-M Roberts, Corning, N. Y.

1961 International Beauty Parade set of 55 (2x2) sparkling Eastman Color Slide \$12.00 postpaid . . set of 20 slides \$4.95. 8mm color movies 100 ft. \$14.95, 16mm 200 ft. \$27.50. Colorslide, Box 1193, Studio City, Calif.

SENT ON APPROVAL! Complete your collection with the scenes you missed. Select from 8000 colorful 35mm slides of 88 countries—all as beautiful as your best originals. You name it, we have it—restricted interiors—Oberammergau 1960—exciting peoples of the Far East! Send 25¢ for the big 84-page, 8th edition Wolfe Catalog of Hi-Fi slides in true, living color. For more than 10 years Wolfe slides have been SENT ON APPROVAL—THEY HAVE TO BE GOOD! Wolfe Worldwide Films, Dept. 4111, 1657 Sawtelle Blvd., Los Angeles 25.

CALIFORNIA Color Views—Free Catalog. KVA, Box 111-U, San Dimas, California.

special savings for readers of Modern Photography

Do you want to sell your old camera or equipment? Are you looking for a hard-to-find photographic item? Want to make a good trade? Put your own personal ad in the Classified Columns of MODERN PHOTOGRAPHY. Special moneysaving rate, to private individuals only, of 50¢ a word, including name and address. Send cash or money-order with your ad. Forms close on the 15th of the third month preceding date of publication—for example, Oct. 15th is deadline for Dec. issue.

BEAUTIFUL Cypress Gardens—Eight slides \$1. Sample 10¢. Riviera, Box 34-1313, Coral Gables, Fla.

ARTISTS—Photographers: Human Figure Subject References, Listings: Slides, Box 384, Chicago 90.

schools and instructions

Make Money in Photography. Ten Chapters tell How. Free details. Paramount, Box 524, Hutchinson, Kansas.

BIG Money in Photography! Train quickly at home or in New York in America's largest photographic school. Veteran approved. Send for Free Illustrated Book. New York Institute of Photography, Dept. C-117, 10 West 33 Street, New York 1, New York.

LEARN Retouching. Complete. Home Study Course including all equipment. Easy payments. Money Back Guarantee. Full Price \$27.50. Write for Free Literature today. A-1 Arts, Dept. A, 3944 West Lawrence, Chicago 25, Ill.

CAMERA Repairmen greatly needed! You can learn manufacturers' service methods at home, in your spare time! Free, big illustrated book tells how! Write today, National Camera Repair School, Dept. MF-11, Englewood, Colorado.

Become a telephoneman, experience unnecessary, details free. Occupations Unlimited, 1100 Reeve, Santa Clara, Calif.

business opportunities

TRANSPARENCIES Wanted! Up to \$500.00 each. For information write: American Color, 1008 N. Stanley Ave., Hollywood 46, Calif.

Make \$25-\$50 Week, clipping newspaper items for publishers. Some clippings worth \$5.00 each. Particulars free. National, 81-MP, Knickerbocker Station, New York 2.

EARN Security and Independence. Complete home-study course in camera repair available to sincerely interested. Write for free, illustrated book. National Camera Repair School, Dept. FB-11, Englewood, Colorado.

miscellaneous

FREE Illustrated Hypnotism, Self Hypnosis, Catalogue. Write: Hypnotist, 8721 Sunset, Hollywood 46MP, California.

FREE Hypnotism, Self-Hypnosis, Sleep-Learning Catalog! Records, Tapes, Books, Courses, Equipment! Drawer MP-697, Ruidoso, New Mexico.

RECORDERS, HiFi. Free wholesale catalogue. CARSTON, 125-B East 88, NYC 28.

SELF-HYPNOSIS! New concept teaches you quickly by tape or LP-record. Free literature. McKinley Publishers, Dept. PM, Box 3038, San Bernardino, California.

EARN \$50.00 Fast, sewing aprons. Details free. Redikut's, Loganville 44, Wisconsin.

MODEL RELEASES, 100-\$1.00. Foto Forms, Box 432, Wall Street Station, New York 5, N. Y.

home movie fans

See the World in Color. 8mm-16mm. Kodachrome movies. Alaska, Hawaii, America, Europe, Africa, South Seas, U.S. National Parks. Also War and Rocket Test Films. 185 subjects. Low prices. Write World in Color. Box 392-MP, Elmira, N. Y.

Move up to more sales. Reach over 200,000 active, interested, mosey-speading readers of Modern Photography through your ad in these columns. Try a low-cost ad in our next issue. Immediate results. GET READY FOR THE SPACE and SCIENCE ERA! SEE SATELLITES, MOON ROCKETS



and

EXCELLENT XMAS

NEW LOW PRICE FLASHLIGHT POINTER



. Point It Out With **Projected Arrow**

How many times have you wanted to follow motion picture action—or illustrate some minute detail on a slide proput a bright arrow—anywhere on the movie or slide projected screen with the Flashlight Pointer that superimposes a sharply visible arrow—without distortion, and without getting in the way—on maps, screens and walls. This is a "must" for lecturers, salesmen, photo exhibitors, teachers, etc. Order yours today.

Stock No. 60,117-M......\$5.95 Postpaid

See the Stars, Moon, Planets Close Up! 3" ASTRONOMICAL REFLECTING TELESCOPE

Photographers! Adapt your camera to this Scope for excellent Telephoto shots and fascinating photos of moon!



excellent Telephoto anota and fascinating photon of moon!

So to 180 Power-Famous fift, Palomar Type! An Unusual Buyl
See the Rings of Saturn, the
fascinating planet Mays, huge
craters on, the Moon. Equatorial mount with lock on both
axes. Aluminized and overfile mirror. Telescope comes
equipped with a 60x eypiece
and a mounted Barlow Lens.
Optical Finder Telescope included. Hardwood, portable
tripod. FIREE with Scope:
272-page "HANDBOOK OF HEAVENS" plus "HOW TO
USE YOUR TELESCOPE" BOOK.

\$2.29.85 Pextuald.

Stock No. 85,050-M\$29.95 Postpaid

LOOK! METROGON CAMERA LENSES EXTREME WIDE ANGLE, MULTI-USE Use for Opaque Projector, Copy or Telephoto, Transparency Projector, Reducer, Photo-Murals.



SPECIAL! Lens only from above, mounted in steel barrel 2%" O.D., 2.4" long for opaque projection. In this mount system is F 3.5. Stock No. 60,129-M\$22.50 Postpaid

nove Your Retaining Rings—Disassemble Lenses, Cameras, etc.



ADJUSTABLE

SPANNER WRENCH

Made for U.S. Air Force—available at a fraction of Government cost. A top grade, versatile tool that every instrument and camera could own. Adjustable for by the force of the complete with six different pairs of points to fit all set of sixts and holes. S. "c", and 12" main bare. All steel this type of retaining ring work AND a real bargain at low price.

USE YOUR 35mm PROJECTOR AS A SPOTLIGHT!



10 Piece Set of 2 x 2" Slide Masks Project limited lighted areas, with 35mm slides and project parts of slides to create special light effects for photography, shows, displays, etc. Consists of 5 masks with holes %, %, %, %, 11, 1% in dia. 3 masks with slit. 1/16. %, %, %, %, 11 mask with slit. 1/16. % %, %, %, 11 mask with slit. 1/16. % %, %, 11 mask with slit. 1/16. % %, 12 mask with slit. 1/16. % %, 13 mask with slit. 1/16. % %, 14 mask with slit. 1/16. % %, 14 mask with slit. 1/16. % %, 15 mask with slit. 1/16.



SPECIA TERRIFIC BUY! AMERICAN MADE! OPAQUE PROJECTOR

Projects illustrations up to 3" x 31/2" and enlarges them to 35" x 30" if screen is 45/2 ft. from projector; larger pictures if screen is the further away. No film or negatives needed. Projects charts, diagrams, pictures, photos, lettering in full color or black-and-white. Operates on 115 volt, A.C. current. 6-ft. extension cord and blug included. Operates on 60 watt bulb, not included. Approved by Underwriters' Laboratories, inc. Size 12" x 8" x 41/2" wide. Weight I b. 2 oz. Plastic case with built-in handle.

Stock No. 70,199-M\$7.95 Postpaid

NEW BINOCULAR-TO-CAMERA HOLDER



FOR EXCITING TELEPHOTO PICTURES-WILL FIT ANY CAMERA

Bring distant objects 7 times nearer with a 35mm. camera. 7x50 bhocular and RoLLER. 16 to 16 for long range photos of wild life, ships, people, planes, etc. Camera and binocular statch easily constitution of the control of the cont

Steck No. 70,223-M \$11.50 Postpaid



DOWN GOES THE PRICE ON WAR SURPLUS LENSES—

ARRO ENTARS AND TESSARS—NEW AND USED—

MFgd. by Bausch and Lomb and Kotak at cost to Govt. of over all 1000 each—Pfg. 24 in. Focal Length Lenses with 23' Lenses of the Cost of th

Above Lenses in cells—out of Cone and Diaphragm Stock No. 70,190-M \$22.50 Pated.

War Surplus American-Made 7x50 Binoculars



Big sav-ings! Brand n e w ! Crystal clear

Every optical element is coated.
An excellent night glass—the
size recommended for satellite
viewing. Individual eye focus.
Exit pupil 7mm. Approx. field
at 1,600 yds. is 376 ft. Carry7 x 50's normally cost \$274.50.
Our war surplus price saves
you real money.
Stock Me. 1444.

Stock No. 1544-M Only \$74.80 pated. (Tax included)

6 x 30 Binoculars—similar to above and a terrific bargain. Steek No. 963-M \$33.00 pstpd. (Tax included)

PHOTOGRAPH ABSTRACT COLOR! TRANSPARENT DIFFRACTION GRATINGS PRODUCE DAZZLING COLOR EFFECTS

See Norman Rothachild's article in Oct. '61 issue of Modera Photography for details on the welrd and wonderful rainbow color magic obtainable with Edmund Diffraction Grating Circles. Easily created by placing one or more replica gratings in front of the camera lens at different angles. Use with 35mm canners and color film for exposure in candicipation, until the composition of the camera lens at different angles. Use with 35mm canners and color film for exposure in candicipation of the color of No. 30,401-M Package of six.....\$4.00 Postpaid

NOW—A 6X PLASTIC VIEWER FOR CONVERTING 8 AND 16MM MOVIE FRAMES INTO GIFT TRANS-PARENCIES



Through Your Telescope with EDMUND

CAMERA HOLDER

for TELESCOPES

Never before an inexpensive phasic dosen for only \$2.00 ppd. sust think of all that throwaway footage you can closely the property of the promotion of the promotion of the promotion of the promotional term. Same also I fearly suggested and compensation of the promotional term. Same also I fearly suggested and mounted 8% all made to fit perfectly—or larger transfers. I fearly suggested the promotional term. Same also I form?, masked and mounted 8% all made to fit perfectly—or larger transfers. I fearly suggested the promotional term. Same size I form?, was well as a fearly view are also I fearly view as the promotion of the prom

1"x1"x21/s" long.

Stock No. 00,195-MSet af 12—Only \$2.00 Pstpd.

SX PLASTIC VIEWER for 35mm, 1"x11/s"x2" long.

Stock No. 60,220-MSet af 6—\$2.50 Postpaid TAKE PHOTOS of the MOON

CIRCULAR LEVEL VIAL

For leveling in all directions. Use it on top of cameras, or telescopes to get a fix on finstrument is level. Use it in the home for leveling appliances, for model making, train layout, etc. Diameter 1".


Sensitivity 48 minutes plus/minus 10% for each 1." movement of the bubble.

Stock No. 40,068-M Used......\$1.70 Ppd.

BRAND NEW! 8MM PROJECTION LENS CLOSEOUT

MADE SY REVERS TO SELL FOR MUCH MORE THAN THIS \$7.50 PRICE. Both wide angle and normal projection lenses for a hi-25% oversise pictures when using complete unit-remove wide angle assembly for normal Fits all Rmm movie projectors taking 4%" O.D. Longth 3-3,745." Front dis. 1-5,16". Spiral longth 3-3,745." Front dis. 1-5,16". Spiral size pictures. Fits all 8mm movi lens barrels. Length 3-3/16". grooved barrel is 1-5/16" long.

Stock No. 60,174-M.....\$7.50 Postpaid





STEREO MICROSCOPE

Years in development, Precision American made. Used for checking, inspecting, small assembly work. Up to 3' working distance. Clear, sharp, erect image. Wide, 3 dimensional field, 2 sets of objectives on rotating turrel.

Bracket attaches permanently to reflect-ing on refracting telescopes. Removable pictures of Montage and the second of the pictures of Montage and the second of the distant objects. White metal projection screen permits you to see the sun spots Includes brackets, 28%, rod, projection screen, screws, directions. Order Steak No. 79,162-88.

FOR FREE CATALOG-M

160 Pages! Over 1000 Bargains! Optics for the Space Eral Huge selec-tion of lenses, prisms, was surplus optical inwas surplus optical instruments, parts and accessories. Telescopes, binoculars, sniperscopes, binoculars, sniperscopes, science experiment items and teaching and teaching aids. Request Catalog M.

EASY PAYMENT PLAN AVAILABLES DETAILS WITH CATALOSI



ORDER BY STOCK NUMBER . SEND CHECK OR MONEY ORDER . SATISFACTION GUARANTEED!

MUND CO., BARRINGTON, NEW JERSEY

TY

EXAKTA SPECIALISTS...

Genuine Carl Zeiss FLEKTOGON Automatic 35mm F2.8 Wide Angle Lens

The undisputed leader in 35mm automatic wide anale lenses. Only Seymour's can bring it to

DeLuxe Leather Case \$4.80 Filter Adapter, Ser. VII Rectangular Special Shade \$4.85

Just arrived! Completely re-designed

IHAGEE



Hooded Waistlevel Viewfinder

with interchangeable focusing glass. Seymour priced complete with Ground Glass.....

With Rangefinder\$19.90 With Lumilite\$30.45

Shipping & Insurance 85¢

Important Notice!

We are fully equipped to handle all Repairs on Exakta Cameras. Estimates gladly given.

with fully

automatic Isco Westrocolor F1.9 A wonderful Seymour Bargain, complete with PentaPrism, and Rangefinder.

DeLuxe

Latest

1961

Exakta

VXIIa



SEYMOUR'S, the Exakta Specialists carry the World's Most Complete Inventory of Exakta Cameras and Exakta Accessories. Hard-to-find Exakta Accessories are easy to tind at Seymour's, the Exakta Specialists.

ORDER BY MAIL 15 Day Money-Back Guarantee

Have you seen our new Brochure on the incredibly brilliant

Super Sensitive milite Focusing Screen Triples focusing accuracy. Thousands sold to enthusiastic

Ask for free brochure, stating model no. of your Exakta



Exakta owners.

Compact Carry-All Case

Seymour priced at

Postage 95¢

Ihaaee presents the new

PROXETTE

Variable Extension Bellows

Replaces Extension Tubes! Variable extension locks in place. Twin rod construction for rigidity. Takes all Exakta lenses for closeup work.

At this time the Ihagee Proxette Bellows is available ONLY from Seymour's.

Especially low Seymourpriced at only.....

Postage 95¢

STEINHEIL

Macro Cassarit 50mm F3.5 **Extreme Range Lens** Infinity to 11/2" !!!

Especially recommended for use in the lhagee Proxette Bellows but will work in any Exakta bellows and with Extension tubes. The optical part of the lens is deeply recessed into the barrel, while the diaphragm control ring is conveniently located at the very front of the barrel. This construction makes it possible to focus all the way to infinity and as close as an Inch-and-a-belf without any blind spots, An ingenious solution to a vexing problem!

Seymour priced at only

350-F West 31st Street, New York 1, N.Y.

Combination Package

Proxette Bellows plus Macro Cassarit 50mm F3.5

\$4950

Postage \$1.25

Thinking of buying an Exakta?

SEYMOUR'S, the World's Only EXAKTA SPECIALISTS, can supply your Exakta with the lens of your choice, equipped exactly as you want it (no more, no less!) at prices that reflect con-

centrated purchasing power. Large turnover assures you of latest factory-fresh cameras. Official papers and guarantee, of course.

EXAKTA OWNERS!

Be sure to have your name placed on our famous mailing list. It will keep you abreast of all new Exakta developments. It will bring you our unusual offers in Exakta accessories, lenses and related equipment. Get MORE out of your Exakta!

To Seymour's, 350-F West 31st Street, New York 1, N. Y.

Please ship the items which I have listed on the attached sheet.

I de not ewn an Exakta.

Please send me descriptive literature, price list, accessory list, and a sample copy of your Exakta News.

I have an Exakta (Model
Please send your Exakta News regularly; also send accessory lists and builetins and put my name on your mailing list.

would like to trade equipment.
I have listed the items I have and the items I want on a separate sheet

PLEASE: If you are on our mailing list, check here Please hand print or type name and address


NUMBER AND STREET_ ZONE___STATE Bo

tio

alc

200

fra



There's a Hollywood Studio inside this Bolex 8mm Camera

Every Hollywood effect is yours with the new Bolex D-8L (with film rewind) Compumatic, a studio within a camera. Fades, slow motion, and now lap dissolves—imagination alone limits the variety.

The D-8L with film rewind has seven different speed settings, a variable shutter, a zoom viewfinder and settings for single-frame shots. A special rewind feature has been added to combine with the variable

shutter for the most professional lap dissolves.

The 8mm Bolex has an electric eye that measures light through the lens for the exact field the lens covers. This means perfect exposures for whatever lens is in the shooting position—normal, telephoto, wide-angle or zoom—and truer color.

The D-8L (with film rewind) Compumatic with three-lens turret is priced from only \$164.50 with Yvar 13mm f/1.9 f. f. lens. Ad-

ditional lenses are optional at extra cost, Other Bolex Compumatic models range from \$79.50 for C-88L with Lytar 13mm f/1.9 f. f. to \$370.00 for 8-DL with film rewind and Pan Cinor 40R zoom lens. Write Dept. BMP-11 for details and name of nearest Bolex Dealer.

Prices include F.E.T. where applicable.

BOLEX

OTHER PAILLARD PRODUCTS INCLUDE SWISS-PRECISION HERMES TYPEWRITERS AND ADDING MACHINES

PAILLARD INCORPORATED, 100 SIXTH AVENUE, NEW YORK 18, N. Y...IN CANADA, GARLICK FILMS LTD., TORONTO

rev Olutionary

Unique new automatic, remote-focus, remote-advance, remote-reverse slide projector...with a revolutionary new jam-proof 80-slide long-play tray that changes like a hi-fi record, stores like a book, gives instant access to every slide for editing. Full-automatic pacing; complete manual control, too. Precision die-cast construction; 500-watt power. Let your dealer give some of your best slides a ride on the new KODAK CAROUSEL PROJECTOR • Less than 3140-

See your dealer for exact retail price

EASTMAN KODAK COMPANY, Rochester 4, N.Y.

Price subject to change without notice.

